

Near Shanku's Water Park, Ahmedabad – Mehsana Highway, Linch, Mehsana – 384435 Email: info@saffrony.ac.in Web: www.saffrony.ac.in Phone : (02762) 285721



Report having

- List of extension activities
- Activity Details
- Number of students participated
- Photographs
- Banners
- Appreciation letters (if any)



NATIONAL ASSESSMENT AND ACCREDITATION COUNCIL



Near Shanku's Water Park, Ahmedabad – Mehsana Highway, Linch, Mehsana – 384435 Email: info@saffrony.ac.in Web: www.saffrony.ac.in Phone : (02762) 285721



ACADEMIC YEAR 2020-21

Submitted to



NATIONAL ASSESSMENT AND ACCREDITATION COUNCIL



3.4.3 Number of extension and outreach programs conducted by the institution through organized forums including NSS/NCC with involvement of community during the last five years

Sr. No.	Name of the activity	Organising unit/ agency/ collaborating agency	Name of the scheme	Year of the activity
1	Session on Right Focus in Nearby Schools	S.P.B Patel Engineering College	Community service awareness	2020-21
2	Diwali Gifts Distribution	S.P.B Patel Engineering College	Community service awareness	2020-21
3	Session on Fall protection and prevention	Amee Construction Company	Community service awareness	2020-21
4	Session on Mobile Addiction in nearby Schools	S.P.B Patel Engineering College	Community service awareness	2020-21
5	Vishwakarma Yojana	Gujarat Technological University	Vishwakarma Yojana	2020-21
6	Workers-Safety	Amin Construction	Community service awareness	2020-21



COMMUNITY SERVICE AWARENESS REPORT

RIGHT FOCUS PROGRAM

Program Duration: November 2020 to January 2021

Program Overview:

During the academic year 2020-21, Saffrony Institute of Technology, undertook a proactive community service awareness initiative titled "Right Focus." Conducted from November 2020 to January 2021, this outreach program aimed to educate and empower students in nearby schools on the crucial skill of goal setting.

Program Details:

- Faculty Team: 6
- Student Participation: Approximately 900 students
- Program Duration: November 2020 to January 2021

Focus Areas:

The program focused on comprehensive sessions covering:

- The intricacies of setting SMART goals.
- Goal-setting techniques.
- Crafting schedules for effective time management.
- Cultivating a healthy sleep cycle for enhanced well-being.

Educational Impact:

The proactive educational activity proved instrumental for numerous students, providing valuable insights and strategies to navigate their academic journeys effectively. The emphasis on goal setting, including the detailed exploration of SMART goals and time management, contributed to the development of crucial life skills beyond the academic realm.





Holistic Student Development:

By addressing the specific aspect of exam goal setting, the institute demonstrated a commitment to holistic student development. The Right Focus program underscored Saffrony's dedication to fostering skills that extend beyond traditional academic subjects, ultimately empowering students for success in both their academic and personal pursuits.

Extension Activity Acknowledgment:

The Right Focus program is acknowledged as an extension activity by Saffrony Institute of Technology. This recognition highlights the institute's commitment to actively engage with the community, providing valuable educational resources and contributing positively to the holistic development of students.

Photographs:

































DIWALI GIFT DISTRIBUTION REPORT

Event Date: November 14, 2020

Event Title: Diwali Gift Distribution

Introduction:

On November 14, 2020, Saffrony Institute of Technology embraced the spirit of Diwali with a unique and meaningful celebration. The institute organized a Diwali Gift Distribution event to extend gratitude and festive cheer to the indispensable members of our community, including sweepers and other staff who contribute significantly to the institute's daily operations.

Event Objectives:

- 1. Gratitude Expression: The central goal of the event was to express sincere appreciation to the often-overlooked individuals, such as sweepers and staff, for their dedicated service to the institute.
- 2. Inclusivity and Appreciation: The event aimed to create an inclusive atmosphere, ensuring that every member of the institute community feels valued and appreciated for their unique contributions.
- 3. Festive Joy Sharing: Beyond the academic setting, the Diwali Gift Distribution sought to share the joy and spirit of the festival with the entire institute family.

Event Highlights:

- Thoughtful Gift Selection: A meticulous selection of gifts, including traditional Diwali sweets and personalized items, was made to reflect the cultural significance of the festival and convey heartfelt wishes.
- Personalized Notes: Each gift was accompanied by a personalized note expressing gratitude and acknowledging the recipient's role in the success of the institute gratitude and acknowledging the recipient's role in the success of the institute gratitude and acknowledging the recipient's role in the success of the institute gratitude and acknowledging the recipient's role in the success of the institute gratitude and acknowledging the recipient's role in the success of the institute gratitude acknowledging the recipient's role in the success of the institute gratitude acknowledging the recipient's role in the success of the institute gratitude acknowledging the recipient's role in the success of the institute gratitude acknowledging the recipient's role in the success of the institute gratitude acknowledging the recipient's role in the success of the institute gratitude acknowledging the recipient's role in the success of the institute gratitude acknowledging the recipient's role in the success of the institute gratitude acknowledging the recipient's role in the success of the institute gratitude acknowledging the recipient's role in the success of the institute gratitude acknowledging the recipient's role in the success of the institute gratitude acknowledging the recipient's role in the success of the institute acknowledging the recipient acknowledgi

NAR



Participation Across the Community: Active participation from students, faculty, and administrative members created a harmonious and joyous atmosphere during the event.

Event Execution:

- 1. Gift Preparation: Ahead of the event, a dedicated team curated and prepared the thoughtful gifts, ensuring they aligned with the festive theme and cultural ethos.
- 2. Distribution Ceremony: The gifts were distributed personally during a special ceremony, creating an intimate and appreciative moment for both the givers and receivers.

Impact and Significance:

The Diwali Gift Distribution event left a lasting impact on the institute community:

- Boosted Morale: Sweepers and staff members felt a significant boost in morale, appreciating the acknowledgment of their essential roles in the institute's functioning.
- Strengthened Community Bonds: The event fostered a sense of unity and camaraderie, strengthening the bonds among students, faculty, and staff.
- Cultural Appreciation: By celebrating Diwali in this inclusive manner, the institute showcased its commitment to cultural appreciation and diversity.

Conclusion:

The Diwali Gift Distribution at Saffrony Institute of Technology on November 14, 2020, was not just a celebration; it was a profound expression of gratitude and inclusivity. As the institute moves forward, the warmth and positive spirit generated by this event will continue to resonate, contributing to a supportive and appreciative atmosphere within our academic community.





Photographs:

Amba Foods

Simandhar City, Ahmedabad-Kalol Highway, Adalaj, Gandhinagar-382421

	x Invoice	Date:	14-11-20)20	
Customer: S.P.B Patel Engineering College Customer Address:	Invoice No: AR-20-Nov-14-2 Company GSTIN: 24AFIPJ2367N				
Customer GSTIN:	company com				
	HSN/SAC	Quantity	Unit	Price	Amount
Sr Description	21069099	7.0	Nos	260.0	1820.0
1 SW KAJU KATRI (500 gm) 2 SW KESAR KAJU KATRI (500 gm)	2106	73.0	Nos	288.0	21024.0
2 SW KESAR KAJU KATRI (500 gm) 3 Rose Barfi (250 gm)	2106	80.0	Nos	90.0	7200.0
and the second se		Taxable To	tal		₹ 28,613.33
		CGST @ 2.5			₹ 715.33
		SGST @ 2.5			₹715.33
\[D	ound Off Amor			-₹0.0
	H	GRAND TOT			₹ 30,044.0

Taxable Amount	CGST @ 2.5%	SGST @ 2.5%
		(2.5%) ₹ 672.00
	(2.5%) ₹ 43.33	(2.5%) ₹ 43.33
	₹ 26,880.00	₹ 26,880.00 (2.5%) ₹ 672.00

Amount in words INR Thirty Thousand And Forty Four only. For Amba Foods

ignatory Autho

Bank Account Details: A/C Holder Name: Amba Foods Bank Name: HDFC Bank A/C No.: 50200021355330 Branch: Trimandir, Adalaj, HDFC0004065, Current

SUBJECT TO GANDHINAGAR JURISDICTION THIS IS COMPUTER GENERATED TAX INVOICE

PA LINER NEPT 665900 11 300 44 Lint .







Report on Fall protection and prevention session

Date: 1st May 2021

Objective:

The Fall Protection and Prevention session organized by students from the 6th Semester of Civil Engineering at S.P.B. Patel Engineering College on 1st May 2021 aimed to enhance workers' safety awareness and knowledge. This initiative was conducted in collaboration with Amee Construction Company and coincided with Safety Week to commemorate Workers' Day.

Activities:

- The students conducted a demonstration for the workers at Amee Construction Company to raise awareness about fall hazards and prevention measures.

- Various topics were meticulously covered during the session, including the assessment of potential fall hazards, proper usage, and maintenance of fall protection equipment, and the importance of maintaining a safe work environment.

Following activities were done:

- 1. Identification and assessment of potential fall hazards in the workplace.
- 2. Proper usage of fall protection equipment like harnesses and anchorage systems.
- 3. Maintenance practices to ensure the reliability of fall protection equipment.
- 4. Importance of maintaining a safe work environment through effective housekeeping.
- 5. Strategies for promoting a culture of safety among workers to prevent falls.
 - Key highlights of the session included discussions on guardrails, safety nets, personal fall arrest systems, and the significance of proper housekeeping to minimize tripping hazards.
 - Additionally, the students emphasized the impact of weather conditions on fall risks and educated the workers on planning strategies for hazardous weather conditions.

Outcomes:

 The session equipped workers with necessary skills and knowledge to mitigate fall hazards effectively.





- Workers gained insights into the importance of safety protocols in the construction industry, contributing to a safer working environment.
- The demonstration and discussions enriched the workers' understanding of fall protection measures and promoted a culture of safety and responsibility.

Conclusion:

The Fall Protection and Prevention session organized by students from S.P.B. Patel Engineering College demonstrated a proactive approach towards promoting workplace safety. Through collaboration with Amee Construction Company and comprehensive coverage of relevant topics, the session made a significant impact on workers' safety awareness and knowledge.

Appreciation:

Received an appreciation letter from Amee Construction, recognizing the significant impact of the session on enhancing workers' safety awareness and knowledge.



Amee Construction

Civil Engineers and Contractors

Date: 03.05.2023

To, S.P.B Patel Engineering College Near Shanku's Water Park, Ahmedabad – Mehsana Highway, Linch, Gujarat 384435

I extend my warm greetings to you on behalf of Amee Construction.

It is with immense pleasure and gratitude that I pen this letter to express our sincere appreciation for the valuable contribution made by your institution to our workers' learning experience.

On 1st, May 2023, your faculties of Civil Engineering conducted a Fall protection and prevention session as part of Safety Week to celebrate Workers' Day. This training program teaches workers how to identify and assess potential fall hazards and the proper use and maintenance of fall protection equipment. Well-structured fall protection and prevention training should also include information on guardrails, safety nets, personal fall arrest systems, and the importance of proper housekeeping on construction sites to minimize tripping hazards. Another important aspect for workers to understand is how weather conditions can affect fall risks and how to plan accordingly for hazardous weather.

We would like to express our sincere gratitude to the entire team at Saffrony Institute of Technology for sharing your expertise and facilitating a session that was both educational and inspiring. The commitment to empowering our workers with the knowledge to protect themselves has left a lasting impression on our company.

Warm regards,





MOBILE ADDICTION AWARENESS PROGRAM

Program Duration: November 2020 to March 2021

Introduction:

Saffrony Institute of Technology, aligned with its commitment to community welfare and holistic development, extended its expertise and resources to address the pervasive issue of mobile addiction in nearby schools during the academic year 2020-21. Recognizing the growing concerns and negative impacts of excessive mobile device use, Saffrony undertook a Mobile Addiction Awareness Program as part of its extension activities.

Program Reach:

The program, spanning from November 2020 to March 2021, reached out to approximately 800 students across neighboring schools. This extension activity involved the collaborative efforts of 6 faculties from Saffrony Institute of Technology, showcasing a collective commitment to the betterment of the broader community.

Program Components:

The Mobile Addiction Awareness Program comprised interactive sessions, workshops, and awareness campaigns meticulously designed to provide a comprehensive understanding of the drawbacks of prolonged mobile device usage. The program went beyond offering mere insights, delving into effective mitigation strategies and exploring the psychological and social impacts of mobile addiction.

Empowering Other Institutions:

1. Practical Strategies: Participants were equipped with practical and actionable strategies to manage and control their mobile device usage.

2. Psychological Insights: The program shared insights into the psychological effects of mobile addiction, fostering an understanding of anxiety and reduced attention spans.





3. Social Implications: Participants gained awareness of the social implications, including strained relationships, thereby encouraging a mindful approach to digital interactions.

Empowerment and Boundary Setting:

A key focus of the extension activity was to empower students in neighboring institutions to establish boundaries for healthier device usage. By providing them with the necessary tools and knowledge, the program aimed to empower these students to strike a balance between the advantages of technology and its potential drawbacks.

Impact Beyond Saffrony:

The extension of the Mobile Addiction Awareness Program beyond the confines of Saffrony Institute of Technology demonstrates the institution's commitment to being a catalyst for positive change in the wider community. The program serves as a model for how educational institutions can proactively address contemporary challenges and contribute to the well-being of society.

Saffrony's Commitment to Holistic Development:

This extension activity exemplifies Saffrony Institute of Technology's commitment to holistic student development and community welfare. By sharing expertise and resources, Saffrony aims to empower students from neighboring institutions, ensuring they are well-informed and equipped to navigate the challenges posed by mobile addiction.

Continued Impact:

The Mobile Addiction Awareness Program, as an extension activity, is poised to have a continued impact on the well-being of students in neighboring schools. Saffrony remains committed to extending its support and resources to address contemporary challenges and contribute positively to the communities it serves.





Photographs:





















VISHWAKARMA YOJANA GUJARAT TECHNOLOGICAL UNIVERSITY (GTU)



CONTENTS —

- 1. INTRODUCTION: VISHWAKARMA YOJANA
- 2. CORRSPONDANCE / COMMUNICATION (E-MAIL)
- 3. PARTICIPATION FROM INSTITUTE
- 4. ORIENTATION PROGRAM
- 5. GTU-PMMS PORTAL
- 6. ABSTRACT FORMAT
- 7. DETAILED PROJECT REPORT

1. PRINCIPAL'S MESSAGE

GTU is allotted an important and prestigious project of Vishwakarma Yojana by the government of Gujarat through the Commissionerate of Technical Education for the year 2012-13. It is also proposed to frame "Vishwakarma Yojana" to provide the benefit of real-world experience and simultaneously apply technical knowledge in the development of rural infrastructure planning & management by students of GTU. The contribution and the hard work put in by the GTU students have made this project go on a smooth sail and indeed will be a huge success.

Vishwakarma Yojana, facilitated by Gujarat Technological University, involves engineering students in holistic village development, integrating physical, social, and renewable infrastructure. This initiative aims to mitigate urban pressure by fostering self-sustaining 'Rurban' areas, offering hands-on experience while addressing rural development needs for sustainable progress.



GUJARAT TECHNOLOGICAL UNIVERSITY (Accrediated with A+ grade by NAAC) Vishwakarma Yojana

HOME PHASE MGNREGA MISSION ANTYODAYA AICTE TECHNICAL INSIGHT GALLERY CONTACT US

Phase 8 Details

Comprehensive Report | To View Village Report

Vishwakarma Yojana Project - Village Details from PHASE-1 to VII
GTU - AICTE_Internship_Circular_217493
Email Sending to GTU Affiliated Colleges-VY-PHASE-VIII Participation
REPORT-Vishwakarma Yojana-Online Orientation Program(Webinar) for PHASE-VIII and Award giving for
GTU - PMMS_Schedule_Sem7_2020_21
GTU-I-VISHWAKARMA YOJANA PROJECT PHASE-VIII - PMMS -SEM-7-8 UPLOADING PROGRESS REPORT
Circular-Vishwakarma Yojana-I-PHASE-VIII-Online Orientation(Webinar) program on 28th August 2020
Circular-External Examination of IDPUDP-Final year Degree & Diploma-Civil & Electrical Branch-FOR VI
Program Schedule - Vishwakarma Yojana-PHASE-VIII-Orientation(Webinar) program on 28th August 202
VISHWAKARMA YOJANA- PHASE-I- VIII -ABSTRACT FORMAT
Circular-Important Information for all Principals-Nodal Officer for Vishwakarma Yojana Phase-VIII

Annexure 1-College-Institute wise village allotment for Vishwakarma Yojana Phase-VIII

© Gujarat Technological University. All Rights Reserved.



2.CORRSPONDANCE / COMMUNICATION (E-MAIL)



Vishwakarma Yojana <rurban@gtu.edu.in>

GTU Affiliated Degree Engineering colleges/Institutes to participate in Vishwakarma Yojana Project PHASE-VIII

Vishwakarma Yojana <rurban@gtu edu in>

Fn. May 22, 2020 at 4:47 PM

Vishwakarma Yojana «rurban@gtu edu in» fri, May 22, 2020 at 4:47 PM for "Principal AOIT, Karamsad" seco01owner@gtu edu in», "Principal AIT, Ahmedabad" «bec005owner@gtu edu in», "Principal BHGardi, Rajkol" «bec001owner@gtu edu in», "Principal Babana, Vadodara" «bec005owner@gtu edu in», "Principal Bhdahavir, Sural" «bec006owner@gtu edu in», "Principal CRC-Gandhinagar «bec003owner@gtu edu in», "Principal Bhdahavir, "bec005owner@gtu edu in», "Principal CRC-Bahdi abec013owner@gtu edu in», Principal BW-5, VVNagar" «bec005owner@gtu edu in», Principal GEC-Bahdi abec013owner@gtu edu in», Principal GEC-Makana «bec013owner@gtu edu in», Principal GEC-Chandkheda »bec017owner@gtu edu in», Principal GEC-Dahod «bec018owner@gtu edu in», Principal GEC-Bhavner@gtu edu in», Principal GEC-Bahki abec012owner@gtu edu in», Principal GEC-Shava abec013owner@gtu edu in», Principal GEC-Chandkheda »bec017owner@gtu edu in», Principal GEC-Bhavnagar «bec013owner@gtu edu in», Principal GEC-Patan «bec022owner@gtu edu in», Principal GEC-Bhavnagar «bec021owner@gtu edu in», Principal GEC-Patan «bec022owner@gtu edu in», Principal GEC-Bhavnagar «bec035owner@gtu edu in», Principal GEC-Patan «bec023owner@gtu edu in», Principal CEC-Bitat Dec023owner@gtu edu in», Principal SCC-Sware Mgtu edu in», Principal SALVADUAL DCE Ahmedabad »bec038owner@gtu edu in», Principal LCHT, Bhavdi « bec035owner@gtu edu in», Principal SALVADUAL DCE Ahmedabad »bec038owner@gtu edu in», Principal SVIT, Ahmedabad «bec035owner@gtu edu in», Principal SPIP, Satfinong « bec033owner@gtu edu in», bec034 owner@gtu edu in», Principal SVIT, Vasad" «bec036owner@gtu edu in», Principal SPIP, Satfinong « bec033owner@gtu edu in», bec034 owner@gtu edu in», Principal SVIT, Vasad" «bec035owner@gtu edu in», Principal SJ, Surat « bec035owner@gtu edu in», Principal SVIT, Vasad" «bec035owner@gtu edu in», Principal SJ, Surat « bec035owner@gtu edu in», Principal GEC-Patanpur »bec035owner@gtu edu in», Principal SJ, Surat « bec035owner@gtu edu in», Principal Ketof »bec035owner@gtu edu in», Principal

As you know that GTU-VY section is running Vishwakarma Yojana project since 2012-13 for the final year Civil & Electrical Students. Final year civil and Electrical students co-opt their final year academic project under the Vishwakarma yojana. Such each student is paid with a stipend of approximately Rs.23000/plus Village Visits Transportation allowance after successful completion of the work

On the website www.vyojana.gtu.ac.in all the details are uploaded about the Vishwakarma Yojana project.

I would like to bring to your kind notice that as per the resolution passed in the GTU Academic Council meeting dated 19th March 2020, it has been resolved that, engineering colleges offering civil engineering branch have to mandatorily register and participate in the project and the group of students from such institutes have to compulsorily adopt minimum one village project (and upto maximum 3 village projects) under "Vishwakarma Yojana Project PHASE-VIII".

So, Degree Engineering colleges/Institutes having civil engineering branch are hereby informed to compulsorily appoint one Nodal Officer from Civil / Electrical Department, and inform GTU latest by 10th June, 2020, on given below Link: (institutes already participated in 2019-20 need not to apply as their data is already available but have to fill up the data in the link if they want to change their nodal officer).

To participate in the Vishwakarma Yojana Project PHASE-VIII

To participate in the Vishwakarma Yojana Project PHASE-VIII

Awaiting for your response.

Thanking You.

Vishwakarma Yojana Section Gujarat Technological University Tel:+91(79)-23267588,9979879412



3. PARTICIPATION FROM INSTITUTE

PHASE VIII: YEAR 2020-21 ALLOCATED VILLAGE: VADPURA VILLAGE, MEHSHANA DISTRICT

SR NO	NAME OF NODAL OFFICER	BRANCH
1.	PROF. RAJAT MISHRA	CIVIL ENGINEERING, S.P.B. PATEL ENGGINEERING COLLEGE

SR	NAME OF TEAM	BRANCH	ENROLLMENT
NO	MEMBERS		NUMBER
1	JAIMIN N JOSHI	CIVIL ENGINEERING	180393106001
2	CHIRAG H PANCHAL	CIVIL ENGINEERING	180393106006

PHASE IV: YEAR 2016-17

ALLOCATED VILLAGE:

AAKHAJ VILLAGE, MEHSHANA DISTRICT
 DEVINAPURA VILLAGE, MEHSANA DISTRICT
 AMBASAN VILLAGE, MEHSANA DISTRICT
 BHESANA VILLAGE, MEHSANA DISTRICT
 MODHERA VILLAGE, MEHSANA DISTRICT

PHASE III: YEAR 2015-16

ALLOCATED VILLAGE:

LINCH VILLAGE, MEHSHANA DISTRICT
 DABHODA VILLAGE, MEHSANA DISTRICT
 DABHALA VILLAGE, MEHSANA DISTRICT
 LANGHNAJ VILLAGE, MEHSANA DISTRICT
 RAJPUR VILLAGE, MEHSANA DISTRICT
 BHANDU VILLAGE, MEHSANA



4. ORIENTATION PROGRAM

A REPORT

ON

VISHWAKARMA YOJNA: PHASE-VIII

AND

NUSHWAKARMA YOJNAI PHASE-VII

AN APPROACH TOWARDS RURBANISATION

DATE: 28TH AUGUST, 2020 VENUE: ONLINE CISCO WEBEX



GUJARAT TECHNOLOGICAL UNIVERSITY, AHMEDABAD

COLLEGES PARTICIPATED IN VISHWAKARMA YOJANA PHASE-VIII

Sr.	Date/Day/Time	Venue	Participants Colleges/ Institutes Zone Wise				
1	28th August, 2020	Online	N	-	huttan kami Ahmedabad Zone - 1		
	and a state of the		1	002	AHMEDABAD INSTITUTE OF TECHNOLOGY		
	Friday		+	21	GOVERNMENT ENGINEERING COLLEGE, BHAVNAGAR		
	11.00 AM to		3	24	HASMUKH GOSWAMI COLLEGE OF ENGINEERING		
	the second s		4	36	L.D. COLLEGE OF ENGINEERING		
	1.45 PM			32	L. J. INSTITUTE OF ENGINEERING & TECHNOLOGY		
			. 6	34	NARNARAY AN SHASTRI INSTITUTE OF TECHNOLOGY		
		7 40 SHANTILAL SHAH ENGINEER	SHANTILAL SHAH ENGINEERING COLLEGE				
			٠	67	SAL INSTITUTE OF TECHNOLOGY & ENGINEERING RESEARCH		
			۴	77	SILVER OAK COLLEGE OF ENGINEERING & TECHNOLOGY WITHIN AHMEDABAD MUNICIPAL CORPORATION LIMIT		
			30	11.9	SAL COLLEGE OF ENGINEERING		
			11	121	APOLLO INSTITUTE OF ENGINEERING & TECHNOLOGY		
			13	126	SAL ENGINEERING & TECHNICAL INSTITUTE		
			13	129	GYANMANJARI INSTITUTE OF TECHNOLOGY		

GTU 13



14	101	ADANI INSTITUTE OF INFRASTRUCTURE ENGINEERING
	н.	Tenther Street Gandhinagar Zone - 2
	12	GANDHINAGAR INSTITUTE OF TECHNOLOGY
1000	36	GOVERNMENT ENGINEERING COLLEGE, MODASA
	17	VISHWAKARMA GOVERNMENT ENGINEERING COLLEGE
	21	GOVERNMENT ENGINEERING COLLEGE, AT KATPUR, PATAN
	26	KALOL INSTITUTE OF TECHNOLOGY & RESEARCH CENTRI
	29	LALJIBHAI CHATURBHAI INSTITUTE OF TECHNOLOGY
	39	S. P. B. PATEL ENGINEERING COLLEGE
	01	GOVERNMENT ENGINEERING COLLEGE, PALANPUR
	.65	MERCHANT ENGINEERING COLLEGE
10	12	SHANKERSINH VAGHELA BAPU TECHNICAL CAMPUS
.11	78	SMT. S. R. PATEL ENGINEERING COLLEGE
12	NK	SAMARTH COLLEGE OF ENGINEERING & TECHNOLOGY
13	10	TATVA INSTITUTE OF TECHNOLOGICAL STUDIES
	91	SHRI SATSANGI SAKETDHAM "RAM ASHRAM" GROUP OF

5.GTU-PMMS PORTAL

Participating students are required to document their progress on the PMMS portal, where their submissions will undergo verification by the designated Nodal Officer from their institute. This process ensures transparency and accountability in the implementation of Vishwakarma Yojana, facilitating effective monitoring and evaluation of the students' contributions to rural development initiatives.

SCHEDULE

PMMS TASKS SCHEDULE FOR SEMESTER 7
ACADEMIC YEAR(2020-2021)

Student Registration and Team Formation	23-07-2020 to 30-07-2020				
First-Periodic Progress Report (PPR)	23-07-2020 to 25-07-2020	26-07-2020 to 29-07-2020			
Second - Periodic Progress Report (PPR)	30-07-2020 to 03-08-2020	04-08-2020 to 09-08-2020			
Third - Periodic Progress Report (PPR)	10-08-2020 to 15-08-2020	16-08-2020 to 20-08-2020			
Fourth - Periodic Progress Report					
(PPR)	20-08-2020 to 24-08-2020 29-08-2020 to 08-09-2020	25-08-2020 to 28-08-2020 09-09-2020 to 17-09-2020			
Design Engineering Canvas	18-09-2020 to 23-09-2020	24-09-2020 to 30-09-2020			
Project report	1-10-2020 to 04-10-2020	05-10-2020 to 08-10-2020			
Plaglarism search report	09-10-2020 to 13-10-2020	14-10-2020 to 18-10-2020			
Completion Certificate 0 generation and Feedback Form	19-10-2020 to 21-10-2020	22-10-2020 to 30-10-2020			

UPLOADING PROGRESS IN PMMS:



Gujarat Technological University

Year: 2020-21

GTU-I-VISHWAKARMA YOJANA PROJECT PHASE-VIII - PMMS -SEM-7-8 UPLOADING PROGRESS REPORT - IN THE PMMS IT IS HAVING UPLOADING OPTION FOR THE PROGRESS OF THE PROJECT

Sr. No	Tasks	Date From	Date To	PMMS FEED DATA
1	Student Registration and Team Formation	23-07-2020	30-07-2020	Team member information with name of selecter village along with district taluka name.
	First- Periodic Progress Report (PPR)	23-07-2020	29-07-2020	 Visit of ideal village done? Yes or No. Write name of ideal village visited with district state. Upload ideal village visit report. State challenges you have faced. What kind of support you need?
8	Second - Periodic Progress Report (PPR)	30-07-2020	09-08-2020	Visit of smart village done? Yes or no. Write name of smart village visited with district state. Upload smart village visit report. State challenges you have faced. What kind of support you need?
4	Third - Periodic Progress Report (PPR)-	10-08-2020	20-08-2020	 Which literature you have studied till now? Visit to allocated village done? Yes or no? write date of visit. Give information of Sarpanch, Talati, and School Principal name along with contact number. Meeting with Sarpanch/Talati/ Principal is done Yes or No. Upload visit report of allocated village along with facilities available and need assessment of new facilities infrastructure.
0.194	Fourth - Periodic Progress Report (PPR) - total DPR content Write up	20-08-2020	28-08-2020	 Gap analysis of required infrastructure and available infrastructure and lack of infrastructure. Which facilities supposed to plan and design? Write List. Design requirements and literature study for proposed infrastructure. Which literature is studied? Write details. Which kind of support is required? What challenges you are facing? Upload report of preliminary preparation for design.
6	PSAR	29-08-2020	17-09-2020	If, Required for the VY Project
7	Design Engineering Canvas and VV Design Preparation	18-09-2020	30+09-2020	Make canvas of flow chart and state tentative date plan.
8	Plagiarism search report	1-10-2020	08-10-2020	Checking report by Nodal Officer
9	Project report Submission to GTU	9-10-2020	10-10-2020	Compiled report of PPR+1 to 4 and draft as per GTU guideline given by GTU-VY Section
10	Report Checking BY GTU and Stipend Giving Process	10-10-2020	10-11-2020	GTU-VY Section

6. ABSTRACT FORMAT

Vishwakarma Yojana:

Village, District

COLLEGE NAME

NODAL OFFICERS NAME

COLLEGE LOGO



Year: 2020-21 Gujarat Technological University, Chandkheda, Ahmedabad – 382424 Gujarat

VILLAGE

DISTRICT

Under

Vishwakarma Yojana-I-Phase-VIII

in partial fulfillment of the project offered by

GUJARAT TECHNOLOGICAL UNIVERSITY, CHANDKHEDA

during the academic year 2020-21.

This project work has been carried out by them under our supervision and guidance.

STUDENT NAME	BRANCH NAME	ENROLLMENT NO
		11 11

Gujarat Technological University



Page 1

	Vishwakarma Yojana:	Village,	District
Date of Abstract Submission: Internal(Evaluator) Guide Name and Signature:			
8-18.	STRACT		
Vishwakarma Yojana project and	how you do your vision	n project:	
About your village description:			
About existing village condition:			
About your proposed designs your	view for village develo	pment:	
About your proposed designs your	view for village develo	pment:	
About your proposed designs your About future scope of the village de		pment:	
		pment:	
About future scope of the village d		pment:	
		pment:	
About future scope of the village d		pment:	
About future scope of the village d		pment:	

7. DETAILED PROJECT REPORT

"VISHWAKARMA YOJANA: AN APPROACH TOWARDS RURBANISATION FOR VADPURA VILLAGE, <u>MEHSHANA</u> DISTRICT"

Civil Engineering Department

PREPARED BY

NAME OF TEAM MEMBERS	BRANCH NAME	ENROLMENT NUMBER
Jaimin N Joshi	Civil Engineering	180393106001
Chirag H Panchal	Civil Engineering	180393106006

NODAL OFFICERS NAME Prof. Rajat Mishra Civil Engineering Department





YEAR:2020-21 GUJARAT TECHNOLOGICAL UNIVERSITY Chandkheda, Ahmadabad– 382424 Gujarat

DETAIL PROJECT REPORT

"VISHWAKARMA YOJANA: AN APPROACH TOWARDS RURBANISATION FOR VADPURA VILLAGE, <u>MEHSHANA</u> DISTRICT"

Civil Engineering Department

Prepared By			
NAME OF TEAM MEMBERS	BRANCH NAME	ENROLMENT NUMBER	
Jaimin N Joshi	Civil Engineering	180393106001	
Chirag H Panchal	Civil Engineering	180393106006	

NODAL OFFICERS NAME Prof. Rajat Mishra Civil Engineering Department





Year: 2020-21 Gujarat Technological University, Chandkheda, Ahmedabad– 382424 Gujarat

CERTIFICATE

This is to certify that the following students of Degree Engineering successfully submitted.

Detail Project Report for,

VILLAGE: VADPURA

DISTRICT: MAHESANA

Under

Vishwakarma Yojana: Phase-VIII

In partial fulfillment of the project offered by

GUJARAT TECHNOLOGICAL UNIVERSITY, CHANDKHEDA

During the academic year 2020-21

This project work has been carried out by the murderous supervision and guidance.

Date of Report Submission:	10/11/2020
Principal Name and Signature:	Dr. N.K Serasiya
VY-Nodal Officer Name and Signature:	Prof. Rajat Mishra
Internal (Evaluator) Guide Name and Signature:	Prof. Rajat Mishra
College Name:	S.P.B.PATEL ENGINEERING COLLAGE
College Stamp:	



ABSTRACT

"My vision for the Gujarat state is to urbanize rural area. What amenities are available in the cities must be available in the villages." Our allocated village is Vadpura. According to Census 2011 information the location code or village code of Vadpura village is 509618. Vadpura village is located in Kadi Taluka of Mehsana district in Gujarat, India. It is situated 15km away from sub-district headquarter Kadi and 27km away from district headquarter Mehsana. As per 2009 stats, Vadpura Kaiyal is the gram panchayat of Vadpura village. Vadpura has a total population of 967 peoples. There are about 197 houses in Vadpura village. Kadi is nearest town to Vadpura which is approximately 15km away. There are many facilities in the village, like health center, proper roads, closed drainage system, electricity, garden, dairy and overhead tank for daily use, village have good condition of panchayat building. Village has connected with good weather road.

We decide to propose a design of educational building (primary school) and community hall for villagers also decide to manage solid waste for creating hygiene and healthy environment as per survey and gap analysis. We conclude that the basic amenities and facility are not available in a village and give a proposal of those basic amenities which are useful and help in a development of village.

The primary area to improve should be providing employment in rural areas. Often villages in our countries are not in sync with the urban areas because of bad connectivity. Eventually, this leads to segregation and a social divide between urban and rural areas. In essence, the infrastructure of rural areas should drastically improve. Quality education can help in achieving the goal of eradication of such social evils. The dwindling literacy rates in rural India, especially for females. It can be easily concluded, that for the development of an economy in both rural and urban areas need to be focused upon. Rural areas need drastic changes in areas like infrastructure, literacy, poverty etc.

The schemes that are already in place with the aim of rural development need a new outlook and proper updating. Accordingly, the government needs to act for the upliftment of rural India.

Key Words: Education, Solid waste management, Environment, Rurbanization, reduce migration



ACKNOWLEDGEMENT

We are highly indented to **Gujarat Technological University**, Ahmedabad for providing us such opportunity to work under Vishwakarma Yojana to get real work experience and applying our technical knowledge in the development of Villages.

We wish to express our deep sense of gratitude to **Prof. (Dr.) Navin Sheth Humble Vice Chancellor, Gujarat Technological University-Ahmedabad**, for his encouragement and giving us the wonderful project.

We also express our gratitude to **Dr. K.N.Kher**, **Registrar**, and **Gujarat Technological University-Ahmedabad** for giving us complete support.

We express our sincere thanks to **Commissioner ate of Technical Education**, **Gujarat State** for appreciating and acknowledging our work.

We express our sincere thanks to **DDO**, **TDO**, **Sarpanch**, **Talati and staff members of Ahmadabad** District for providing us with requisite data whenever we approached them. Especially our thanks are to all villagers and stake holders for their support during Survey.

We are also thankful to our **Prof**. (**Dr**.) <u>N.K Serasiya</u> **Principal**, faculties of our colleges for their encouragement and support to complete this project work.

An act of gratitude is expressed to our internal guide / Evaluator / Nodal Officer **Prof.** <u>**Manan Mori**</u> from college <u>**S.P.B.PATEL.ENGINEERING COLLAGE**</u> for their invaluable guidance, constant inspiration and active involvement in our project work.

We are also thankful to all the experts who provided us their valuable guidance during the work. We express our sincere thanks to, **Dr. Jayesh Deshkar, Humble Director of Vishwakarma Yojana project and Principal, V.V.P Engineering College and Core Committee member of Vishwakarma Yojana project Prof(Dr.)Jigger Sevalia**, Professor, SCET, Seurat, **Prof.K.L.Timani**, Associate Professor, VGEC, **Prof.Rena Shukla**, Associate Professor, LD Engineering College, **Prof.Y.B.Bhavsar**, Associate Professor, VGEC, **Prof.Jagruti Shah**, Assistant Professor, BVM Engineering Collegefor providing us technical knowledge of this project work.

We are also thankful to **Ms. Darshana Chauhan, Vishwakarmrma Yojana**, for all support during our work. We therefore, take this opportunity for this Project work expressing our deep gratitude and sincere thanks for her cooperation to produce this project work in the present form.

Above all we would like to thank our Parents, family members and Friends for their encouragement and support rendered in completion of the present this work.



Contents

1. Ideal Village (Punsari Village – Civil Concept)	. 14
1.1 Background & Study Area Location	. 14
1.2 Concept: Ideal Village, Normal Village	. 15
1.2.1 Objectives	. 15
1.2.2 Example / Live Case studies of ideal village of India/Gujarat	. 15
1.2.3 The Idea of a model/Smart Village	. 16
1.2.4 Ancient History Civil about Indian Village / other Countries Perspective about villa and its new Development	•
1.3 Detail study (Socio economic, physical, demographic and infrastructure details) of Idea village / Smart Village with photograph	
1.3.1 Socio Economic	. 17
1.3.2 Physical and Demographic	. 17
1.3.3 Infrastructure Facilities	. 18
1.4 SWOT analysis of Ideal village / Smart Village	. 19
1.5 Future prospects of Development of the Ideal village / Smart Village	. 19
1.6 Benefits of the visits of Ideal village / Smart Village	. 19
1.7 Civil aspects required in Ideal village / Smart Village	. 19
2. Literature Review – (Civil Concept)	. 20
2.1 Introduction: Urban & Rural	. 20
2.2 Importance of the Rural development	. 20
2.3 Ancient Villages / Different Definition of: Rural Urban Villages	. 20
2.4 Scenario: Rural / Urban village of India population Growth	. 20
2.5 Scenario: Rural / Urban village of Gujarat as per Census 2011 and latest	. 21
2.6 Rural Development Issues - Concerns – Measures	. 22
2.7 Various guideline / Norms for villages the provisions Different infrastructure facilities .	. 23
2.8 Literature Review:	. 24
2.8.1 Literature Review – Research Paper (Studied by Jaimin Joshi 01)	. 24
2.8.2 Literature Review – Research Paper (Studied by Jaimin Joshi 02)	. 26
2.8.3 Literature Review – Research Paper (Studied by Jaimin Joshi 03)	. 29
2.8.4 Literature Review – Research Paper (Studied by Jaimin Joshi 04)	2
2.8.5 Literature Review – Research Paper (Studied by Jaimin Joshi 05)	. 29
2.9 Other Projects / Schemes of Gujarat / Indian Government	1
3. Smart (Cities/ Village) Concept Idea and its Visit (Civil concept)	. 32

	3.1 Introduction: Concepts, Definitions and Practices	. 32
	3.2 Vision-Goals, Standards and Performance Measurement Indicators	. 32
	3.3 Technological Options	. 35
	3.4 Road Map and Safe Guards	. 35
	3.5 Issues & Challenges	. 35
	3.6 Smart Infrastructure	. 35
	3.7 Cyber Security	. 36
	3.8 Retrofitting- Redevelopment- Greenfield Development District Cooling	. 36
	3.9 Strategic Options for Fast Development	. 36
	3.10 India's Urban Water and Sanitation Challenges and Role of Indigenous Technologies .	. 37
	3.11 Initiatives in village development by local self-government	. 37
	3.12 Smart Initiatives by Mehsana District Municipal Corporation	. 38
	3.13 Any Projects contributed working by Government / NGO / Other Digital Country cond	-
	3.14 How to implement other Countries smart villages projects in Indian village context (Regarding Environment, Employment)	. 38
4.	ALLOCATED VILLAGE VADPURA	. 39
	4.1 Introduction	. 39
	4.1.1 Introduction about Vadpura Village details	. 39
	4.1.2 Need of the study	. 39
	4.1.3 Study Area	. 39
	4.1.4 Objectives of the study	. 40
	4.1.5 Scope of the Study	. 40
	4.1.6 Methodology/ Study Frame Work	. 40
	4.1.7 List of Objects Available related to civil	. 41
	4.2 Study Area Profile	. 41
	4.2.1 Study Area Location with brief History land use details	. 41
	4.2.2 Base Location map, Land Map, Gram Tal Map	. 45
	4.2.3 Physical & Demographical Growth	. 45
	4.2.4 Economic profile	. 45
	4.2.5 Actual Problem faced by Villagers and smart solution	. 46
	4.2.6 Social scenario – Preservation of traditions, festivals, cuisine	. 46
	4.2.7 Migration Reasons / Trends	. 46
	4.3 Data Collection Vadpura (Photograph/Graphs/Charts/Table)	. 46

4.3.1 Methods for data collection	46
4.3.2 Primary survey details	48
4.3.3 Average size of the House	48
4.3.4 Geo-Tagging of House	48
4.3.5 No of Human being in One House	48
4.3.6 Which Material used locally	48
4.3.7 Out Sourced Material	48
4.3.8 Labor work doing	48
4.3.9 Geographical Detail	48
4.3.10 Demographical Detail	49
4.3.11 Occupational Detail	49
4.3.12 Agricultural Details	49
4.3.13 Physical Infrastructure Facilities	49
4.3.14 Tourism Cluster	49
4.4 Infrastructure Details (With Exiting Village Photograph)	49
4.4.1 Drinking Water / Water Management Facilities	49
4.4.2 Drainage Network / Sanitation Facilities	51
4.4.3 Social Infrastructure Facilities, Health, Education, Community Hall, Library	51
4.4.4 Transportation & Road Network	51
4.4.5 Housing condition	52
4.4.6 Social Infrastructure Facilities, Health, Education, Community Hall, Library	52
4.4.7 Technology Mobile/ WIFI / Internet Usage Details	52
4.4.8 Sports Activity as Gram Panchayat	52
4.4.9 Existing Condition of Public Buildings & Maintenance of existing Public Infrastructures	52
4.4.10 Socio-Cultural Facilities, Public Garden /Park/Playground /Pond/ Other Recreation Facilities	
4.4.11 Any other details	53
4.6 Existing Institution like - Village Administration – Detail Profile	53
4.6.1 Bachat Mandali	53
4.6.2 Dudh Mandali	53
4.6.3 Mahila forum	53
4.6.4 Plantation for the Air Pollution	54
4.6.5 Rain Water Harvesting - Waste Water Recycling	54

4.6.6 Agricultural Development	. 54
5. Technical Options with Case Studies	. 55
5.1 Concept Civil	. 55
5.1.1 Advance Sustainable construction techniques / Practices and Quantity Surveying	. 55
5.1.2 Soil liquefaction	. 57
5.1.3 Sustainable sanitation	. 57
5.1.4 Transport system	. 58
5.1.5 Vertical farming	. 58
5.1.6 Corrosion Mechanism, Prevention & Repair Measures of RCC Structure	. 60
5.1.7 Sewage treatment plant	. 61
5.1.8 Technical Case Study On "The Statue Of Unity"	. 62
6. Swatch Bharat Abhiyan (Clean India)	. 63
6.1 Existing Situation of Vadpura village with photograph	. 63
6.2 Guidelines - Implementation in allocated village with Photograph	. 64
6.3 Activities Done by Students for Vadpura village with Photograph:	. 64
7. Village condition due to Covid-19	. 61
7.1 Taken steps in Vadpura village related to covid-19 situation with photographs	. 61
7.2 Steps taken by students while visiting the village	. 61
7.3 Any other steps taken by the students / villagers	. 61
8. Sustainable Design Planning Proposal (Prototype Design)- Part- I	. 62
8.1 School Design	. 62
8.1.1 Plan of School (Final Design)	. 62
8.1.2 Design of classroom (as per the IS 8827 (1978):	. 63
8.1.3 Elevation of School:	. 63
8.1.4 Foundation Detail of School:	. 63
8.1.5 Final 3D design:	. 64
8.1.6 Estimation and Costing	. 65
8.2 Community Hall Design	. 69
8.2.1 Introduction	. 69
8.2.2 Location :	. 70
8.2.3 Aims of Community Hall	. 70
8.2.4 Objective of community hall	. 70
8.2.5 Planning of community hall	. 70
8.2.6 Methodology of community hall	. 71



8.2.7 Plan of Community hall (Final Design)	71
8.2.8 Final Design	72
8.3 Main Gate Design	72
8.3.1 Location of main gate	72
8.3.2 Design of main gate	73
8.3.3 Estimation and Costing of gate	73
8.4 Anganwadi Design	75
8.4.1 Estimation and costing	76
8.5 Solid waste management	78
8.5.1 Introduction	78
8.5.2 Location	78
8.5.3 Vermicompost	79
8.5.4 Vermicompost Method Design	80
8.5.5 Estimation and Costing	81
8.6 Septic Tank Design	83
8.6.1 Introduction	83
8.6.1 Design of Septic Tank	83
8.6.2 Estimation and Costing	84
9. Proposing designs for Future Development of the Village for the PART-II Design	86
10. Conclusion of the Entire Village Activities of the Project	87
11. References refereed for this project	88
12. Annexure attachment	94
12.1 Survey form of Smart Village	94
12.2 Survey form of Ideal Village	. 103
12.3 Survey form of Allocated Village	. 112
12.4 Gap Analysis of the Allocated Village	. 121
12.5 Summary of All Villages Designs as Part-I and Part-II, in Table Format	. 122
12.7 Summary of Good Photographs in Table Format (village visits, Ideal, Smart Village any other)	
12.8 Village Interaction Report with Sarpanch and Talati and photograph	. 126
12.9 Sarpanch and Talati Letter giving information about the village development	. 127
12.10 Comprehensive report preparation as per format	. 128

13 From the Chapter- 9 future designs of the aspects (Feasibility, Construction, Operation and maintenance of various design options in Rural Areas along with cost with AutoCAD designs / planning with any software	
13.1 Design Proposals	29
13.1.1 Civil Design 1 (Social Design) 12	29
13.1.2 Location of bus stand 12	29
13.1.3 Final design	29
13.1.4 Civil Design 2 Post office 12	34
13.1.5 Civil Design 3 PHC for Vadpura village14	41
13.1.6 Civil Design 4 Milk Dairy 14	46
13.1.7 Civil Design 5 Library – Socio-Cultural Design1	52
13.1.8 Civil Design 6 Over head water tank1	56
13.2 Reason for Students Recommending this Design 10	65
13.3 About designs Suggestions / Benefit of the villagers 10	65
14. Technical Options with Case Studies1	54
14.1 Civil Engineering1	54
14.1.1 Advanced Earthquake Resistant1	54
14.1.2 Seismic Retrofitting of Buildings1	56
14.1.3 Advance Practices in Construction field in Modern Material, Techniques and Equipment's	58
14.1.4 Engineering Aspects of Soil mechanics - Environmental Impact Assessment 10	62
14.1.5 Water Supply-Sewerage system-Waste Water- Sustainable development techniques 163	3
15. Smart and/or Sustainable features of Chapter 8 & 13 designs, Impact on society 10	68
16. Survey by Interviewing With Talati And / Or Sarpanch 17	70
17. Irrigation / Agriculture Activities and Agro Industry, Alternate Techniques and Solution . 17	71
17.1 Irrigation in Vadpura village1	71
17.2 Ground water based on irrigation in Vadpura village1	71
17.3 Agro industries in Vadpura village 17	72
18. Social Activities – Any Activates Planned By Students 17	74
19. < <allocated village="">> SAGY Questionnaire Survey form with the Sarpanch Signature</allocated>	75
20. TDO-DDO-Collector email sending Soft copy attachment in the report	84
21. Comprehensive report for the entire village	87

LIST OF TABLES

Table 1 Location of study area	15
Table 2 Socio economic	17
Table 3SWOT analysis	
Table 9 Various guideline	
Table 4Research paper	
Table 5Research paper2	
Table 6 Research paper3	
Table 7Research paper4	
Table 8Research paper5	
Table 10Location of study area	
Table 11 Demographic details	
Table 12Occupational detail	

LIST OF FIGURES

Figure 1 Village map	
Figure 2Village map of Punsari	14
Figure 3Infrastrucure facilities	18
Figure 4Smart Chart	19
Figure 5 Scenario	21
Figure 6Smart concept	
Figure 7 Measurement Indicators	32
Figure 8Smart cities	33
Figure 9 Smart infrastructure	35
Figure 10 Need of the study	39
Figure 11Study area	39
Figure 12 Base map	45
Figure 13Materials	48
Figure 16Water	51
Figure 19 Bus stand	51
Figure 14 Over head tank	51
Figure 15 Rectangular tank	51
Figure 17Drainage network	
Figure 18 RCC Road	51
Figure 21 Pokka house	52
Figure 23 Panchayat building	52
Figure 20 Kachha hose	52
Figure 26 Main temple	53
Figure 24Garden	53
Figure 25 Bird house	53
Figure 27Dudh Deri	53
Figure 28Plantation of Vadpura village	54
Figure 29 Sprinkler system	54
Figure 30Irrigtion system	54
Figure 31 Synthetic Roof Underlayment A	55



Figure 32 Synthetic Roof Underlayment B	. 55
Figure 33 Grid Hybrid System	
Figure 34 Passive Solar	. 56
Figure 35 Grey water Plumbing Systems	. 56
Figure 36 Soil liquefaction on road	. 57
Figure 37 Soil liquefaction	. 57
Figure 38 Transportation	. 58
Figure 39 Vertical Farming	. 59
Figure 40 Corrosion	. 60
Figure 41Chloride induced corrosion	. 60
Figure 42 Prevention in chloride attach	. 61
Figure 44 Location of Kevadiya	
Figure 45 Existing Situation of Vadpura village with photograph	. 63
Figure 46Photographs of Vadpura	
Figure 47School plan	. 62
Figure 48 ISO view	. 64
Figure 49 Top view	. 64
Figure 50 Plan of community hall	. 71
Figure 51ISO view	. 72
Figure 52Front view	. 72
Figure 53 Location of gate	. 72
Figure 54Plan of Anganwadi	. 75
Figure 55 ISO view of Anganwadi	. 76
Figure 56Location of solid waste	. 78
Figure 57Front view of septic tank	. 83
Figure 58ISO view of septic tank	. 83
Figure 59 Good Photographs of village	125
Figure 61 Plan and Elevation of PHC	141
Figure 62 Section of PHC	142
Figure 63 Advanced earthquake resistant	154
Figure 64 Base isolation	
Figure 65 Energy dissipation devices	155
Figure 66 Tuned mass dampers	157
Figure 67 Infill shear trusses	158
Figure 68 High performance concrete	158
Figure 69Light transmitting concrete	159
Figure 70 Pervious concrete	159
Figure 71 Floating concrete	160
Figure 72 Aerated concrete	160
Figure 73 Creative weaves metal mess	
Figure 74 Laminated thermo plastic panel	161
Figure 75 WTP	
Figure 76 Achieving gender equality	167



ABBREVIATIONS

SHORT NAME / SYMBOL	FULL NAME
VY	Vishwakarma Yojana
GTU	Gujarat Technological University
TDO	Taluka Development Officer
DDO	District Development Officer
PIF	Physical Infrastructure Facility
SIF	Social Infrastructure Facility
UDPFI	Urban Development Plans Formulation and
	Implementation
RURBAN	Rural and Urban
RCC	Reinforced concrete structure
WBM	Water Bound Macadam
BM	Brick Masonry
D	Door
W	Window
V	Ventilation
WC	Water Closet
0	Opening
GDP	Gross Domestic Product
SAGY	Sansad Adarsh Gram Yojana
NH	National Highway
SH	State Highway
ODR	Other district roads
MDR	Major district Road
SBA	Swatch Bharat Abhiyan
NGO	Non-Governmental Organization
SWOT	Strength, Weakness, Opportunity, Threats

CHAPTER: 01 1. Ideal Village (Punsari Village – Civil Concept)

1.1 Background & Study Area Location

Punsari is village а located in Sabarkantha district in the state of Gujarat, India. Punsari is considered as India's smartest village. The village is located at about 80km from the state capital, Gandhinagar. Punsari is 20km from Parvati Hills. Parvati Hills is the largest table top land of India. The village follows the Panchayati raj system. The village extent is about 65 km. The land in use of agriculture is 6 hectares. The main non farming activity is dairy in this village. The village has undergone a transformation under the panchayat. There has been use of new and advanced technology in education. This village has Wi-Fi connection for all people. Efforts



Figure 1 Village map



Figure 2Village map of Punsari

have been made for the empowerment of women and increasing security in the village. Some of the facilities provided by the panchayat include local mineral water supply, sewer & drainage project, a healthcare Centre, banking facilities and toll-free complaint reception service. Consequently, Punsari received the award of being the best Gram Panchayat in Gujarat. The village's model has been appreciated by delegates from Nairobi and they are keen to replicate this in Kenyan villages.



Location of Study Area		
Village Name	Punsari	
District	Sabarkantha	
Taluka	Sabarkantha	
State	Gujarat, India	
Distance From Gandhinagar	80kms	
Pin code	383307`	
Coordinates	23°20′59.46″N 73°8′12.48″E	
Population (2011)	5500	

Table 1 Location of study area

1.2 Concept: Ideal Village, Normal Village

1.2.1 Objectives

- To Provide awareness about government schemes & policies to farmers.
- To Provide urban amenities to improve the quality of life in rural areas.
- To Create and sustain a culture of cooperative living.
- To provide Functional solid / liquid waste management system.
- To provide 100% institutional delivery.
- To provide Wi-Fi connectivity in the entire village.

1.2.2 Example / Live Case studies of ideal village of India/Gujarat

- Sokhda: According to Census 2011 information the location code or village code of Sokhda village is 519828. Sokhda village is located in Vadodara Tehsil of Vadodara district in Gujarat, India. It is situated 12km away from Vadodara, which is both district & sub-district headquarter of Sokhda village. As per 2009 stats, Sokhda village is also a gram panchayat. The total geographical area of village is 1180.14 hectares. Sokhda has a total population of 12,610 peoples. There are about 2,454 houses in Sokhda village. Ranoli is nearest town to Sokhda which is approximately 8km away.
- 2. Chansad (Vadodara): Chansad village located in Vadodara district (Gujarat). chansad village is first in Vadodara to updation of urban elements in rural area. chansad village is located 26 km from Vadodara district. chansad village won a prize in fastest growing village in Vadodara. population of this village is 2775.
- **3. Kolavada:** Kolavada are located in Gandhinagar (Gujarat). kolavada is first smart Village of Gandhinagar district. Kolavada village the facility of road and water supply are awesome. physical infrastructure condition is good. This village clean and literacy of village up to 85 %. kolavada village is located 3.7 km from Gandhinagar.
- **4. Hiware Bazaar:** Hiware bazaar village in the Ahmednagar District of Maharashtra, India. It is noted for its irrigation system and water conservation program, with which it

has fought the drought and drinking water problems. Village continuously faced a problem of water crisis then villager change an agriculture to horticulture and at present village have 54 millionaires in village.

5. Odanthurai (Tamil Nadu): Odanthurai, a panchayat situated in Mettupalayam Taluka of Coimbatore district, has been a model village for the other villages for more than a decade. The panchayat has not only been generating electricity for their own use, but also selling power to Tamil Nadu Electricity Board. Having already won international acclaim through its unique welfare schemes and energy self-sufficiency drives, Odanthurai near Mettupalayam has begun efforts to develop a corpus of Rs 5 crores to install wind and solar energy farms. This project will enable free supply of electricity to over 8,000 residents.

1.2.3 The Idea of a model/Smart Village

- ▶ The concept of smartness is popular in respect and honor of human development regardless of rural or urban area, literate or illiterate in all country and India is not omission to it. The ideas of smart village will also attention to multiple challenges such as unplanned urbanization, under development of village and smart villages.
- ► In smart village access sustainable energy services acts as a catalyst for development enabling the provision of good education and health care, access to clean water, sanitation and nutrition, the growth of productive enterprise to boost income and enhanced security.

1.2.4 Ancient History Civil about Indian Village / other Countries Perspective about village and its new Development

The village in India holds a unique place, both in the social and economic spheres. There were 212.6 million people living in rural areas in 1901, in 2001 rural population has increased to 721.1 million naturally the density of population has increased, land under agriculture has diminished, affected the forests and exodus to urban areas accelerated agricultural labor continued to be exploited. The phenomenon of Rural Development is becoming more and more complex despite technological advancement and availability of resources as well as continued efforts from the pre independence period. Rural Development has a long history in India.

There are various approaches, strategies, philosophies, policies, programmers, enactments, efforts, experiments, methodologies, which needs to be studied and analyzed to understand the Rural Development. Present chapter is an attempt to discuss historical analysis of Rural Development programmer's right from pre-independence period to present period until 2009 - 10. Starting with the conceptual clarity from national and international perspectives

This chapter gives the historical background of Rural Development from the pre independence period. It describes the review of various experiments in the pre- and post-independence period. It gives brief detail of Gandhi an ideas and contribution in the area of rural development. There is analytical description of five-year plans, major schemes and performances of Rural Development. The chapter includes major issues of Rural Development.

India:

The soul of India lives in its villages," declared M. K. Gandhi at the beginning of 20th century. According to the 2011 census of India, 68.84% of Indians (around 833.1 million people) live in 640,867 different villages.

The size of these villages varies considerably. 236,004 Indian villages have a population of fewer than 500, while 3,976 villages have a population of 10,000+. Most of the villages have their own temple, mosque, or church, depending on the local religious following.

1.3 Detail study (Socio economic, physical, demographic and infrastructure details) of Ideal village / Smart Village with photograph

1.3.1 Socio Economic

Name of Three Major Occupation groups in Village	1. Farming
	2. Dairy Udhyog
	3. Labor Work
Major crops grown in the village	1. Wheat
	2. Cotton
	3. Potato

Table 2 Socio economic

1.3.2 Physical and Demographic

- The population of Punsari was 5500 as per 2011 census of India which has increased to 5500 in 2011.
- As of June 2012, the population is 6000.



1.3.3 Infrastructure Facilities

















Figure 3Infrastrucure facilities



1.4 SWOT analysis of Ideal village / Smart Village

Sr No.	strength	weakness	opportunity	Threats
1	Proper drainage facilities	No recreation facilities	To make a village with full industrial 100 % employment	Lack of funds and technical knowledge in agricultural fields
2	Proper solid waste management	No public library	To rise the living standards of people	Out migration especially of young people
3	Wi-Fi connectivity	Poor quality of constructors' work	To make whole village digital	Fuel poverty

Table 3SWOT analysis

1.5 Future prospects of Development of the Ideal village / Smart Village

 After successfully serving for two terms as village headman, Himanshu Patel stepped down from the post since this time it was reserved for a female candidate. He now wants to focus on preparing a team of young local level leaders who are not only from his own state but from across the country. He has already networked with a thousand such young village headmen from different corners of India, cutting across party ideologies.

1.6 Benefits of the visits of Ideal village / Smart Village

- We saw many types of amenities available in the village.
- We discussed the good and bad thing about village from village people.
- Know about a behavior of different village people.
- To know the strength and weakness of village.
- We see some different type of little requirements of village.

1.7 Civil aspects required in Ideal village / Smart Village

➤ We making smart village by taking smart decisions using smart technologies and services like variety of tools in the course of their work, including computers, distance meters, levels, tape measures, traffic counters, and software, such as analytical or scientific, computer-aided design (CAD)





CHAPTER: 02 2. Literature Review – (Civil Concept)

2.1 Introduction: Urban & Rural

- Urban Area: An urban area is the region surrounding a city. Most inhabitants of urban areas have nonagricultural jobs. Urban areas are very developed, meaning there is a density of human structures such as houses, commercial buildings, roads, bridges, and railways. "Urban area" can refer to towns, cities, and suburbs.
- ▶ Rural area: A rural area is an open swath of land that has few homes or other buildings, and not very many people. A rural areas population density is very low. Many people live in a city, or urban area. Their homes and businesses are located very close to one another.

2.2 Importance of the Rural development

Rural development has assumed greater importance in India today than in the earlier period in the process of the development of the country. It is a strategy package seeking to achieve enhanced rural production and productivity, greater socio-economic equity, and aspiration, balance in social and economic development.

2.3 Ancient Villages / Different Definition of: Rural Urban Villages

In ancient time villages were a usual form of community for societies that practice subsistence agriculture, and also for some non-agricultural societies. A village is a clustered human settlement or community, larger than a hamlet but smaller than a town, with a population ranging from a few hundred to a few thousand. Although many patterns of village life have existed, the typical village is often small, consisting of perhaps 5 to 30 families. Rural area settlements are based more on natural resources and events.

Planning Commission: Defines A rural area is a town with a maximum population of 15,000 is considered rural in nature.

National geographic society: Defines A rural area is an open swath of land that has few homes or other buildings and not very many people.

United States development of agriculture: Defines rural areas as any area other than a city or town that has a population of greater than 50,000 inhabitants and the urbanized areas contiguous and adjacent to such town or a city.

2.4 Scenario: Rural / Urban village of India population Growth

The population of India is projected close to 1.380 billion or 1,380 million or 138 crores people in 2020. The total population in India is estimated at 1.366 billion or 1,366 million or 136.6 crores people in 2019.

There are 71.7 cr males and 66.3 cr females living in India. India is the second most populous country in the world behind China. It is now estimated that by 2027, India will most likely overtake China to become the most populous country in the world with 1.47 billion people. And by 2030, India will cross the 1.5 billion milestones. India's population will peak in 2059 with 1.65 bn people.

India accounts for a meager 2.4 percent of the world surface area yet it supports and sustains a whopping 17.7 percent of the world population. Since Population of India is increasing with slower rate than the world, its global share is decreasing.

By 2100, 13.34% of the earth population will be in India that is 4.42% less than the peak level of 17.76% in 2013.


2.5 Scenario: Rural / Urban village of Gujarat as per Census 2011 and latest

Out of total population of Gujarat, 42.60% people live in urban regions. The total figure of population living in urban areas is 25,745,083 of which 13,692,101 are males and while remaining 12,052,982 are females.

The urban population in the last 10 years has increased by 42.60percent. Sex Ratio in urban regions of Gujarat was 880 females per 1000 males.

For child (0-6) sex ratio the figure for urban region stood at 852 girls per 1000 boys.

Total children (0-6 age) living in urban areas of Gujarat were 2,952,359. Of total population in urban region, 11.47 % were children (0-6).



Average Literacy rate in Gujarat for Urban regions was 86.31 percent in which males were 90.98% literate while female literacy stood at 70.26%. Total literates in urban region of Gujarat were 19,672,516.



2.6 Rural Development Issues - Concerns – Measures

The major problems consist of the agriculture, the ownership of the land, the lack of cottage industries, lack of education social evils, death of animal, wealth, bad wealth and so on. These problems are the result of traditionalism and conservatism of the Rural Society.

Problem:

- 1. Poor related problem:
 - Low level education to understand development effort and new technology.
 - Lack of confidence.
 - Poor awareness.
- 2. Agriculture related problem:
 - Lack of expected awareness, knowledge, skill and attitude.
 - Unavailability of inputs
 - Poor marketing facility
- 3. Infrastructure related problem:
 - Water supply
 - ▶ Electricity
 - ▶ Transport
 - Education institutions
 - Communication
 - ▶ Health
 - ▶ Employment
 - Storage facility
- 4. Economic problem:
 - Un favorable economic condition to adopt high cost technology
 - ▶ High cost of inputs
 - Under privileged rural industries
- 5. Leadership related problem:
 - Leadership among the hand of inactive and incompetent people
 - Self-interest of leaders
- 6. Administrative problem:
 - Political interference
 - Lack of motivation and interest
 - ▶ Improper utilization of budget

2.7 Various guideline / Norms for villages the provisions Different infrastructure facilities

Village Facilities	Planning Commission/UDPFI Norms	Required as per Norms
Social Infrastructure Facilities		
Education		
Anganwadi	Each or Per 2500 population	1
Primary School	Each Per 2500 population	1
Secondary School	Per 7,500 population	0
Higher Secondary School	Per 15,000 Population	0
College	Per 125,000 Population	0
Tech. Training Institute	Per 100000 Population	0
Agriculture Research Centre	Per 100000 Population	0
Skill Development Center	Per 100000 Population	0
Health Facility		
Gov/Panchayat Dispensary or sub PHC or health center	Each Village	1
Primary Health & Child Health Center	Per 20,000 population	0
Child Welfare and Maternity Home	Per 10,000 population	1
Multi specialty Hospital	Per 100000 Population	0
Public Latrines	1 for 50 families (if toilet is not there in home, specially for slum pockets & kutcha house)	1
Physical Infrastructure Facilities		
Transportation		
Pucca Village Approach Road	Each village	1
Bus/Auto Stand provision	All Villages connected by PT (ST Bus or Auto)	BUS STAND

Table 4 Various guideline



Drinking Water (Minimum 70 Ipcd)		1
Over Head Tank	1/3 of Total Demand	1
U/G Sump	2/3 of Total Demand	1
Drainage Network - Open		1
Drainage Network - Cover		1
Waste Management System		1
Socio- Cultural Infrastructure Facilities		
Community Hall	Per 10,000 Population	1
community hall and Public Library	Per 15,000 Population	0
Cremation Ground	Per 20,000 Population	1
Post Office	Per 10,000 Population	1
Gram Panchayat Building	Each individual/group panchayat	1
APMC	Per 1,00,000 Population	0
Fire Station	Per 1,00,000 Population	0
Public Garden	Per Village	0
Police post	Per 40,000 Population	0

2.8 Literature Review:

2.8.1 Literature Review – Research Paper (Studied by Jaimin Joshi 01)

Table 5Research paper

Authors	Raj Parmar, Dr Arti Pamnani
Title	Revolution in Rural India through Solid Waste Management
Year	FEB/2018
Affiliation	International Journal of Engineering Research in Mechanical and Civil
	Engineering (IJERMCE)
Volume	05
Key words	Rural solid waste management, Vermi composting, Gram Panchayat, Door
	to door collection, Environmental Hazards.

Problem definition of this research paper (work):

To develop functional solid waste management system for dispose generated solid waste to the dumping yard by the method of door to door collection, Dustbin etc. it will decrease the amount of waste on streets and also decrease the rate of disease related to it.

What: To develop functional solid waste management system.Why: dispose generated solid waste to the dumping yard

How: door to door collection, Dustbin

Outcome/Features/Originality: decrease the amount of waste on streets and also decrease the rate of disease

Objectives of this research paper (work):

Objective 1:To manage Solid Waste from village using door to door waste collection, tipper and tractor directly transport the waste to disposal site after collection of waste for protection of the environment and the health of the population also rate of the disease will be decrease.

What: To manage Solid Waste

Why: for protection of the environment and the health of the population

How: using door to door waste collection, tipper and tractor

Outcome/Features/Originality: rate of the disease will be decrease.

Objective 2: To increase the environment protection by the Educating people will help to increase awareness among the society about solid waste disposal and management and understand the importance of better solid waste management for composting, reuses& recycle of the waste

What: To increase the environment protection

Why: to increase awareness among the society about solid waste disposal and management and understand the importance of better solid waste management

Ho: by the Educating people

Outcome/Features/Originality: composting reuses& recycles of the waste

Objective 3: To growing Vermicomposting plant for generate more useful fertilizer, by Vermicomposting method, These are used as fertilizers and enhance soil quality. In addition, the amount of nitrogen and phosphorus in the vermicompost was more than that in aerobic compost, making it more appropriate for plant growth will decrease the load on land filling.

What: To growing Vermicomposting plant

Why: generate more useful fertilizer

How: by Vermicomposting method

Outcome/Features/Originality: decrease the load on land filling

Solution offered by the paper (work):


In Proper Collection of waste will decrease the amount of waste on streets and also decrease the rate of disease related to it.

Future scope of this research paper (work):

The waste generated in the village was used as domestic fuel, animal feeder and organic fertilizer for crop production. Also, in many parts of the nation recycling or reusing of the organic waste has been started. Easily job available for manual Labour are available for required solid waste management.

Methodology of this research paper (work):





2.8.2 Literature Review – Research Paper (Studied by Jaimin Joshi 02)

Table 6Research paper2

Authors	Ritu Chandra
Title	Role of Education in Rural Development
Year	FEB/2018
Affiliation	International Journal of Engineering Research in Mechanical and Civil
	Engineering (IJERMCE)
Keywords	Education, Rural Development
Volume	02

Problem definition of this research paper (work)

To develop rural Education for the process of improving the quality of life and economic wellbeing of people living in relatively isolated and sparsely populated areas by the government for providing education to every child up to the eighth standard, free of cost.

What: To develop rural Education.

Why it has been done: for the process of improving the quality of life and economic well-being of people living

How it has been done: By the government

Outcome/Features/Originality: providing education to every child up to the eighth standard, free of cost.

Objectives of this research paper (work):

Objective 1:To providing trained manpower in rural areas for increasing labour force productivity, and developing leadership in rural area by the government process of improving the quality of life and economic well-being of people living in relatively isolated and sparsely populated areas.

What has been done to achieve the objective: To providing trained manpower in rural areas Why it has been done: increasing labour force productivity, and developing leadership

How it has been done: government process of improving the quality of life

Outcome/Features/Originality: relatively isolated and sparsely populated areas.

Objective 2: To provide high education for providing education to every child up to the eighth standard, free of cost, irrespective of class and gender, for increase the education rate in rural area by government and its emphasis on profession based vocational training.

What has been done to achieve the objective: To provide high education.

Why it has been done: for providing education to every child up to the eighth standard, free of cost, irrespective of class and gender,

How it has been done: by Government.

Outcome/Features/Originality: by government and its emphasis on profession based vocational training

Objective 3: To environment awareness, science and technology education, and introduction by The National Policy on Education (NPE) for increase the knowledge, its emphasis on profession based vocational training to help students attain skills for finding a vocation of his/her choosing.

What has been done to achieve the objective: To environment awareness, science and technology education, and introduction

Why it has been done: for increase the knowledge.

How it has been done: by The National Policy on Education (NPE).

Outcome/Features/Originality: its emphasis on profession based vocational training to help students attain skills for finding a vocation of his/her choosing.

Solution offered by the paper (work):

Education has a key role in rural systems of supply, production, marketing, personnel maintenance, education, health care, and governance. By the Government will be responsible for providing education to every child up to the eighth standard, free of cost, irrespective of class and gender

Future scope of this research paper (work):


To increases the high education in village development

Providing employment and income opportunities, increasing labour force productivity, and developing leadership.

Methodology of this research paper (work):



OBJECTIVE 1



2.8.3 Literature Review – Research Paper (Studied by Jaimin Joshi 03)

Table 7 Research paper3

Authors	Swapnil B. Kale, Kiran R. Varpe, Rohit S. Chothave, Khushal S.
	Borse, Prof. P.H. Khairnar
Title	THE DEVELOPMENT OF VILLAGE (Smart Sustainable Village for
	Community)
Year	March-2017
Affiliation	International Journal of Advance Research Sciences and Engineering
	(IJARSE)
Keywords	06
Volume	Smart village, Atmosphere, rural area.

Problem definition of this research paper (work):

To the development smart sustainable village by the Gujarat Government to various program and scheme for development, enabling E-education and local market opportunities, improving health and welfare problem, Communication, Information Technology has proved its potential in various sectors of development in city and village areas.

What: To the development smart sustainable village.

Why: for development, enabling E-education and local market opportunities, improving health and welfare problem, Communication, Information Technology

how: by The Gujarat Government to various program and scheme

Outcome/Features/Originality: it's potential in various sectors of development in city and village areas.

Objectives of this research paper (work):

Objective 1:To Providing effective agriculture methods and marketing facilities by The Gujarat Government to various program and scheme for smart Village to increase facilities are provide and improve and make a smart village help to adopt new technology

What: To Providing effective agriculture methods and marketing facilities.

Why: to increase facilities are provide and improve and make a smart village.

How: By the Gujarat Government to various program and scheme for smart Village.

Outcome/Features/Originality: to adopt new technology

Objective 2: To Proving basic health facilities in Health care centre by The Gujarat Government to various program and scheme for smart Village for increase Life style of village peoples, this facility is providing, improve and make a smart village.

What: To Proving basic health facilities in Health care centre.

Why: by the Gujarat Government to various program and scheme for smart Village.

How: for Increase Life style of village people.

Outcome/Features/Originality: so these facilities are providing and improve and make a smart village.

Objective 3: To Providing appropriate Education system, by government for increase the taking advance method of education, training for youth generation, etc.

What: To Provide appropriate Education system

Why: increase the taking advance method of education, training

How: by government.

Outcome/Features/Originality: for youth generation, etc.

Solution offered by the paper (work):


Increase the Taking advance method of education, training for youth generation, etc. An educated youth migrate in cities and being tried to prove itself as perfect in field without any burden. And at most the overall development of the country can be possible with the development of the villages only.

Future scope of this research paper (work):

To make villages in dependable & provide good healthy environment to people living style. To stop migration of people from village to city. To make developed nation.

Methodology of this research paper (work): OBJECTIVE 1





2.8.4 Literature Review – Research Paper (Studied by Jaimin Joshi 04)

Table 8Research paper4

Authors	V. Ratna Reddy, Bhagirath Behera
Title	Impact of Water Pollution on Rural Communities: An Economic Analysis
Year	June 2006
Affiliation	IJIRST –International Journal for Innovative Research in Science & Technology (June 2006)
Volume	02
Keywords	Environment; Water pollution; Costs; Impact; Rural communities

Problem definition of this research paper (work):

The study of Impact of water pollution on rural communities to estimate the coast of industrial pollution on various aspect of rural livelihood in a systematic manner with data collected from an intensive study of two villages one a pollution affected and another not affected by pollution for water pollution in the rural communities at economical coast

What: The study of Impact of water pollution on rural communities

Why: to estimate the coast of industrial pollution on various aspect of rural livelihood in a systematic manner

How: With the help of primary (household level) data collected from an intensive study of two

villages one a pollution affected village and another control village for free from the air pollution in rural area.

Outcome/Features/Originality: for water pollution in the rural communities at economical coast

Objectives of this research paper (work):

Objective 1: Water sources, ground as well as surface, have been badly affected by pollution, For the purpose of understanding the extent of water pollution, with Water samples were collected in sterilized bottles from different sources such as bore well and tank water. water test like colour, Oder, turbidity, ph.etc. Doing this to reduce the future ground water pollution.

What: Water sources, ground as well as surface, have been badly affected by pollution **Why:** For the purpose of understanding the extent of water pollution,

How: with Water samples were collected in sterilized bottles from different sources such as bore well and tank water. water test like colour, Oder, turbidity, ph etc.

Outcome/Features/Originality: Doing this to reduce the future ground water pollution.

Objective 2: To decrease the water born disease like skin infection, teeth corrosion, joint pain, loss of appetite, defective vision, fever for a health of the people of village using water purifying devices like filters, RO unit, etc., regularly serviced and maintained for safe clean drinking water can decreasing rate of borne disease

What: To decrease the water born disease

Why: for a health of the people of village

How: using water purifying devices keep regularly serviced and maintained

Outcome/Features/Originality: can decreasing rate of borne disease

Objective 3: To improve Environmental economics focuses on the impact on human health due to bad environmental conditions, and the effect this has on the individuals and society's productive potential, by environment division. Doing this economic growth caused by improved technology can enable higher output with less pollution.

What: To improve Environmental economics

Why: the impact on human health due to bad environmental conditions, and the effect this has on the individuals and society's productive potential

how: by environment division

Outcome/Features/Originality: technology can enable higher output with less pollution.

Solution offered by the paper (work)


To decrease the all water born disease using various water test from rural area and increase the human facilities.

Future scope of this research paper (work)

To improve the quality and quantity of water in rural area.

To decrease the air pollution near the rural area.

Methodology of this research paper (work): OBJECTIVE1



2.8.5 Literature Review – Research Paper (Studied by Jaimin Joshi 05)

Table 9Research paper5

Authors	Bhagya Niranjanbhai Patel, Prof. Rinni Shah
Title	Smart village a case study of kolavada village
Year	Dec-2017
Volume	02
Affiliation	International Research Journal of Engineering and Technology (IRJET) Dec 2017
Keywords	Smart village, Sanitation, Solid waste Management

Problem definition of this research paper (work):

Smart village a case study of kolavada village For increase citizen services, create atmosphere of healthy competition. By The Gujarat Government to various program and scheme for smart Village. Our integrated design is a way forward to be deal with the Demographic deficit & also achieve the goals of inclusive growth.

What: Smart village a case study of kolavada village

Why: For increase citizen services, create atmosphere of healthy competition

How: By the Gujarat Government to various program and scheme for smart Village.

Outcome/Features/Originality: Our integrated design is a way forward to be deal with the Demographic deficit & also achieve the goals of inclusive growth.

Objectives of this research paper (work):

Objective 1: To improve solid waste management using suitable method in rural area and some facilities are not proper and not effective methods are available so this facility is improving or make a smart village.

What: To improve solid waste management

Why: some facilities are not proper and not effective methods are available

How: suitable method in rural area

Outcome/Features/Originality: make a smart village.

Objective 2: To Proving good basic health facilities in Health care centre by the Gujarat Government to various program and scheme for smart Village to increase Life style and quality of health of village people so, that facility make a smart village.

What: To Proving good basic health facilities in Health care centre.

Why: to increase Life style and quality of health of village people

How: By the Gujarat Government to various program and scheme for smart Village.

Outcome/Features/Originality: make a smart village.

Objective 3: To manage Solid Waste in village using door to door waste collection and tipper and tractor directly transport the waste to disposal site after collection of waste for protection of the environment and the health of the population the rate of the disease will be decrease.

What: Solid Waste Management

Why: for protection of the environment and the health of the population

How: using door to door waste collection and tipper and tractor

Outcome/Features/Originality: The rate of the disease will be decrease.

Solution offered by the paper (work):

The visual observation for Facilities Not Available to provide good facilities in the village.

The poor condition in the village to providing facilities and become a smart village.

Future scope of this research paper (work):

Scope of this project proper dividing for to Normal village to smart village for providing or improving facilities solid waste management, sanitation, Swachhta to Development of village and Increase living of slanders and employment


Trying to providing or improving this solid west management, sanitation facilities, cleanness implement facility between Village development & supplement.

Above facilities is to be improved or provided through government scheme and fund and under campaign for smart village.

Methodology of this research paper (work):







2.9 Other Projects / Schemes of Gujarat / Indian Government

Kisan Suryodaya Yojana: In a bid to provide a day-time power supply to farmers for irrigation, the BJP-led Gujarat government had recently announced the Kisan Suryodaya Yojana. Under this scheme, farmers will be able to avail power supply from 5 AM to 9 PM. The state government has allocated a budget of Rs 3,500 cores for installing transmission infrastructure under this scheme by 2023.

Paediatric Heart Hospital: The institute is undergoing expansion at the cost of Rs 470 crores. After the completion of the expansion project, the number of beds will increase from 450 to 1251. The Institute will also become the biggest single super specialty cardiac teaching institute in the country and one of the biggest single super specialty cardiac hospitals in the world.

Girnar ropeway: A distance of 2.3 km will now be covered in just 7.5 minutes through the ropeway. Moreover, the ropeway will also provide a scenic view of the lush green beauty surrounding the Girnar Mountain.



CHEPTER: 03 3. Smart (Cities/ Village) Concept Idea and its Visit (Civil concept)

3.1 Introduction: Concepts, Definitions and Practices

- Smart Village is a concept adopted by national, state and local governments of India.
- As an initiative focused on holistic rural development, derived from Mahatma Gandhi's vision of Adarsh Gram.



Figure 6Smart concept

3.2 Vision-Goals, Standards and Performance Measurement Indicators

- ► VISION = A smart city is a municipality that uses information and communication technologies to increase operational efficiency, share information with the public and improve both the quality of government services and citizen welfare.
- ► STRATEGY = In essence, a smart city uses connected sensors and information technology to improve the quality of life of residents. ... A vast range of cities across the world are attempting to deploy technology to reimagining urban living and are adopting an array of strategies to do so

• **OBJECTIVES** = In the approach to the Smart






Cities Mission, the objective is to promote cities that provide core infrastructure and give a decent quality of life to its citizens, a clean and sustainable environment and application of 'Smart' Solutions.



► CSFs = Smart cities are already a reality. Government and private sector initiatives worldwide are exploring innovative ways to make cities in the 21st Century more efficient, more livable, and more competitive.

Top 10 Smart City Success factor

- 1. Stakeholder benefits
- 2. Engagement & buy-in
- 3. Regional alignment with a community focus
- 4. Strategy momentum and foundational initiatives
- 5. Clarity
- 6. "Dust-proofing" the strategy
- 7. Lessons learned
- 8. Urban integration
- 9. Performance indicators
- 10. Creating a lasting smart city culture



► **KPIs** = Local government KPIs for smart cities can be grouped into six divisions: economy, governance, mobility, environment, people and quality of life. Six types of KPIs are established in each division: inputs, outputs and impacts.

1. Smart Economy

Among the many local government KPIs that have to do with the economy are those related to the cost of a smart city project and the structures it generates, as well as general micro- and macroeconomic parameters. Some examples would be:

- Growth of technology and science parks.
- Number of new start-ups per year.
- Unemployment rate.
- Number of jobs created per year.
- Unemployment rate in technology and creative sectors.

2. Smart Governance

The area of governance brings together the local government KPIs applicable to the administration of the smart city. Here you can control aspects such as:

- Implementation of electronic systems to regulate the administration-citizen relationship.
- Number of infrastructures with connected sensors.
- Amount of online information available to city inhabitants.

3. Smart Mobility

The local government KPIs related to urban mobility take into accounts both transport and ICT (Information & Communication Technology). Urban mobility indicators include:

- Number of electric vehicle charging stations.
- Number of public Wi-Fi zones.
- Number of public transportation journeys per year.
- Kilometers of bike lanes per 100,000 inhabitants.
- Percentage of the territory with broadband internet coverage.

4. Smart Environment

With regard to the environment, it's about monitoring energy consumption and the effects of human activity on the environment. To monitor these, we have KPIs for smart cities such as:

- Number of intelligent street lamps.
- Water pollution levels.
- Noise pollution levels.
- Percentage of energy consumed coming from renewable energies.
- ▶ Rate of chronic respiratory diseases per 100,000 inhabitants.
- Proportion of solid waste that is recycled.

5. Smart People

Given that the improvement of living conditions for its inhabitants is the ultimate goal of any smart city, local government KPIs for smart cities also focus on measuring the training and skills acquired by citizens, calculating data such as:

- Number of computers per student.
- School dropout rate.
- Percentage of the population with a university degree.
- Adequacy of local training to meet the demands of the labor market
- Accessibility to educational resources.

6. Smart Living

To determine the quality of life in the smart city, we use KPIs associated with health, safety and well-being. Here are some ideas:

- Average waiting time at medical centers.
- Average emergency service response time.
- Gini coefficient of economic inequality.
- Index of energy poverty.
- Suicide rate per 100,000 inhabitants.
- Rate of violent crime per 100,000 inhabitants.



- Implementation of online health services.
- Level of cyber security.
- ► ACTIONS = A smart city is about human-centric approaches to create and implement an ecosystem of smart city solutions that creates added value and transforms into collective good. The term "smart" includes technology as an enabler but a smart city strategy is by far not limited to technological solutions.

3.3 Technological Options

- 1. Smart Economy
- 2. Smart Governance
- 3. Smart Mobility
- 4. Smart Environment
- 5. Smart People
- 6. Smart Living

3.4 Road Map and Safe Guards

Smart Maps capture a broad range of detailed data, such as roads (with details including lanes, speed limits, and turn restrictions), shops, (types, user ratings), and other information (bike and transit routes, building shapes, etc.) Smart Maps are designed so that users can quickly and intuitively interact with them despite having virtually no training, ensuring that information reaches the widest possible audience. Smart Maps are built to update quickly and correctly as cities change and evolve

3.5 Issues & Challenges

Smart cities face challenges and opportunities

- Technology challenges with coverage and capacity.
- Digital security.
- Legislation and policies.
- Lack of confidence or reluctance shown by citizens (lack of clarity around benefits).
- Funding and business models.
- Interoperability.
- Existing infrastructure for energy, water and transportation systems.

3.6 Smart Infrastructure

Smart Infrastructure intelligently connects energy systems, buildings and industries to adapt and evolve the way we live and work. From intelligent grid control and electrification to smart storage solutions, from building automation and control systems to switches valves and sensors.



Figure 9 Smart infrastructure



3.7 Cyber Security

Cyber security is concerned with the security of data, and the applications and infrastructure used to store, process and transmit the data. It is understood as the process of protecting data and info by preventing, detecting and responding to cyber security events. Such that events, which include intentional attacks and accidents, are changes that may have an impact on organizational operations

3.8 Retrofitting- Redevelopment- Greenfield Development District Cooling

These four are the advanced techniques to be implemented for the fulfillment of projects under smart cities initiatives taken all over the world. The purpose of the Smart Cities Projects is to drive economic growth and improve the quality of life of people by enabling local area development and harnessing technology, especially technology that leads to Smart outcomes. Area- based development will transform existing areas (retrofit and redevelop), including slums, into better planned ones, thereby improving livability of the whole City. New areas (Greenfield) will be developed around cities in order to accommodate the expanding population in urban areas.

Application of Smart Solutions will enable cities to use technology, information and data to improve infrastructure and services. Comprehensive development in this way will improve quality of life, create employment and enhance incomes for all, especially the poor and the disadvantaged, leading to inclusive Cities. With the help of green retrofitting of a building both owner and tenants can attain the benefits which are either tangible or intangible benefits. It will result in reduction in consumption of energy, utilities and water. Maintenance, new technologies and occupancy changes also need to be continually dealt with. Upgrading existing buildings not only helps to preserve the character of a place; it is an optimal solution for owners, tenants, the community and the environment.

3.9 Strategic Options for Fast Development

- It starts with having a realistic plan.
- Smart cities require extensive experimentation.
- A smart city vision should energize the private sector.
- Smart cities demand smart data.
- Get creative when rethinking transportation.
- Don't downplay digital security.
- Smart city initiatives should complement low-tech initiatives.



3.10 India's Urban Water and Sanitation Challenges and Role of Indigenous Technologies

The water supply and sanitation in India has increased greatly from 1980 to present. Still, many people lack access to clean water, toilets, and sewage infrastructure. Various government programs at national, state, and community level have brought rapid improvements in sanitation and the drinking water supply. These various programs are ongoing.

In 1980 rural sanitation coverage was estimated at 1% and reached 95% in 2018. Also, the share of Indians with access to improved sources of water has increased significantly from 72% in 1990 to 88% in 2008.

At the same time, local government institutions in charge of operating and maintaining the infrastructure are seen as weak and lack the financial resources to carry out their functions. In addition, only two Indian cities have continuous water supply and according to an estimate from 2018 about 8% of Indians still lack access to improved sanitation facilities.

3.11 Initiatives in village development by local self-government

The function of a Government can be categorized into National, State and Local. Local Self Governments are those bodies that look after the administration of a area and small community such as small village, town or a city. These bodies are appointed by the Government representing the local inhabitants, which raises its revenue partially through local taxation and other types of means.

The Local Self- Government can be divided into various classes like Corporations, Cities, Town Municipalities and Town Panchayat on the basis of population. The administration system has 3 levels: village, block and district.

Panchayat operate at a village level. The Panchayat of India is the local bodies working for the welfare of the village. Panchayat is a form of Indian political system which combines five neighboring villages known as panch.

The primary units of administration in Panchayat shree the gram panchayats. The members of the Panchayat are known as "panch", who take decisions regarding the disputes among the villagers and villages.

According to the Indian Constitution, Panchayat have the authority to work as organizations of self-government. Panchayat is playing a vital role in the administration of the rural areas of India.



3.12 Smart Initiatives by Mehsana District Municipal Corporation

દ્વેનનંબર- ૦૨૭૬૨-૨૨૨૩૨૪		ડીસ્ટ્રીકટ ફેલ્થ સોસાયટી,મહેસાણા	
		16/12/2020	dso, health, mehsana@gmail.com
લેમ્પલ નેગ્રેટીવ અ	ાવેલ છે. આજરોજ પડ	૭ સેમ્પલનું રીઝલ્ટ આવેલ i	૨૧ સેમ્પલ લીધેલ છે. તેમાંથી ૩૦૭૭૯ છે. જેમાં ૫૪૯ સેમ્પલનુ રીઝલ્ટ નેગેટીવ છે 1તે ૧૬ પીઝીટીવ કેસ નોંધાયેલ છે.
અ.ન		Covid-19 અંતર્ગત આજ	લી વિગત
1	લીધેલ સેમ્પ	લની સંખ્યા	402
2	પોઝીટીલ કે	મની સંખરા	38

	estates stadeast stadt	404
5	પોઝીટીવ કેસની સંખ્યા	38
3	પેન્ડીંગ રીઝલ્ટ	402
8	ડીસ્યાજ	65
ч	કુલ એકટીવ કેસ	465
s	અર્બન પોઝીટીવ કેસ	16
3	રૂરલ પોઝીટીવ કેસ	15

પોઝીટીવ કેસ

તાલુકાનુ		લુકાનુ અર્બન		5.00	તાલુકાનુ	રૂરલ			
અનુ	લ્લુ નામ	વિસ્તાર	ઉંમર	પુત્સી	અનુ	નામ	ગામ	ઉંમર	પુ/સ્વી
٩	મઢેસાણા	મોઢેશ ચોકડી	45	ч	٩	મહેસાણા	નુગર	53	ч
s	મહેસાણા	અર્બન બેંક રોડ	55	સ્ત્રી	\$	મહેસાણા	ગોઝારીયા	84	ч
3	મહેસાણા	ટી.બી.રોડ	38	ч	3	મહેસાણા	લિંચ	30	સ્ત્રી
¥	મહેસાણા	રાધનપુર શેડ	18	Я	8	મહેસાણા	લિંચ	35	ч
ų	મઢેસાણા	ગાયત્રી મંદિર પાસે	44	У	ч	મહેસાણા	ફેબુવા	52	у
s	મઢેસાણા	અર્બન બેંક રોડ	31	У	s	વિસનગર	કાંસા એન એ	૪૧	У
3	મહેસાણા	ધોબીઘાટ રોડ	85	Ч	3	વિસનગર	مه	50	ч
٤.	મહેસાણા	માનવ આશ્રમ	54	Ч	٤	विसनगर	ચિત્રોદા	55	al.
e	મહેસાણા	કમળાજી નો માઢ	30	સી	e	Ğэн	ગંગાપુરા	40	ч
10	મફેસાણા	ટી.બી.રોડ	53	Ч	10	вэн	મક્તુપુર	54	Bes
11	મઢેસાણા	રાધનપુર રોડ	56	ч	11	бон	મક્તુપુર	50	ч
15	(Ś.c)u	ઉંગ્ર	se	æl	59	Ś.su.	સુણોક	se	Bis
13	(Ś.5%)	Ġэн	50	સ્ત્રી	13	ße	પીરોજપુરા	60	Ref
٩.४	ຕົ້ວສະ	આશીર્વાદ પાર્ક સામે	٩3	સ્થી	٩४	વિશ્વપુર	રીટોદણ	4.9	ч
14	(Ś.cm)	б .ж	*1	Ч	94	વિજાપુર	દઞાવાડીયા	36	al.
15	(Ś.c)u.	કલ્યાણ સૌસા.	44	ч	15	સતલાસણા	સુદાસણા	31	ч
٩.3	ຕົວສ	નેતાજી પાર્ક રોડ	53	ч	-	1916		12	
26	વિશ્વપુર	ચબુતરા વાસ	34	Ч		-		· ·	

3.13 Any Projects contributed working by Government / NGO / Other Digital Country concept

The village is almost fulfilled with all types of facilities and it does not need any more facility. Other than this, A Composed Pit is being constructed by government in the village.

3.14 How to implement other Countries smart villages projects in Indian village context (Regarding Environment, Employment)

Similar to Vishwakarma Yojana, Students of engineering colleges can be given chance to visit foreign countries' smart villages and survey and study it properly as they study the smart villages of Gujarat. Than with the help of other government or private engineers, one can implement other countries smart village projects in Indian villages.

CHAPTER: 04 4. ALLOCATED VILLAGE VADPURA

4.1 Introduction

4.1.1 Introduction about Vadpura Village details

- According to Census 2011 information the location code or village code of Vadpura village is 509618. Vadpura village is located in Kadi Tehsil of Mehsana district in Gujarat, India. It is situated 15km away from sub-district headquarter Kadi and 27km away from district headquarter Mehsana.
- As per 2009 stats, Vadpura Kaiyal is the gram panchayat of Vadpura village. Vadpura has a total population of 967 peoples. There are about 197 houses in Vadpura village. Kadi is nearest town to Vadpura which is approximately 15km away.

4.1.2 Need of the study

To provide the basic requirement and need of people in the village such as:

- Water Facilities
- Drainage Facilities
- Education
- Primary Health Centre
- Transportation Facilities
- Post office
- Public Toilets
- Dairy & Agriculture co-operative soc.
- Community hall and other amenities
- For the development and progress of the village.
- To enhance the rural people in terms of employment, education, health etc.
- To reduce the migration of people from rural area to urban area

4.1.3 Study Area

- Allocated village from GTU name as Vadpura. Vadpura is a small village which allocated in Kadi Tehsil.
- Vadpura is 15km away from sub-district headquarter Kadi and 27km away from district headquarter Mehsana.



Figure 10 Need of the study



Figure 11Study area



4.1.4 Objectives of the study


- To renovation of the school building, to provide structural strengthen, aesthetically good and safe for students by doing physical interviewing questions with principal and knowing their basic needs and problems with proper site survey, image interpretation planning and estimation.
- ▶ To design a community hall in Vadpura village by survey, planning, design and estimation. To provide facilitate for social and cultural development of village, it should describe the village will developed after providing facilities to villagers.
- To manage solid waste for creating hygiene and healthy environment by using method of collection of waste and sanitary landfill to decompose the waste, for Vadpura village.

4.1.5 Scope of the Study

Provide basic amenities in the rural area which are not existing with rural soul remain intact and to increase the livelihood of people.

4.1.6 Methodology/ Study Frame Work

For objective 01





For objective 02

For objective 03

Survey
• Village Visit
Background Study
Data Collection
Planning Proposal
Planning Of solid waste Collection
Designing proposal
Design Of Collection & TransportationTransportation System

4.1.7 List of Objects Available related to civil

- Data of ideal village
- Data of smart village
- Water Tank
- Drainage System
- Anganwadi Health Centre

• Gram Panchayat

- ▶ Road

- Community Hall
- Public Toilets
- Underground Sumps


4.2 Study Area Profile

4.2.1 Study Area Location with brief History land use details

Table 10Location of study area

Location of Study Area							
Village Name	Vadpura						
District	Mehsana						
Taluka	Kadi						
State	Gujarat, India						
Distance From Mehsana	27kms						
Pin code	382705						
Coordinates	23.4141° N, 72.4075° E						
Population (2011)	967						







4.2.2 Base Location map, Land Map, Gram Tal Map

Figure 12 Base map

4.2.3 Physical & Demographical Growth

Vadpura is a Village in Mehsana district of Gujarat, India. It falls under Kadi Taluka. Vadpura population in 2020/2021 is between 938 and 1,180 and total households residing are 197. The Vadpura Village located in Kadi Taluka, 967 People are living in this Village, 508 are males and 459 are females as per 2011 census. Expected Vadpura population 2020/2021 is between 938 and 1,180. Literate people are 682 out of 394 are male and 288 are female. People living in Vadpura depend on multiple skills, total workers are 293 out of which men are 286 and women are 7. Total 143 Cultivators are depended on agriculture farming out of 140 are cultivated by men and 3 are women. 75 people works in agricultural land as a labour in Vadpura, men are 74 and 1 are women.

Vadpura (Kaiyal) village is located in the UTC 5.30 time zone and it follows Indian standard time (IST). Vadpura (Kaiyal) sun rise time varies 40 minutes from IST. The vehicle driving side in Vadpura (Kaiyal) is left, all vehicles should take left side during driving. Vadpura (Kaiyal) people are using its national currency which is Indian Rupee and its international currency code is INR. Vadpura (Kaiyal) phones and mobiles can be accessed by adding the Indian country dialing code +91 from abroad. Vadpura (Kaiyal) people are following the dd/mm/yyyy date format in day-to-day life. Vadpura (Kaiyal) domain name extension(cTLD) is. in.

4.2.4 Economic profile

About the economic profile of this village, many citizens' works interest is farming and labor work. The village doesn't have any better facilities regarding infrastructure but has good



electrification system which distributed 24*7 hours for domestic use and 8 hours for agricultural use. Village has good drainage system etc. Dairy and milk production is also work proper building and trust member on dairy mandali. 40 % people are work in an industrial area as an employee in a company.

4.2.5 Actual Problem faced by Villagers and smart solution

Vadpura village, no facility of animal excreta due to this night urinal the foul gases and dirtiness are created in the road of village. during rainy season these excreta are flow through the village and create a various decease. for that problem we conclude a solution of bio gas plant and small-scale natural fertilizer storage. village also faced a solid waste management problem.

4.2.6 Social scenario – Preservation of traditions, festivals, cuisine

Vadpura village, people are not knowing about that basic facility provide by gov. also in the village basic crop are grown are cotton, castor and tobacco. village people are not that much connected with technology and digitalization. people basic income is connected with their agriculture product value and industrial area. people are also connected with another village and stay connected with culture. people are belonging to Hindu religion and celebrate all Hindu festival with good spirit like Diwali, Navratri, new year etc.

Navratri festival is celebrated with a durga pooja. This 10-day celebration, people do Durga Pooja, and enjoy with music and play dandiya and Garba. Festival like Diwali, bhai duj, vasant Panchami, Holi, kevadi etc. all festival is celebrating in full spirit of god. this village is concerned with fully Hindu religion people. People also celebrate a nation festival like Freedom Day, Gandhi Jayanti, etc. are celebrated.

4.2.7 Migration Reasons / Trends

1.	Employment	3.	Ed	uca	tion	
-			-			

2. Marriage

4. Lack of Security

In Vadpura village, employment is available for all people which are live in Vadpura village, because surround industry is providing a local to employment. Marriage of girls is migrant in her husband residence after marriage so this trend is never being stop. In village primary education is available. lack of security Is a reason for people of which are migrant.

4.3 Data Collection Vadpura (Photograph/Graphs/Charts/Table) 4.3.1 Methods for data collection

Base line survey is a standard for any intervention during and post application of any development program. A complete baseline survey was undertaken which involved household census survey, Bio-physical survey and Village level data collection from Sarpanch. This gave in the details of the demographic profile of the village, the literacy percentage, SC/ST population, cattle population and net consumption rate in the village, average milk production of the cattle and various schemes running and their benefits Bio-physical survey was undertaken to identify

various natural resources available in the village. It included the soil typology, well in the area, crop taken in the field, cropping pattern, fertilizer used and various sources of irrigation in the field.

4.3.2 Primary survey details

Vadpura village is located in Kadi Taluka of Mehsana district in Gujarat, India. It is situated 27km away from district headquarter Mehsana. Vadpura has population of 967 as per census of India 2011.

4.3.3 Average size of the House

Average size of house is 3.5 m x 6m.

4.3.4 Geo-Tagging of House

The **geo-tagging** system involves marking the geographical coordinates of the site location as well as photographing of the progress of a given work. It has now been enabled for the PMAY scheme, under which funds are provided to build a **house** for those who already own land.

4.3.5 No of Human being in One House

There are 197 household in the village and average no. of human in family is 4.

4.3.6 Which Material used locally

There are 197 houses in the village out of them 80% of the houses are Pucca houses. Pucca houses are mostly made of Beam and Column type structure with Reinforced Cement Concrete Slab, very less 20% amount of house are Kachha house which may be made up of stones and bricks.



Figure 13Materials

4.3.7 Out Sourced Material

Major economic option of the village is farming so

there are no more locally material available like standard bricks, aggregates, concrete and reinforcements. So, this material is brought from nearest city for construction of the houses. Rooftop steel sheet are out sourced material for more of the village.

4.3.8 Labor work doing

In the village 42 to 50 % people doing agriculture work as well as labour work in nearest GIDC for money Other people are doing small-scale business-like Tiffin supplier etc.

4.3.9 Geographical Detail

- Elevation / Altitude: 58 meters. Above Sea level
- Vadpura village code 509618.



Particular Total Male Female Population 508 459 967 54 Child (0-6) 68 122 Schedule Cast 12 12 24 89.55 71.11 Literacy 80.71 **Total Workers** 286 7 293 Main Workers 291

Table 11 Demographic details

4.3.10 Demographical Detail

Table	12Occupational detail	Į

Private Business	70%
Animal Husbandry	15%
Agriculture	15%

4.3.12 Agricultural Details

4.3.11 Occupational Detail

Farmer grows crops which are mainly consumed by Animals and are used in Animal Husbandry. These includes grains like Bajra, Juvar, Wheat etc.

4.3.13 Physical Infrastructure Facilities

- Primary school
- Anganwadi
- ▶ Panchayat building
- Drinking water supply network

4.3.14 Tourism Cluster

There isn't any attractive place for Tourists.

4.4 Infrastructure Details (With Exiting Village Photograph)

4.4.1 Drinking Water / Water Management Facilities

The drinking water supply of Vadpura village can be divided into tap water, well and tube well but major source of drinking water provided by tube well.

There are 2 wells in village. Not available hand pumps in village. There are also 2 overhead tanks and 1 underground sump. The overhead tank has 50,000 liters capacity. Underground sump capacity is 25,000 liters but it is not working condition.

• Underground drainage

• WBM and CC roads

▶ Post office



Figure 16Water



Figure 14 Over head tank



Figure 15 Rectangular tank

4.4.2 Drainage Network / Sanitation Facilities

Vadpura has average drainage facility. Drainage system in village is Pucca. 95% of village is covered under drainage system. The drain water disposed in to the pond so there is need proper disposal facility in the village.



Figure 17Drainage network

4.4.3 Social Infrastructure Facilities, Health, Education, Community Hall, Library.

In Vadpura village there are 2 Anganwadi, 1 primary school, 6 temples, 1 Panchayat building. There is 1 public garden. There are no secondary and higher secondary schools. Village does not have any health care center, public latrine and recreational area.

4.4.4 Transportation & Road Network

The Mehsana – Ahmedabad nation highway passes along the village. The approach road of village is made of bituminous road and internal streets roads across the village are also made of R.C.C.



Figure 19 Bus stand



Figure 18 RCC Road

2020-2021



Page 51

4.4.5 Housing condition

Village house are made of basic component like brick, cement, sand etc. The Pucca house is 80% And Kachha house is 20%. Condition of house is well maintained and properly constructed in line. house have basic facility like water supply tap, own toilet, clean house, electricity line etc.





Figure 21 Pokka house

Figure 20 Kachha hose

4.4.6 Social Infrastructure Facilities, Health, Education, Community Hall, Library.

In Vadpura village there are 2 Anganwadi, 1 primary school, 6 temples, 1 Panchayat building. There is 1 public garden. There are no secondary and higher secondary schools. Village does not have any health care center, public latrine and recreational area.

4.4.7 Technology Mobile/ WIFI / Internet Usage Details

90% of village population is using Internet services through their Mobile. Besides, Panchayat Building is fully connected with Wi-Fi. Many private Wi-Fi centers are also available at Parlour, etc.

4.4.8 Sports Activity as Gram Panchayat

No activity of sports is conducted by gram panchayat but all school are conducted a sport activity during a sport week or any function.

4.4.9 Existing Condition of Public Buildings & Maintenance of existing Public Infrastructures



Figure 22 Panchayat building



4.4.10 Socio-Cultural Facilities, Public Garden /Park/Playground /Pond/ Other Recreation Facilities

Combination *playground* structure for *small* children slides, climbers (stairs in this case) playhouse thematic playground with agricultural machine

A *playground*, play park, or play area is a place specifically designed to enable children to play.



Figure 23Garden

4.4.11 Any other details



Figure 25 Main temple



Figure 24 Bird house

4.6 Existing Institution like - Village Administration – Detail Profile

4.6.1 Bachat Mandali

Village has no bachat mandali. required a small scale bachat mandali in village because surround is covered with industrial area and need a small branch of bank for better transaction and help to village in development by giving a loan.

4.6.2 Dudh Mandali

Vadpura village have one government Dudh mandali in working condition but maintenance is required.

4.6.3 Mahila forum

No Mahila forum in village.



Figure 26Dudh Deri



4.6.4 Plantation for the Air Pollution

In a village every year plantation program is arranged by many industrial group and panchayat.

4.6.5 Rain Water Harvesting - Waste Water Recycling

No facility of rain water harvesting in a village. by many industrial groups are conduct an awareness program about important of rain water harvesting

method.



Figure 27Plantation of Vadpura village

4.6.6 Agricultural Development

Last 2 to 5-year village people are aware about irrigation technology and adopt a technology like drip irrigation, sprinkler system etc. which are reduced a water loss and increase an infiltration rate.



Figure 29Irrigtion system

Agricultural development is one of the most powerful tools to end extreme poverty, boost shared prosperity and feed a projected 9.7 billion people by 2050. Growth in the agriculture sector is two to four times more effective in raising incomes among the poorest compared to other sectors



Figure 28 Sprinkler system





CHAPTER: 05 5. Technical Options with Case Studies

5.1 Concept Civil

5.1.1 Advance Sustainable construction techniques / Practices and Quantity Surveying

<u>The most sustainable way is to not make things.</u> <u>The second most sustainable way is to make</u> <u>something very useful, to solve a problem that</u> <u>hasn't been solved.</u>

<u>Thomas Sigsgaard</u>

1. Synthetic Roof Underlayment

Syntheticunderlayment isa roofing accessorycreatedbyweaving/spinningtogetherpolypropyleneorpolyethyleneanda polymer to form an all-overprotectiveprotectivebarriertoputbetweenthe roofing material and the roof deck.



Figure 31 Synthetic Roof Underlayment B

eliminates VOCs from the underlayment.



Figure 30 Synthetic Roof Underlayment A

The underlayment on roofs is typically asphalt-based, which breaks down relatively quickly. Replacing this layer is necessary to keep moisture out of the building& interior. Synthetic roof underlayment offers an alternative that weighs less and holds up to the wear and tear of an exterior environment. This material uses polymer that comes from recycled scrap materials. It also

2. Grid Hybrid System

Solar hybrid power systems are hybrid power systems that combine solar power from a photovoltaic system with another power generating energy source. The diesel genets' are used to



constantly fill in the gap between the present load and the actual generated power by the PV system.

Renewable energy sources provide a sustainable way for organizations to power their commercial properties, but many grid systems lack storage to power facilities during times of low solar availability. A hybrid system stores excess energy and allows the renewable source to function at night, during overcast days and in other

conditions that area.

3. Passive Solar

Another way to leverage a sustainable solar energy source is to construct the building based on the passive solar concept. The facility location and design maximize solar energy for heating during winter, while reducing its impact during warmer months.

4. Grey water Plumbing Systems

Grey water systems reduce the facility need for fresh water, as everything except for toilet streams can be processed for reuse. The most common uses for this water include irrigation and supplying toilets with water.

5. Root zone Sewage Treatment Plant


Sewage treatment comprises an artificially constructed and lined wetland planted with

common reeds (Phragmites austral is or Karla). The sewage flows through a bed of either soil or gravel in which the reeds grow. The treatment is mainly biological as the reed roots break down the sewage, hence 'root-zone', though filtration through the soil bed also helps the treatment. The treatment requires considerable land but becomes an attractive option because of the negligible running costs as the reed plants are almost self- sustaining. The process is environmentally friendly and free from the nuisance of mosquitoes and smell as it is subsurface.

6. Solid waste management



Figure 32 Grid Hybrid System








Figure 34 Grey water Plumbing Systems

Solid waste management is a vital service from the point of view of hygiene and environment, yet, often neglected. The problem cannot be solved by mere installation of dustbins. This project should envisages landscaping to bind earth on open spaces, which reduces solid waste on streets, siltation in the pipes and improves road aesthetics and village level organization of waste collection.

5.1.2 Soil liquefaction

Liquefaction describes the phenomenon wherein saturated, loose, cohesion less soil (sands) loses the friction-dependent strength and acts like a fluid when subjected to static or dynamic loading. In such scenarios, structures on the surface can partially or fully sink beneath the surface and buried structures could potentially become buoyant and rise to the ground surface. Liquefaction occurs when saturated cohesion less soil particles lose inter- granular friction due to increased pore water pressure. This can happen during an earthquake when loose sand is



Figure 35 Soil liquefaction on road



Figure 36 Soil liquefaction

cyclically loaded and pour water pressures build up. The soil particles then effectively are suspended in water, losing virtually all strength, and the soil mixture acts like "quick sand". Liquefaction occurs in loose sands and thus is influenced by the void ratio of the soil (the ratio between the volume of voids and the volume of solids). Dense soils (soils at void ratios less than their critical void ratio), are too dense for liquefaction to occur. Hence, liquefaction occurs most often in loose sandy soils beneath the water

table.


5.1.3 Sustainable sanitation

Interest in sustainability continues to rise as local, national, and global events strive to bring insight to the human impact on the natural environment.

Storm surge events along the East and Gulf Coasts of the U.S., rising sea levels, depletion of natural resources, and the increasing global population are indicators that are raising awareness that a sustainability movement, particularly with regards to reducing the



anthropogenic influence, is needed. Since sustainability is defined as "meeting the needs of the present without compromising future generations to meet their own needs" secondary school students are the generation that will have to innovate, plan, and develop in ways that reduce



negative impacts on the environment, society and economy.

5.1.4 Transport system

A transportation system may be defined as a planned network of elements or physical components that play different roles in the transportation of goods and persons from one place to another. The elements or physical components of a transport system are referred to as the facilities. A transport system can therefore be considered as consisting of fixed facilities, the flow entities, and control system that permit people and goods to overcome the friction of geographical space efficiently in order to participate in a timely manner in some desired activity.



Figure 37 Transportation

5.1.5 Vertical farming

Vertical farming is the practice of producing food on vertically inclined surfaces. Instead of farming vegetables and other foods on a single level, such as in a field or a greenhouse, this



method produces foods in vertically stacked layers commonly integrated into other structures like a skyscraper, shipping container or repurposed warehouse. Using Controlled Environment Agriculture (CEA) technology, this modern idea uses indoor farming techniques. The artificial control of temperature, light, humidity, and gases makes producing foods and medicine indoor possible. In many ways, vertical farming is similar to greenhouses where metal reflectors and artificial lighting augment natural sunlight. The primary goal of vertical farming is maximizing crops output in a limited space.



Figure 38 Vertical Farming

Advantages of Vertical Farming

- Ensures Consistent Crop Production.
- Uses Space Optimally.
- Reduces Usage of Water.
- Cuts Down on Transport Cost.

- Less Labour Costs.
- Energy Efficient.
- Doesn't Involve Chemicals or Pesticides.
- Limits Occupational Hazards.



District: Mehsana

Disadvantages of Vertical Farming

- Less Pollination. As you probably know at this point, Vertical farming is performed in a controlled, indoor environment. ...
- Technology Dependent. Developing newer and more advanced technologies can boost efficiency while also reduce costs. ...
- Affects Communities.

5.1.6 Corrosion Mechanism, Prevention & Repair Measures of RCC Structure

1. Corrosion Mechanism in concrete

The mechanism of reinforcement corrosion in concrete due to chloride attack is basically

an electrochemical process by which the passivating layer of steel is lost by means of formation of micro cells on the surface of steel by chloride ions.


Corrosion in concrete is induced by the generation of the electrochemical potentials in following ways:

1. When two different metals are present in concrete, such as steel rears, aluminum conduit pipes, or when significant variation exist in surface characteristics of the steel, formation of composition cell can occur.

2. Concentration cells may be formed near reinforcing steel because of the differences in the concentration of dissolved ions, such as alkali's and chlorides

2. Chloride Induced Corrosion

The chloride binding in concrete affects the rate of chloride ingress, which in turn determines the chloride-induced corrosion initiation. The pore solution concentration, which is the driving agent of chloride diffusion process, is reduced due to the chloride binding reducing the chloride transport process.



3. Prevention of chloride attack

For new structures, there are several methods to prevent or reduce chloride attack:

- Increase concrete cover (min. 50 mm)
- Use epoxy coated rears





Passive steel Corrosion O_2 Reinforcing e Steel H_2O H_2O Figure 39 Corrosion

- Use stainless steel rears
- Catholic protection
- Use low water/cement ratio
- Apply of anti-carbonation concrete coating

For existing structures suffering from chloride attack the following repair methods can be applied:

- Apply of anti-carbonation concrete coating to slow down the corrosion process
- Use of corrosion inhibitors
- Install a catholic protection system
- In the case of extensive spelling or section loss, a comprehensive concrete repair or a section replacement will be required




Figure 41 Prevention in chloride attach

5.1.7 Sewage treatment plant

Essentially, a sewage treatment plant operates by circulating air to encourage the growth of bacteria to break down sewage. The goal being to deliver much cleaner more environmentally friendly effluent, It involves a similar process to a typical septic tank but has some key differences.

The importance of sewage treatment plant design is to withhold all the solids as much as possible and before the leaving water called an effluent is discharged to the environment. The solid matter decays it uses oxygen that are needed by the water plants and animals.

Sewage Treatment refers to the process of removing contaminants, micro-organisms and other types of pollutants from wastewater. Wastewater, or raw sewage, is water that drains from toilets, sinks, showers, baths, dishwashers, washing machines and liquid industrial waste.

5.1.8 Technical Case Study On "The Statue Of Unity"

The Statue of Unity is a colossal statue of Indian statesman and independence activist Sardar Vallabhbhai Patel (1875-1950) who was the first Home minister of India and the chief adherent of Mahatma Gandhi during the non-violent Indian Independence movement; highly respected for his leadership in uniting the 562 princely states of India to form the single large Union of India.

It is located in the state of Gujarat, India. It is the world's tallest statue with a height of 182 meters (597 ft). It is located on a river island facing the Sardar Sarovar Dam on river Narmada in Kevadiya colony, 100 kilometers (62 mi) southeast of the city of Vadodara.

Environmental law refers to rules and regulations governing human conduct likely to affect the environment. It reflects the legislative measures, and the administrative and judicial structures to protect the environment.



Figure 42 Location of Kevadiya

The statue of Unity Project was first announced on 7lh October, 2010 is a monument of 182 meter of Sardar Vallabhbhai Patel facing Narmada Dam, 3.2 km away on the river island Sadhu bet of Narmada river near Bharuch in Gujarat is facing trouble Around 50 environmentalists from across the country have written to the Union Environment Ministry that Chief Minister Narendra Modi's pet project, Statue of Unity, downstream of Sardar Sarovar Dam and School paneshar Sanctuary, has commenced working without environment approval.



CHAPTER: 06 6. Swatch Bharat Abhiyan (Clean India)

Swachh Bharat Mission (SBM) or **Clean IndiaMission** is campaign in India that aims to clean up the streets, roads and infrastructure ofIndia's cities, smaller towns, and rural areas. The objectives of Swachh Bharat includeeliminating open defecation through the construction of household-owned and community-owned toilets and establishing an accountable mechanism of monitoring toilet use. Run bythe Government of India, the mission aims to achieve an Open-Defecation Free (ODF) Indiaby 2 October 2019, the 150th anniversary of the birth of Mahatma Gandhi, by constructing 12million toilets in rural India at a projected cost of Rs. 1.96 lakh crore. The campaign was officially launched on 2 October 2014 at Rajghat, New Delhi by PrimeMinister Narendra Modi. It is India's largest cleanliness drive to date with 3 milliongovernment employees, school students, and college students from all parts of Indiaparticipating in 4,041 statutory.

6.1 Existing Situation of Vadpura village with photograph

In the Vadpura village need of swachhta is more, because there is unavailability of solid waste management in the village, the villagers use the land near garden for dumping garbage. There is also a lack of solid liquid waste management as well as collection of west management.





Figure 43 Existing Situation of Vadpura village with photograph

We have done one survey on existing condition of village regarding swachhta. The people are maintaining cleanliness of the village but in some streets there is no swachhta because there are animal and their waste, mud, etc. The village pond has to need a proper maintenance. Other than these there are clean streets, main road and approach road.

Gujarat Technological University



6.2 Guidelines - Implementation in allocated village with Photograph

As the work of cleaning the old type of dustbins of Municipal Corporation comes under the Gram Panchayat or Municipal Corporation, it should be properly emptied and new dustbins for dry and wet waste should be provided separately and it should be maintained properly and regularly. The design of Public sanitary blocks would be given by us, so they should be constructed by the government if designed properly. At rest of the few places left, the villagers should clean it themselves as very less area would be come under that part.

6.3 Activities Done by Students for Vadpura village with Photograph:

Firstly we took a permission from village Talati and Sarpanch for doing one Swachhta awareness camp and then we have done one activity of swachhta awareness in the village and we have done an

Interaction with villagers and aware them about the importance of swachhta in our life and told them to keep the village and infrastructure clean and safe. We have also done a cleaning of village street. We have suggested them for not dumping the waste in village streets and dispose it at right place.

So that we have also proposed one design of Solid Waste Management as part 2 design in the Vadpura village.







CHAPTER: 07 7. Village condition due to Covid-19

7.1 Taken steps in Vadpura village related to covid-19 situation with photographs

Villagers were informed by the village teachers about the pandemic situation and were also informed about the norms given by Government to fight this situation.

With help of Government officers, Sarpanch and other village people they sanitized the village streets and houses and other places.





Figure 44Photographs of Vadpura

7.2 Steps taken by students while visiting the village

There is no step taken by the students.

7.3 Any other steps taken by the students / villagers

There is no step taken by the students.



CHAPTER: 08 8. Sustainable Design Planning Proposal (Prototype Design)-

Part- I

8.1 School Design

8.1.1 Plan of School (Final Design)





Figure 45School plan






8.1.2 Design of classroom (as per the IS 8827 (1978):




8.1.3 Elevation of School:



ELEVATION

8.1.4 Foundation Detail of School:



FOUNDATION DETAILS ALL DIMENSIONS ARE IN METER (M).



8.1.5 Final 3D design: (ISO VIEW)



Figure 46 ISO view

(TOP VIEW)



Figure 47 Top view



8.1.6 Estimation and Costing

SR NO.	ITEM DESCRIPTION	NO	L	В	Н	QUANTITY	TOTAL QUANTITY	UNIT
1	EXCAVATION FOR FOUNDATION							
	L1= 7.73+7.73+7.73+7.73+0.9	2	31.82	0.9	1.1	63.00		
	L2= 6.23+0.9	2	7.13	0.9	1.1	14.12		
	S1= 6.23-0.9	5	5.33	0.9	1.1	26.38		
	S2 = 7.73-0.9	2	6.83	0.9	1.1	13.52		
	TOTAL QUA	NTIT	Y OF EX	CAVATI	ON		117.03	M ³
2	P.C.C							
	L1	2	31.82	0.9	0.2	11.46		
	L2	2	7.13	0.9	0.2	2.57		
	S1	5	5.33	0.9	0.2	4.80		
	S2	2	6.83	0.9	0.2	2.46		
							21.28	M³
3	1ST STEP BRICK WORK IN FOUNDATION							
	L1=31.82-0.4	2	31.42	0.5	0.3	9.43		
	L2=7.13-0.4	2	6.73	0.5	0.3	2.02		
	S1=5.33+0.4	5	5.73	0.5	0.3	4.30		
	S2=6.83+0.4	2	7.23	0.5	0.3	2.17		
							17.91	M³
4	2ND STEP BRICK WORK IN FOUNDATION							
	L1=31.42-0.1	2	31.32	0.4	0.3	7.52		
	L2=6.72-0.1	2	6.62	0.4	0.3	1.59		
	S1=5.73+0.1	5	5.83	0.4	0.3	3.50		
	S2=7.23+0.1	2	7.33	0.4	0.3	1.76		



							14.36	M³
5	3RD STEP BRICK WORK IN FOUNDATION BELOW G.L							
	L1=31.32-0.1	2	31.22	0.3	0.3	5.62		
	L2=6.62-0.1	2	6.52	0.3	0.3	1.17		
	S1=5.83+0.1	5	5.93	0.3	0.3	2.67		
	S2=7.33+0.1	2	7.43	0.3	0.3	1.34		
							10.80	M ³
6	TOTAL BRICK	WOF	RK IN FO	UNDAT	TION		43.07	M³
7	GL TO PLINTH							
	L1=31.22	2	31.22	0.3	0.6	11.24		
	L2=6.52	2	6.52	0.3	0.6	2.35		
	S1=5.93	5	5.93	0.3	0.6	5.34		
	S2=7.43	2	7.43	0.3	0.6	2.67		
							21.60	M ³
8	(A)PLINTH TO SUPER STRUCTURE							
	L1=31.22-0.07	2	31.15	0.23	3	42.99		
	L2=6.52-0.07	2	6.45	0.23	3	8.90		
	S1=5.93+0.07	5	6	0.23	3	20.70		
	S2=7.43+0.07	2	7.5	0.23	3	10.35		
							82.94	M³
	(B)FROM SLAB TOP TO PERAPET TOP BRICK WORK							
	L1	2	31.15	0.24	1.5	22.43		
	L2	2	6.45	0.24	1.5	4.64		
	S1	5	6	0.24	1.5	10.80		
	S2	2	7.5	0.24	1.5	5.40		
							43.27	M ³



	TOTAL BRICK W	126.21	M³					
9	DEDUCTION IN SUPER STRUCTURE							
	(A)FOR LINTLE							
	D1=1.15x2.1	5	1.45	0.24	0.15	0.26		
	W=1.5x1.4	15	1.8	0.24	0.15	0.97		
							1.23	M³
	(B) DOOR AND WINDOW							
	D1=1.15x2.1	5	1.15	0.24	2.1	2.90		
	W1=1.5x1.4	15	1.5	0.24	1.4	7.56		
							10.46	M³
	TOTAL QUANTITY BRICK		K IN SU	PER STI	RUCTU	RE AFTER	114.52	
10	R							
	(A)SLAB NO.1	1	31.2	10.98	0.23	78.79		
	SALB NO.2	1	9.48	7.98	0.23	17.40	96.19	M³
	(B)R.C.C CHAJJA							
	W1=1.5x1.4	10	1.5	0.6	0.1	0.90		
						0.00	0.90	M³
	(C)LINTLE							
	D1=1.15x2.1	5	1.45	0.24	0.15	0.26		
	W=1.5x1.4	15	1.8	0.24	0.15	0.97		
							1.23	M³
	тот	AL R.	c.c wo	RK			98.33	M³
10	FLOORING							
	CLASSROOM 1 TO 3 & OFFICE = 7.5X6	4	7.5	6		180.00		
	CLASSROOM 4 = 6X7.5	1	6	7.5		45.00		
	LOBI 1	1	31.2	3		93.60		
	LOBI 2	1	3	7.98		23.94		



						0.00		
						0.00	342.54	M ²
	TOTAL QU	ANTI	TY OF F	LOORIN	IG		342.54	
11	SMOOTH PLASTER INSIDE THE ROOMS AND CELINGS							
	(A)ONLY WLL							
	CLASSROOM 1 TO 3 & OFFICE = 7.5X6	8	7.5		3	180.00		
		8	6		3	144.00		
	CLASSROOM 4 = 6X7.5	2	6		3	36.00		
		2	7.5		3	45.00		
						0.00	405.00	M ²
	(B) CEILING PLASTER							
	CLASSROOM 1 TO 3 & OFFICE = 7.5X6	4	7.5	6		180.00		
	CLASSROOM 4 = 6X7.5	1	6	7.5		45.00		
						0.00	225.00	M ²
	(c) DEDUCTIOND IN PLASTER							
	D1=1.15x2.1	5	1.5		2.1	15.75		
						0.00		
	W1=1.5X1.4	15	1.5		1.4	31.50		
							47.25	M²
12	TOTAL QUAN		582.75	M²				



ABSTRACT SHEET OF SCHOOL

SR . NO.	ITEM DESCRIPTION	TOTAL QUANTITY	PER	RATE	AMOUT RS.	
1	EXCAVATION IN FOOTI.	117.03	CUMEC	90.00	10532.51	
2	PCC	21.28	CUMEC	3500.00	74472.30	
4	BRICK WORK IN FOU.	43.07	CUMEC	3500.00	150756.90	
5	BRICK WORK IN S.S.	114.52	CUMEC	3500.00	400816.50	
6	RCC WORK	98.33	CUMEC	9000.00	884925.65	
7	TILES BOX (4 PEACE)	25	BOX	350.00	8750.00	
8	PLASTER	582.75	SQ.M	500.00	291375.00	
			тот	1821628.86		
	ADD 3%	CONTINGEN	9445.28			
	ADD2% WORK	CHARGED E	IMENT	6296.85		
		GRAND TOTA	AL		1837370.99	

8.2 Community Hall Design

To design a community hall in Vadpura village by survey planning, design and estimation. To provide facilitate for social and cultural development of village, it should described the village will developed after providing facilities to villagers.

8.2.1 Introduction

The word 'community' is derived from the Latin word 'communutas' means the same. According to Merriam (2008), community is an interacting population of various kinds of individuals in a common location and having common interests.

Village and community halls are the smallest buildings that can accommodate a sports programme alongside the customary social and arts pursuits.

Keeping consistency with the meaning of community, community center (CC) means premises operated by or on behalf of a government or non-profit organization for providing community activities, which may include but is not limited to arts, crafts, physical, social, charitable and educational activities (CCD, 2005).

8.2.2 Location :

A central location with sufficient car parking is best, close to shops and other well-used facilities and to public transport. A site that is equally accessible to established and new areas of development can instill a sense of ownership across the community.

8.2.3 Aims of Community Hall

- Promotes the values and worth of all people.
- Encourages the active involvement of all residents and groups.
- Celebrates the cultural richness and diversity of the community.
- Creates opportunities for the development of individual potential and wellbeing.
- Fosters a cohesive and harmonious community.

8.2.4 Objective of community hall

- To provide an inviting, accessible and safe community facility as a focal point for all residents and groups to meet
- ▶ To develop programmes, services and activities that the address the social, cultural, recreational, welfare and educational needs of the community, which includes the needs of those from non-English speaking backgrounds and Aboriginal or Torres Strait Islander backgrounds
- To establish networks with other groups, community leaders and key agencies to pool resources and take up issues of concern for the benefit of the community
- To competently administer the centre to operate efficiently and ensure financial and ensure financial and community accountability
- To establish strategic partnerships with key organizations, and in particular, Ash field Municipal Council
- To establish a skilled team of volunteers to function as an essential support for the centre's operations
- To provide information to residents about their rights, community services available, and referral assistance to the relevant agencies for individuals who need help
- To attract resources to the centre through fund raising, applying for grants and seeking sponsorships
- To promote strong membership of the Summer Hill Community Centre so that it is representative of the local community, its issues and its needs, and that it is viable in the long term as an organization association


8.2.5 Planning of community hall

The proposed functions of the building must be carefully considered to achieve an efficient plan form that permits flexibility and concurrent occupation by different user groups a

drama rehearsal in the main hall and a simultaneous yoga class in a smaller, nearby room, for example. Good acoustic separation is essential and is achieved through careful planning and specification of construction materials. Implementing separation is made more difficult by the need to arrange for the kitchen, and perhaps a bar, to serve two or more spaces.

Lobbied or back-to back double doors can help isolate noise. Routes through the building should allow for reasonable segregation of user groups. On account should the main hall or other public rooms be used for general access, and stores should always be directly accessible from the spaces they serve.

8.2.6 Methodology of community hall



8.2.7 Plan of Community hall (Final Design)




Figure 48 Plan of community hall



8.2.8 Final Design




Figure 49ISO view




Figure 50Front view

8.3 Main Gate Design


8.3.1 Location of main gate



Figure 51 Location of gate



8.3.2 Design of main gate



8.3.3 Estimation and Costing of gate

ESTIMATION

SR NO.	ITEM DESCRIPTION	NO	L	В	Н	QUANTITY	TOTAL QUANTITY	UNIT
1	EXCAVATION FOR FOUNDATION							
	For Column	6	0.9	0.9	1.3	6.318	6.318	m3
2	Concreting in foundation (rectangular portion)	6	0.9	0.9	0.5	2.43		
	Concreting in foundation (Triangle portion)	6	0.5	0.9	0.5	1.35		



	Concreting in foundation							
	(Slab with 0.23 wall	1	7	2.26	0.3	4.746	8.526	m3
	portion)							
3	Concreting in column							
5	long column	4	0.23	0.23	5.24	1.108784		
	Short column	4	0.23	0.23	4	0.4232	1.531984	m2
		2	0.23	0.23	4	0.4232	1.531984	m3
4	concrating in slab							
4	concreting in slab slab1	1	5.11	2.26	0.2	2 20072		
		1				2.30972		
	slab2	1	1.2	2.26	0.2	0.5424	2.85212	m3
5	concreting in below slab	1	5.11	2.26	0.4	4.61944	4.61944	m3
6	Concreting in curve portion	1	5.11	2.26	0.4	4.61944	4.61944	m3
							9.23888	m3
7	Brickwork in super structure							
	wall (side)	3	1.8	0.23	4.21	5.22882		
	wall (Front and back)	2	1.5	0.23	4.21	2.9049	8.13372	m3
8	Deduction in S.S							
	Door	1	0.9	0.23	2.4	0.4968		
	Window	1	1.4	0.23	0.715	0.23023	0.72703	
9		7.40669	m3					
10	То	22.148984	m3					

Abstract sheet of hall

SABSTRACT OF QUANTITIES									
SR . NO	ITEM DESCRIPTION	TOTAL QUANTITY	PER	RATE	AMOUT RS.				
1	EXCAVATION IN COLUMN	6.32	CUMEC	90.00	568.62				
2	PCC	8.53	CUMEC	3500.00	29841.00				
3	EARTH FILLING	0	CUMEC	50.00	0.00				



4	BRICK WORK IN FOU.	5.00	CUMEC	3500.00	17500.00	
5	BRICK WORK IN S.S.	7.41	CUMEC	3500.00	25923.42	
6	RCC WORK	22.15	CUMEC	9000.00	199340.86	
7	TILES BOX (4 PEACE)	0	BOX	350.00	0.00	
8	PLASTER	0.00	SQ.M	500.00	0.00	
			то	ΓAL	273173.89	
	ADD 3% C	ONTINGEN	9445.28			
	ADD2% WORK C	HARGED E	6296.85			
	GI	RAND TOT	288916.02			

8.4 Anganwadi Design



Figure 52Plan of Anganwadi






Figure 53 ISO view of Anganwadi

8.4.1 Estimation and costing

ESTIMATION

SR NO.	ITEM DESCRIPTION	NO	L	В	Н	QUANTITY	TOTAL QUANTITY	UNIT
1	EXCAVATION FOR FOUNDATION							
	CENTER LINE LENGTH	1	38.47	0.9	1.2	41.5476	41.5476	M3
	L=10-0.23X4							
	L=38.92							
2	PCC IN FOUNDATION	1	41.76	0.9	0.3	11.2752	11.2752	M3
3	1ST STEP BRICKWORK							
	L=38.92-0.5*0.8*1	1	41.36	0.8	0.2	6.6176		
4	2nd STEP BRICKWORK							
	L=38.92-0.5*0.6*1	1	41.46	0.6	0.2	4.9752		
5	3RD STEP							
	L=38.92-0.5*0.4*1	1	41.56	0.4	0.2	3.3248		
6	4TH STEP							



		4	44 645	0.22	0.2	2 072505		
	L=38.92-0.5*0.23*1	1	41.645	0.23	0.3	2.873505		
7	TOTAL BRICKWORK IN FOUNDATION						17.791105	M3
8	SUPER STRUCTURE	1	41.645	0.23	3	28.73505	28.73505	M3
9	DEDUCTION IN S.S							
	DOOR	1	1.2	0.23	2.1	0.5796		
	WINDOW 1	3	1.2	0.23	1.2	0.9936		
	WINDOW 2	3	1.8	0.23	1.2	1.4904		
	VENTILATION	1	0.9	0.23	0.9	0.1863		
							3.2499	M3
10	TOTAL BRICKWORK IN S.S						25.48515	M3
11	SLAB	1	10	10	0.2	20	20	M3
12	PERAPET WALL	1	40	0.23	1.5	13.8	13.8	M3
13	PLASTER	4	10		3	120	120	M2

COSTING

		ABSTRAC	T OF QUA	NTITIES		
SR . NO.	ITEM DESCRIPTION	TOTAL QUANTITY	PER	RATE	AMOUT RS.	
1	EXCAVATION IN FOOTI.	41.55	CUMEC	90.00	3739.28	
2	PCC	11.28	CUMEC	3500.00	39463.20	
3	EARTH FILLING	0	CUMEC	50.00	0.00	



-

4	BRICK WORK IN FOU.	17.79	CUMEC	3500.00	62268.87	
5	BRICK WORK IN S.S.	25.49	CUMEC	3500.00	89198.03	
6	RCC WORK	20.00	CUMEC	9000.00	180000.00	
7	TILES BOX (4 PEACE)	25	BOX	350.00	8750.00	
8	PLASTER	120.00	SQ.M	500.00	60000.00	
			тот	ΓAL	443419.38	
	ADD 3%	CONTINGEN	ICIES RS.		9445.28	
	ADD2% WORK	CHARGED E	STABLISH	IMENT	6296.85	
		GRAND TOT	AL.		459161.50	

8.5 Solid waste management

8.5.1 Introduction

To manage solid waste for creating hygiene and healthy environment by using method of collection of waste vermicompost method and sanitary landfill to decompose the waste for Vadpura village.

8.5.2 Location



Figure 54Location of solid waste



8.5.3 Vermicompost


Vermicompost is the product of the decomposition process using various species of worms, usually red wigglers, white worms, and other earthworms, to create a mixture of decomposing vegetable or food waste, bedding materials, and vermicast.

Benefits of Vermicompost/casting on the soil


- Increase moisture and nutrient retention of the soil.
- Improves aeration and root penetration.
- Reduces crusting of soil surface.
- Micronutrients are added.
- Increases the number of beneficial soil microorganisms.
- Pathogen suppression.
- Nutrient Delivery.
- Water Retention.
- Increased Microorganism Populations.
- Pest Suppression.
- Plant Growth Regulation and Higher Yields.
- Polluted Soil Remediation.

Disadvantages of Composting

- Requires initial investment.
- Efficiency depends on your amount of organic waste.
- Unpleasant smell.
- Neighbors may complain.
- May attract rats, snakes and bugs.
- Rather unpleasant physical appearance.
- Involves plenty of work.
- Needs some monitoring.








8.5.4 Vermicompost Method Design

PLAN



section at A-A'



8.5.5 Estimation and Costing

Measurement Sheet

SR.NO	ITEM	TOTAL COST
1	Brick Work	Total cost of brick =48,000
	Total built up = 23.4 m3 Required num. of brick – Rs12,000 Cost of brick – Rs4	
2	Rate of slab – 3686 Rs/m ³ (labour	Total cost of slab $- 18x3686 =$
	+ formwork + lifting) -Total 18 m ³	Rs66,350
3	Interior plastering –Rs. 156 / m ²	Total cost of Interior plastering
	Total 54 m ² Plastering	- 54x156= Rs. 8,430
4	Flooring (40 mm thick)- Rs. 227 Rs $/m^2$	Total cost of flooring–18 x
	Total 18 m ²	227= Rs. 4,090/-
5	Number of window = 3	Cost of window (1x1) @ Rs
		500. = Rs1500.
6	Number of door = 1	Total cost of door (2x1.2) @ Rs
		1900 = Rs1900
7	Reinforcement - Rs. 80 Rs/m ³	Total cost of Reinforcement –
		30,000Rs
8	Other cost	Rs 10,000
9	Add 30 % for Sub Structure	Total cost of excavation,
		foundation, $etc = Rs51,081$
10	Total Cost	Rs2,21,351



Abstract Sheet

Γ

		ABSTRAC	CT OF QUA	NTITIES		
SR . NO.	ITEM DESCRIPTION	TOTAL QUANTITY	PER	RATE	AMOUT RS.	
1	EXCAVATION IN FOOTI.	50.00	CUMEC	90.00	4500.00	
2	PCC	20.00	CUMEC	3500.00	70000.00	
3	EARTH FILLING	0	CUMEC	50.00	0.00	
4	TOTAL BRICK WORK	23.40	CUMEC	3500.00	81900.00	
5	BRICK WORK IN S.S.	0.00	CUMEC	3500.00	0.00	
6	RCC WORK	3686.00	CUMEC	20.00	73720.00	
7	TILES BOX (4 PEACE)	0	BOX	350.00	0.00	
8	PLASTER	54.00	SQ.M	500.00	27000.00	
9	FLOORING	20	SQ.M	500.00	10000.00	
			то	ΓAL	257120.00	
	ADD 3%		ICIES RS.		9445.28	
	ADD2% WORK	CHARGED E	STABLISH	MENT	6296.85	
	-	GRAND TOTA	 \L		272862.13	



8.6 Septic Tank Design

8.6.1 Introduction

A septic tank can be defined as primary sedimentation tank with large detention time (12 to 36hrs against a period of 2hrs in an ordinary sedimentation tank).




Figure 55Front view of septic tank

8.6.1 Design of Septic Tank




Figure 56ISO view of septic tank



8.6.2 Estimation and Costing

ESTIMATION

SR NO.	ITEM DESCRIPTION	NO	L	В	н	QUANTITY	TOTAL QUANTITY	UNIT
			22.04		2.0	E 40.07	F 40, 07	N 43
1	EXCAVATION	1	23.91	8.2	2.8	548.97	548.97	M³
2	PCC	1	23.91	8.2	0.3	58.82	58.82	M³
3	BRICKWORK IN FOUNDATION							
	L1	2	23.91	0.23	2.8	30.80		
	L2	2	7.74	0.23	2.8	9.97		
	L3	1	7.74	0.23	1.4	2.49		
4	TOTAL BRICKWORK IN FOUNDATION						43.26	M³
5	SLAB	1	23.91	8.2	0.2	39.21	39.21	M³
6	PLASTER							
	L1	4	23.91		2.8	267.79		
	L2	4	7.74		2.8	86.69		
	L3	2	7.74		1.4	21.67		
7	TOTAL PLASTER						376.15	M²

COSTING

		ABSTRA	ICT OF QU	JANTITIES	3	
SR . NO.	ITEM DESCRIPTION	TOTAL QUANTITY	PER	RATE	AMOUT RS.	
1	EXCAVATION	548.97	CUMEC	90.00	49407.62	
2	PCC	78.42	CUMEC	1000.00	78424.80	
3	EARTH FILLING	0	CUMEC	50.00	0.00	
4	TOTAL BRICK WORK	43.26	CUMEC	2500.00	108143.70	
5	BRICK WORK IN S.S.	0.00	CUMEC	3500.00	0.00	
6	RCC WORK	34.69	CUMEC	1000.00	34690.80	
7	TILES BOX (4 PEACE)	0	BOX	350.00	0.00	
8	PLASTER	376.15	SQ.M	100.00	37615.20	
			то	ΓAL	308282.12	
	ADD 3%		ICIES RS.		9445.28	
	ADD2% WORK	CHARGED E	STABLISH	IMENT	6296.85	
		GRAND TOTA	AL		324024.25	



CHAPTER: 09 9. Proposing designs for Future Development of the Village

for the PART-II Design

After completion of visit & data collection the project carried out in the current semester. By the help of this data we predict the future development of Vadpura village in the field are:

- The village still lacks in many building and various structures. Taking this into consideration the estimation of its rehabilitation with other necessary amenities will be designed in the next semester.
- Future scope would be study over other different urban amenities that would be sustainable in rural areas of Mehsana.
- In the next semester, we can provide Milk dairy, Water tank, Post office, Bus stand, Library and PHC
- 1. **Bus stand:** In the village there is bus stand but it is in maintenance there is no buses are coming for that we have planning to design one of the most attractive bus stands for villagers to made easy travel experience in nearby cities.
- 2. **Panchayat building:** In the village there is panchayat building but it is in maintenance. For easiness of villager we design the panchayat building.
- 3. **PHC:** In village health center is required for Public by undertaking the requirement of the villagers we have design the Public health center.
- 4. **Milk dairy:** In the village there is Dairy but it is in maintenance. For better use of building and other facility of villager we provide the dairy.
- 5. Library: In Vadpura village has no library, so we planning, design, estimation and Costing of Library in Vadpura village
- 6. **Over head water tank:** in the village there is a water tank but it is required maintenance. For better use of tank and other facility of villager we provide in the village.



CHAPTER: 10

10. Conclusion of the Entire Village Activities of the Project

With help of Gap analysis we conclude that some of different smart village facilities are required as basic or primary level which still lack in village. So according to Gap analysis of Vadpura village such as Primary school, Water tank, Road network, Solid waste management etc Smart village can solve their problem itself can become a smart village example to other village too. According Urban Development Plans Formulation and Implementation (UDPFI) norms, lacking in basic amenities and smart amenities can be provided as Public library, Children's Play Ground, Community hall, Solid Waste Management system by providing required amenities to village, development of village can be possible. So, ultimately migration to the city from village will be reduced and livelihood of villagers will increase. So healthy and prosperous life can be possible for the villagers Ultimate growth of village and people is base step for the development of country. India is developing country and GDP is highly depended on farming. As the development of village would be possible, farming techniques will increase and percentage of GDP will increase.

This project is proved as very knowledge gaining and interesting for us. After doing this project we have understood that the development of villages is equally important as urban area for country's overall growth. the village needs some infrastructural facilities to make village a better place we have tried our best by applying our technical knowledge in this project by proposing designs for some basic amenities which required. By this project we have learned so many things and it was the great experience of village culture and environment.

We are proposing a design base on our survey, knowledge and Gap analysis to village for its development. Following are all design we propose for village are:

- 1. School building
- 2. Main gate
- 3. Community hall
- 4. Solid waste management
- 5. Anganwadi
- 6. Septic tank



CHAPTER: 11

11. References refereed for this project

www.vyojana.gtu.ac.in www.onefivenine.com www.censusgujarat.gov.in www.census2011.com www.indikosh.com www.wikipedia.com GTU guidelines and briefings **URDPFI** norms www.censusindia.gov.in www.researchgate.net www.villageinfo.in www.villagemaps.in www.ijser.org https://sswm.info/node/7722 https://www.indianmirror.com/culture/states-culture/gujarat.html https://www.academia.edu/38054706/SUSTAINABLE CONSTRUCTION AN IND IAN PERSPECTIVE https://india.smartcitiescouncil.com/article/see-how-district-cooling-system-willmake-raiyacoolest-smart-city



CHAPTER: 12

12. Annexure attachment

12.1 Survey form of Smart Village





Vishwakanna Yojana: Phase VIII Teehno Economie Survey

Techno Economic Survey

Vishwakarma Yojana: Phase VIII

SMART VILLAGE SURVEY °

An approach towards "Rurbanisation for Village Development"

Name of District:	Sabaskatha
Name of Taluka:	Gandhinggur
Name of Village:	Pavicusi
Name of Institute:	S.P. R putel eminering college
Nodal Officer Name & Contact Detail:	Prof Rejet mighter, (HOD) (6355632102)
Respondent Name: (Sarpanch/ Panchayat Member/ Teacher/ Gram Sevak/ Aaganwadi worker/Village dweller)	SMJ Sunandaben Pakel Ashishbhai chuudhay Sejalben patel.
Date of Survey:	

L DEMOGRAPHICAL DETAIL:

Sr. No.	Census	Population	Male	Female	Total Number of House Holds
1.	2001				
2.	2011	4677	2221	24156	1199

II. GEOGRAPHICAL DETAIL:

Sr. No.	Description	Information/Detail
1.	Area of Village (Approx.)	
	(In Hector)Coordinates for Location:	1531-65-76
2.	Forest Area (In hect.)	219-60-65
3.	Agricultural Land Area (In hect.)	1015-61-62
4.	Residential Area (In hect.)	18-57-57
5.	Other Area (In hect.)	1015-03-62
6.	Distance to the nearest railway station (in kilometers):	lokem away (dhawnan)

Marine.

JU TIM-



MA

Name of Nearest Town with Distance: Amber 64km 7 (Nova che kh 14 (61 km)					
Distance to the nearest bus kilometers):	Amber		2	170	
the any facility or town or City?					2
OCCUPATIONAL DET.	AILS:	+			
f Three Major Occupation g	roups în		aming		
		3	5	yng	
		Egl	olir b	05R	
more aroun in the village		1. Pate	ito		
aops grown in the vinage.	. đ	0			
		9			
Descriptions Main Source of Drinking	Detail water	Adequate	Inadequate	<u>Remarks</u>	
Piped Into Dwelling		1	A.	No	
Public Tap/Standpipe					
Tube Well Or Bore Well DUG WELL	0 vo bechs				
Protected Well	well			No	
WATER FROM SPRING					
Unprotected Spring	protecto			1.10	
Rainwater Tanker Truck	Spring			No	
Cart With Small Tank					
(RIVER/DAM/					. •
LAKE/POND/STREAM/CA	other				n n . B
Irrigation Channel Bottled Water	Specifi	V		ENO	
Hand Pump		1	1	1	
	the any facility or town or of OCCUPATIONAL DET. Three Major Occupation gr Three Major Occupation gr PHYSICAL INFRAST Descriptions Main Source of Drinking PIPED WATER Piped Into Dwelling Piped To Yard/Plot Public Tap/Standpipe Tube Well Or Bore Well DUG WELL Protected Well Un Protected Well Un Protected Well Un Protected Well WATER FROM SPRING Protected Spring Rainwater Tanker Truck Cart With Small Tank SURFACE WATER (RIVER/DAM// LAKE/POND/STREAM/CA AL/ Irrigation Channel	the any facility or town or City? OCCUPATIONAL DETAILS: f Three Major Occupation groups in f Three Major Occupation groups in crops grown in the village: PHYSICAL INFRASTRUCTURE FAC Descriptions Detail Main Source of Drinking water PIPED WATER Piped Into Dwelling Piped To Yard/Plot Public Tap/Standpipe Tube Well Or Bore Well DUG WELL Protected Well WATER FROM SPRING Protected Spring Rainwater Tanker Truck Cart With Small Tank SURFACE WATER RIVER/DAM/ LAKE/POND/STREAM/CAN AL/ Irrigation Channel	the any facility or town or City? Nore Nore OCCUPATIONAL DETAILS: f Three Major Occupation groups in 1. Fage 2. Juin 2. Juin 3. Lob 2. Juin OCCUPATIONAL DETAILS: f Three Major Occupation groups in 1. Fage 2. Juin 3. Lob Occupation groups in 1. Pote 2. Juin 3. Lob 2. Juin Occupation groups in 1. Pote 2. Juin 3. Lob 2. Juin Occupation groups in 1. Pote 2. Juin 3. Lob 2. Juin Occupation groups in I. Pote Occupation groups in I. Pote Occupation groups in Interview of Drinking water Pleed Mater Protected Well Protected Well Protected Spring Unprotected Spring Protected Rainwater Seried Tanker Truck Seried <	Whether village is connected to all road for the any facility or town or City? Impusur (4) Nore chekule OCCUPATIONAL DETAILS: f Three Major Occupation groups in 1. Farming 2. Auiry udh 3. Yabour to 3. Yabour to 3. Yabour to Cocupation groups in 1. Farming 2. Auiry udh 3. Yabour to Cocupation groups in 1. Potato Course of Cocupation groups in Indextage: 1. Potato Course of Drinking water PHYSICAL INFRASTRUCTURE FACILITIES: Descriptions Detail Male of Drinking water Piped NATER Piped Into Dwelling Protected Well	Whether village is connected to all road for the any facility or town or City? Ambessur (4100) Nord chelchle (alen) Nord (alen) Nord (alen) Nord (alen) Nord (alen) Nord (ale



	Other(Specify)Lake/ Pond	9			
Sugges	tions if any:				
B.	Water Tank Facility				
	Overhead Tank Underground Sump	Capacity:			
Sugges	tions if any:	Capacity:			
C.	The Type of Drainage Fac	llity			
	A. UNDERGROUND DRAINAGE	under- ground	~		NO
Sugge	1 stions if any:	dramage.			
		-			10
D.	Road Network :All Weath	er/ Kutchha (Gr	avel)/ Blac	k Topped pu	cca/WBM
	Village approach road	CCRevel	V		No
	Main road		~		No
	Internal streets	Bitumen	V		Na
	Nearest	C.C. Poud			1-0
	NH/SH/MDR/ODR Dist. in kms.	Bitumen Road	6		64
Sugge	estions if any;	KOQO			
E.	Transport Facility		1910		
	Railway Station (Y/N)	•			
*	(If No than Nearest Rly StationKms)	S 1	1		NO
	Bus station (Y/N) Condition:				101
	(If No than Nearest Bus	1 × +++	×	V.	must
	StationKms)		ίη.		requised.
	Local Transportation (Auto/ Jeep/Chhakdar				
	Private Vehicles/ Other)				No
Sugg	estions if any: NO				
F.	Electricity Distribution		1000		
	(Y/N) Govt./ Private	Yes UG-VCL	1		
	(Less than 6 hrs./ More Than 6 hrs)	more non			No
L	wore than o his)	<u>-6-6%</u>		_	



	And the
Gujarat Technological University,	70
Ahmedabad, Gujarat	
	-

Vishwakarma Yojana: Phase VIII Techno Economic Survey

	And Alexandra and a second second				
	Power supply for Domestic Use	24 hrs	~		No
	Power supply for Agricultural Use	Phrs		V	More remired
	Power supply for Commercial Use	24 hrs	~		No
	Road/ Street Lights	Innight	V		NG
	Electrification in Government Buildings/ Schools/ Hospitals	24 has	V	2	No
	Renewable Energy Source Facilities (Y/ N)	NO		~	Required.
	LED Facilities	NO		V	Penizel
Sugge	stions if any: NO		. 0		
G.	Sanitation Facility			den a	
	Public Latrine Blocks If available than Nos.	No		V	Required.
	Location Condition	Good			N 6
	Community Toilet (With bath/ without bath facilities)	Yes.	V		20
	Solid & liquid waste Disposal system available	Availa ble		1	No .
	Any facility for Waste collection from road	By Municipal		1 ₁₁	No '
Sugge	estions if any: NO	1			
H.	Main Source of Irrigation	Facility:			
	TANK/POND STREAM/RIVER CANAL	Tube- well	V		NO
	WELL				
	TUBE WELL.				
1	OTHER (SPECIFY)				
sugge	stions if any:				
	Housing Condition:				all and the second
	Kutchha/Pucca	857. P4CCQ	~		20
	(Approx. ratio)	15y kutoh	100		100

四四日日 AT it Man -


Gujarat Technological University, Ahmedabad, Gujarat



Vishwakarma Yojana: Phase VIII Techno Economic Survey

V. SOCIAL INFRASTRUCTURAL FACILITIES:

	Descriptions	Information/	Adequate	Inadequate	Remarks
No.		Detail			
J.	Health Facilities:				and the second sector
	ICDS (Anganwadi)	Yes	.1		
	Sub-Centre	103			1
	РНС	yes	V .	· *	
	BLOCK PHC			1. I.I.	
	CHC/RH	Yes	\checkmark		
	District/ Govt. Hospital	Yes	\checkmark		NO
	Govt. Dispensary	. >			
	Private Clinic	yes		0	
	Private Hospital/	yès			
	Nursing Home	Xes	~		
	AYUSH Health Facility				1
		3/ 0-			
	sonography /ultrasound facility If any of the above Facility is no village:	Y G ot available in villa	ige than appr	ox. distance fro	m
	If any of the above Facility is no village:kms. estions if any:	1 -	nge than appr	ox. distance fro	m
Sugg K.	If any of the above Facility is no village:kms. estions if any: No Education Facilities:	t available in villa		ox. distance fro	
	If any of the above Facility is no village:kms. estions if any: Education Facilities: Aaganwadi/ Play group	t available in villa		ox. distance fro	MO
	If any of the above Facility is no village:kms. estions if any: Education Facilities: Aaganwadi/ Play group Primary School	yez	2 2 2	ox. distance fro	
	If any of the above Facility is no village:kms. estions if any: Education Facilities: Aaganwadi/ Play group Primary School Secondary school	t available in villa	× × ×	ox. distance fro	NO NO
	If any of the above Facility is no village:kms. estions if any: W Education Facilities: Aaganwadi/ Play group Primary School Secondary school Higher sec. School	yez	2 2 2	ox. distance fro	NO
	If any of the above Facility is no village:kms. estions if any: Education Facilities: Aaganwadi/ Play group Primary School Secondary school	yez Yez Yez	× × ×	ox. distance fro	NO NO





	- 100	
y.		80
tat.		
	-	-

00					
	stions if any:				•
L.	Socio- Culture Facilities	Condition	Location	Available (YES)	Available (NO)
	Community Hall (With or without TV)	6-00g		~	L
	Public Library (With daily newspaper supply: Y/N) Public Garden	Good			
	Village Pond	Good			
	Recreation Center			V	
	Cinema/ Video Hall	Good			1
-	Assembly Polling Station				
	Birth & Death Registration Office y of the above Facility is not availa	· · · · · · · · · · · · · · · · ·			
	ge:kms.				
Sugge	ge:kms. stions if any: Other Facilities	Condition	Location	Available	Available (NO)
	other Facilities			Available (YES)	Available (NO)
Sugge	Other Facilities Post-office	6000		Available (YES)	Available (NO)
Sugge	other Facilities			Available (YES)	Available (NO)
Sugge	Other Facilities Post-office Telecommunication	6000		Available (YES)	Available (NO)
Sugge	Other Facilities Post-office Telecommunication Network/ STD booth	troad		Available (YES)	Available (NO)
Sugge	Other Facilities Post-office Telecommunication Network/STD booth General Market Shops (Public	Good		Available (YES)	Available (NO)
Sugge	Other Facilities Other Facilities Post-office Telecommunication Network/ STD booth General Market Shops (Public Distribution System)	Good Good		Available (YES)	Available (NO)
Sugge	Other Facilities Post-office Telecommunication Network/STD booth General Market Shops (Public Distribution System) Panchayat Building Pharmacy/Medical Shop Bank & ATM Facility	Good Good Good Good Good Good		Available (YES)	Available (NO)
Sugge	Stions if any: Other Facilities Post-office Telecommunication Network/STD booth General Market Shops (Public Distribution System) Panchayat Building Pharmacy/Medical Shop	Good Good Good Good Good Good		Available (YES)	Available (NO)
Sugge	Other Facilities Post-office Telecommunication Network/STD booth General Market Shops (Public Distribution System) Panchayat Building Pharmacy/Medical Shop Bank & ATM Facility	Good Good Good Good Good Good Good Good		Available (YES)	Available (NO)
Sugge	Other Facilities Post-office Telecommunication Network/STD booth General Market Shops (Public Distribution System) Panchayat Building Pharmacy/Medical Shop Bank & ATM Facility Agriculture Co-operative Society	Good Good Good Good Good Good Good Good	Location 6	Available (YES)	Available (NO)
Sugge	Other Facilities Post-office Telecommunication Network/ STD booth General Market Shops (Public Distribution System) Panchayat Building Pharmacy/Medical Shop Bank & ATM Facility Agriculture Co-operative Society Milk Co-operative Soc.	Good Good Good Good Good Good Good Good	Location 6	Available (YES)	Available (NO)
Sugge	Other Facilities Post-office Telecommunication Network/STD booth General Market Shops (Public Distribution System) Panchayat Building Pharmacy/Medical Shop Bank & ATM Facility Agriculture Co-operative Society Milk Co-operative Soc. Small Scale Industries Internet Cafes/ Common	Good Good Good Good Good Good Good Good	Location 6	Available (YES)	Available (NO)



A

F C	Credit Cooperative Society Agricultural Cooperative Society Milk Cooperative Society Fishermen's Cooperative Society Computer Kiosk/ e-chaupal / Mills / Small Scale Industries	6000	V	
	Other Facility			
Suggestion	isifany: NO			
N. (Other Facilities	Condition	Available (YES)	Available (NO)
	 Have these programme implemented the village? Are there any beneficiaries in the village from the following programme? Janani Suraksha Yojana Kishori Shakti Yojana Balika Samriddhi Yojana Balika Samriddhi Yojana Balika Samriddhi Yojana Mid-day Meal Programme Intergrated Child Development Scheme (ICDS) Mahila Mandal Protsahan Yojana (MMPY) National Food for work Programme (NFFWP) National Social Assistance Programme Sanitation Programme (SP) Rajiv Gandhi National Drinking Water Mission Swamjayanti Gram Swarozgar Yojana Minimum Needs Programme (MNP) National Rural Employment Programme Employee Guarantee Scheme (EGS) Prime Minister Rojgar Yojana 	N . J .		
	 (PMRY) 18. Jawahar Rozgar Yojana (JRY) 19. Indira Awas Yaojna (IAY) 20. Samagra Awas Yojana (SAY) 21. Sanjay Gandhi Niradhar Yojana (SGNY) 22. Jawahar Gram Samridhi Yojana (JGSY) 23. Other (SPECIFY) 	a		5 5 5 -



ŝ

152

Gujarat Technological University, Ahmedabad, Gujarat




Vishwakarma Yojana: Phase VIII Techno Economic Survey

VI. SUSTAINABLE /GREEN INFRASTRUCTURE FACILITIES:

Sr. No.	Descriptions	Information/ Details	Adequate	Inadequate	Remarks	in the second
1.	Adoption of Non- Conventional Energy Sources/ Renewable Energy Sources	Nothing			5	
2.	Bio-Gas Plant Solar Street Lights Rain Water Harvesting System	NO	0	5		2. ¹⁰
3.	Any Other	CCTV				_

VII. DATA COLLECTION FROM VILLAGE

Sr. No.	Descriptions	Information/ Details	Adequate	Inadequate	Remarks
1.	Village Base Map Available: Hard Copy /Soft Copy	Yes	~	0	
2.	Recent Projects going on for Development of Village	Yes		V	More development needled.
3.	Any NGO working for village development	Yes	~		
4.	Any natural calamity in the village during the last one year: EARTHQUAKES FLOODS CYCLONE DROUGHT LANDSLIDES AVALANCHE OTHER (SPECIFY)	Na			





		Ahmedabad, Gu	tilly,	7 .	
	VIIL AD	DITIONAL	Jarat 6 7	Vishwakarma Yojana: Phase V Fechno Economic Survey	117
	ym .	DITIONAL INFORMATI	ION/ REOVIE	Fechno Economic Survey	411
	Sr.	DDITIONAL INFORMATI	OUREN	MENT:	
	110. 1				
/		Repair & Maintenance of Public Infrastructure	Existing	Information/ Detail	Remarks
			ties	NO	A COMATKS
		Sanding		100	-
	1	Health Center			
	I	anchayat Building		The part of the second	
	F	Public Toilets & any other		may weld an	
	2.	Additional Information/ R		S. Y. Law, Younger	
	3.	During the last six must	equirement	-	
		During the last six months CLEANING	how many times		Property of the
	IX. Sma	Drive was undertaken in th	e village?		
		rt Village / Heritage Detail	ls		
	Sr. No.	Descriptions			
	1.			Information/ Detail	Remarks
		IS THEIR ANY THING FOR THE ENHANCEMENT POSSIBLE ?	VILLAGE	No	NO
			existing Infras should be taken	aphs/ Video/ Drawin tructure facilities & a by students of respect and information.	conditions
	GTU VY Se Contact No	Iministration queries/ Difficulti ection 9 – 079-23267588 rurban@gtu.edu.in	es:	શિલ્લા છે. સરપંચ વડપુરા ગ્રામ પંચ તા.કડી, જી.મહેર	แขต
	Hara-		0		9 -

Scanned with CamScanner



12.2 Survey form of Ideal Village



Vishwakanna Yojana: Phase VIII Tochno Economic Survey

Techno Economic Survey

Vishwakarma Yojana: Phase VIII

SMART VILLAGE SURVEY °

An approach towards "Rurbanisation for Village Development"

ame of District:	Sabaskatha
ame of Taluka:	Gandhinggus
ame of Village:	Princersi
ame of Institute:	S.P.B putel enjmeering alleve
odal Officer Name & Contact Detail:	Prof Rejet mighner, (HOD) (6355632102)
espondent Name:	SMT Synandaben Pakl
Sarpanch/ Panchayat Member/ Teacher/	
ram Sevak/ Aaganwadi	Ashishbhai chaudhay
orker/Village dweller)	Sejalbon patel.
Date of Survey:	

L. DEMOGRAPHICAL DETAIL:

Sr. No.	Census	Population	Male	Female	Total Number of House Holds
1.	2001				
2.	2011	4677	2221	24156	1199

II. GEOGRAPHICAL DETAIL:

Sr. No.	Description	Information/Detail
1.	Area of Village (Approx.) (In Hector)Coordinates for Location:	1531-65-76
2.	Forest Area (In hect.)	219-60-65
3.	Agricultural Land Area (In hect.)	1015-61-62
4.	Residential Area (In hect.)	18-57-57
5.	Other Area (In hect.)	1015-03-62
6.	Distance to the nearest railway station (in kilometers):	lotem away (dhamayou)

ARTIN __ EDIALS

7.	Name of Nearest Town wi		Ambersus (4km) Nova che kh 14 (4km)			
8.	Distance to the nearest bus kilometers):	station (in	Ambersu & (4km)			
9.	Whether village is connect the any facility or town or	ed to all road fo City?				
ш	OCCUPATIONAL DET	AILS:	4	đ		
lame (of Three Major Occupation g	roups in		ming		
Village	5		2. Daiy	6	<u>Yng</u>	
			Eal	Sour P	os R	
Maior	crops grown in the village:		1. Pote	ida		
Major	crops grown in me vinage;	. ð	0 0	unune	1	
			9	est		
<u>IV.</u>	PHYSICAL INFRAST	RUCTURE FA	CILITIES:			
Sr. No.	Descriptions	<u>Detail</u>	CILITIES: Adequate	Inadequate	<u>Remarks</u>	
Sr.	Descriptions Main Source of Drinking	Detail water		Inadequate	1	
Sr. No. A.	Descriptions Main Source of Drinking PIPED WATER Piped Into Dwelling	Detail water Tube -		Inadequate	Remarks	
Sr. No. A.	Descriptions Main Source of Drinking PIPED WATER Piped Into Dwelling Piped To Yard/Plot Public Tap/Standpipe	Detail water		Inadequate	1	
Sr. No. A. 1.	Descriptions Main Source of Drinking PIPED WATER Piped Into Dwelling Piped To Yard/Plot	Detail water Tube - WCII	Adequate	Inadequate	No	
Sr. No. A.	Descriptions Main Source of Drinking PIPED WATER Piped Into Dwelling Piped To Yard/Plot Public Tap/Standpipe Tube Well Or Bore Well	Detail water Tube -	Adequate	Inadequate	1	
Sr. No. A. 1.	Descriptions Main Source of Drinking PIPED WATER Piped Into Dwelling Piped To Yard/Plot Public Tap/Standpipe Tube Well Or Bore Well DUG WELL Protected Well Un Protected Well WATER FROM SPRING	Detail water Tube - WCII Protecte	Adequate	Inadequate	No	
Sr. No. A. 1.	Descriptions Main Source of Drinking PIPED WATER Piped Into Dwelling Piped To Yard/Plot Public Tap/Standpipe Tube Well Or Bore Well DUG WELL Protected Well Un Protected Well WATER FROM SPRING Protected Spring Unprotected Spring	Detail water Tube - WCII Protecte	Adequate	Inadequate	No	
Sr. No. A. 1.	Descriptions Main Source of Drinking PIPED WATER Piped Into Dwelling Piped To Yard/Plot Public Tap/Standpipe Tube Well Or Bore Well DUG WELL Protected Well Un Protected Well WATER FROM SPRING Protected Spring Unprotected Spring Rainwater Tanker Truck	Detail water Tube - WCII Protecto Well	Adequate	Inadequate	No	
Sr. No. A. 1. 2. 3.	Descriptions Main Source of Drinking PIPED WATER Piped Into Dwelling Piped To Yard/Plot Public Tap/Standpipe Tube Well Or Bore Well DUG WELL Protected Well Un Protected Well WATER FROM SPRING Protected Spring Unprotected Spring Cart With Small Tank	Detail water Tube- WCII Protecto Well Protecto	Adequate	Inadequate	No	
Sr. No. A. 1.	Descriptions Main Source of Drinking Piped Into Dwelling Piped To Yard/Plot Public Tap/Standpipe Tube Well Or Bore Well DUG WELL Protected Well Un Protected Well WATER FROM SPRING Protected Spring Unprotected Spring Rainwater Tanker Truck Cart With Small Tank SURFACE WATER (RIVER/DAM/	Detail water Tube- WCII Protecto Well Protecto Sering	Adequate	Inadequate	No	
Sr. No. A. 1. 2. 3.	Descriptions Main Source of Drinking Piped Into Dwelling Piped Into Dwelling Piped To Yard/Plot Public Tap/Standpipe Tube Well Or Bore Well DUG WELL Protected Well Un Protected Well WATER FROM SPRING Protected Spring Rainwater Tanker Truck Cart With Small Tank SURFACE WATER (RIVER/DAM/ LAKE/POND/STREAM/C/AL/	Detail water Tube- WCII Protecto Well Protecto Sering	Adequate	Inadequate	N0 N0	
Sr. No. A. 1. 2. 3.	Descriptions Main Source of Drinking PIPED WATER Piped Into Dwelling Piped To Yard/Plot Public Tap/Standpipe Tube Well Or Bore Well DUG WELL Protected Well Un Protected Well WATER FROM SPRING Protected Spring Unprotected Spring Rainwater Tanker Truck Cart With Small Tank SURFACE WATER (RIVER/DAM/ LAKE/POND/STREAM/C/	Detail water Tube- Well Protecto Well Protecto Sering	Adequate	Inadequate	No	



	Other(Specify)Lake/ Pond	9			
Sugges	tions if any:				
B.	Water Tank Facility				
	Overhead Tank Underground Sump	Capacity:			
Sugges	tions if any:	Capacity:			
C.	The Type of Drainage Fac	llity			
	A. UNDERGROUND DRAINAGE	under- ground	4		NO
Sugge	1 stions if any:	dramage.			L
D.	Road Network :All Weath	er/ Kutchha (Gi	avel)/ Blac	k Topped put	ca/WBM
	Village approach road	CCRevel	V		No
	Main road		~		No
	Internal streets	Bitumen C.C. Read	V		Na
	Nearest NH/SH/MDR/ODR	Bitumen	~		64
	Dist. in kms.	Road	6		
Sugge	estions if any:				
E.	Transport Facility		311		
	Railway Station (Y/N) (If No than Nearest Rly StationKms)	0	~	a. "	NO
	Bus station (Y/N) Condition: (If No than Nearest Bus		x	~	must
	StationKms)	<u></u>	. ta		requised.
	Local Transportation (Auto/ Jeep/Chhckda/ Private Vehicles/ Other)		~		No
Sugg	estions if any:				
F.	Electricity Distribution				
-	(Y/N) Govt./ Private	Yes UGVCL			
	(Less than 6 hrs./	moremen			No
L	More Than 6 hrs)	6 10%			





Vishwakarma Yojana: Phase VIII Techno Economic Survey

	(1	857. Pacea Isy kutaha	~		100
I.	Housing Condition: Kutchha/Pucca	Rea Barbart			
	-				
Sugar	OTHER (SPECIFY) stions if any:				
	TUBE WELL.				
	WELL				
	CANAL	well			
	TANK/POND STREAM/RIVER	Tube-	~		NO
H.	Main Source of Irrigation	Facility:			
Sugge	stions if any: NO	1			
	Any facility for Waste collection from road	By Municipal		~	No '
	Solid & liquid waste Disposal system available	Available		ŝ	No .
	Community Toilet (With bath/ without bath facilities)	Yes.	\checkmark		04
	Location Condition	Good			рie
	Public Latrine Blocks If available than Nos.	No		L	Required.
G.	Sanitation Facility				
Sugge	stions if any: NO		. 0		-
	LED Facilities	NO		V	Remirel
	Renewable Energy Source Facilities (Y/ N)	NO		~	Required.
	Electrification in Government Buildings/ Schools/ Hospitals	24 hrs	V	1	No
	Road/ Street Lights	Innight	V		No
	Agricultural Use Power supply for Commercial Use	24 hrs			No
	Power supply for	8 hrs		V	More remined
	Power supply for Domestic Use	24 ms	~		No

a I I Man -



/

Gujarat Technological University, Ahmedabad, Gujarat



Vishwakarma Yojana: Phase VIII Techno Economic Survey

V. SOCIAL INFRASTRUCTURAL FACILITIES:

Sr.	Descriptions	Information/	Adequate	Inadequate	Remarks
No.		Detail			
J.	Health Facilities:				and the second sector.
	ICDS (Anganwadi)	Yes	1.1		
	Sub-Centre	103			1
	PHC	yes		+ 5	
	BLOCK PHC			÷	
	CHC/RH	Yes	\checkmark		
	District/ Govt. Hospital	Yes			NO
	Govt. Dispensary	. >			
	Private Clinic	yes		0	
	Private Hospital/	Yès	-		
	Nursing Home	Xes	~		
	AYUSH Health Facility				1
	sonography /ultrasound facility	Yes			
	village:				
К.	Education Facilities:	A CONTRACTOR	in the	A Real Property	The Lot of Lot of the
	Aaganwadi/ Play group	Yes	~		NO
	Primary School	Yer	~		No
	Secondary school	Yes	·/		NO
	Higher sec. School	Nes	レ		NO
	ITI college/ vocational Training Center	Yes	V		Nº.
	Art, Commerce&	Yes	V		NO



	- 100	
y.		80
tat.		
	-	-

	stions if any:				
L.	Socio- Culture Facilities	Condition	Location	Available (YES)	Available (NO)
	Community Hall (With or without TV)	Good		~	L
	Public Library (With daily newspaper supply: Y/N) Public Garden	Good			X
	Village Pond	Good			
	Recreation Center	1	0		
		Good			1
_	Cinema/ Video Hall Assembly Polling Station				
				-	
	Birth & Death Registration Office y of the above Facility is not availa			W	
	ge:kms. stions if any:				
		Condition	Location	Available	Available (NO)
Sugge	stions if any: Other Facilities		Location	(YES)	
Sugge	stions if any:	6000	Location	(YES)	£ -
Sugge	other Facilities Post-office		Location	(YES)	
Sugge	Stions if any: Other Facilities Post-office Telecommunication Network/ STD booth General Market	6000	Location	(YES)	£ -
Sugge	Stions if any: Other Facilities Post-office Telecommunication Network/ STD booth General Market Shops (Public Distribution System)	Good	Location	(YES)	£ -
Sugge	Stions if any: Other Facilities Post-office Telecommunication Network/ STD booth General Market Shops (Public Distribution System) Panchayat Building	Good	Location	(YES)	£ -
Sugge	Stions if any: Other Facilities Post-office Telecommunication Network/ STD booth General Market Shops (Public Distribution System) Panchayat Building Pharmacy/Medical Shop	Good Good	Location	(YES)	£ -
Sugge	Stions if any: Other Facilities Post-office Telecommunication Network/ STD booth General Market Shops (Public Distribution System) Panchayat Building Pharmacy/Medical Shop Bank & ATM Facility	Good Good Good Good Good Good	Location	(YES)	£ -
Sugge	Stions if any: Other Facilities Post-office Telecommunication Network/ STD booth General Market Shops (Public Distribution System) Panchayat Building Pharmacy/Medical Shop	Good Good Good Good Good Good	Location 6	(YES)	£ -
Sugge	Stions if any: Other Facilities Post-office Telecommunication Network/ STD booth General Market Shops (Public Distribution System) Panchayat Building Pharmacy/Medical Shop Bank & ATM Facility	Groed Groed Groed Groed Groed Groed	Location	(YES)	£ -
Sugge	Stions if any: Other Facilities Post-office Telecommunication Network/ STD booth General Market Shops (Public Distribution System) Panchayat Building Pharmacy/Medical Shop Bank & ATM Facility Agriculture Co-operative Society	Groved Groved Groved Groved Groved Groved Groved Groved		(YES)	£ -
Sugge	stions if any: Other Facilities Post-office Telecommunication Network/ STD booth General Market Shops (Public Distribution System) Panchayat Building Pharmacy/Medical Shop Bank & ATM Facility Agriculture Co-operative Society Milk Co-operative Soc.	Groed Groed Groed Groed Groed Groed		(YES)	£ -
Sugge	stions if any: Other Facilities Post-office Telecommunication Network/STD booth General Market Shops (Public Distribution System) Panchayat Building Pharmacy/Medical Shop Bank & ATM Facility Agriculture Co-operative Society Milk Co-operative Soc. Small Scale Industries Internet Cafes/ Common	Good Good Good Good Good Good Good Good		(YES)	£ -

A

F C	Credit Cooperative Society Agricultural Cooperative Society Milk Cooperative Society Fishermen's Cooperative Society Computer Kiosk/ e-chaupal / Mills / Small Scale Industries	6000	V	
	Other Facility			
Suggestion	isifany: NO			
N. (Other Facilities	Condition	Available (YES)	Available (NO)
	 Have these programme implemented the village? Are there any beneficiaries in the village from the following programme? Janani Suraksha Yojana Kishori Shakti Yojana Balika Samriddhi Yojana Balika Samriddhi Yojana Balika Samriddhi Yojana Mid-day Meal Programme Intergrated Child Development Scheme (ICDS) Mahila Mandal Protsahan Yojana (MMPY) National Food for work Programme (NFFWP) National Social Assistance Programme Sanitation Programme (SP) Rajiv Gandhi National Drinking Water Mission Swamjayanti Gram Swarozgar Yojana Minimum Needs Programme (MNP) National Rural Employment Programme Employee Guarantee Scheme (EGS) Prime Minister Rojgar Yojana 	N . J .		
	 (PMRY) 18. Jawahar Rozgar Yojana (JRY) 19. Indira Awas Yaojna (IAY) 20. Samagra Awas Yojana (SAY) 21. Sanjay Gandhi Niradhar Yojana (SGNY) 22. Jawahar Gram Samridhi Yojana (JGSY) 23. Other (SPECIFY) 	a		5 5 5 -



ŝ

152

Gujarat Technological University, Ahmedabad, Gujarat




Vishwakarma Yojana: Phase VIII Techno Economic Survey

VI. SUSTAINABLE /GREEN INFRASTRUCTURE FACILITIES:

Sr. No.	Descriptions	Information/ Details	Adequate	Inadequate	Remarks
1.	Adoption of Non- Conventional Energy Sources/ Renewable Energy Sources	Nothing			5
2.	Bio-Gas Plant Solar Street Lights Rain Water Harvesting System	NO	0	L	
3.	Any Other	CCTV			

VII. DATA COLLECTION FROM VILLAGE

Sr. No.	Descriptions	Information/ Details	Adequate	Inadequate	Remarks
1.	Village Base Map Available: Hard Copy /Soft Copy	Yes	~	0	
2.	Recent Projects going on for Development of Village	Yes		V	More development needed.
3.	Any NGO working for village development	Yes	~		
4.	Any natural calamity in the village during the last one year: EARTHQUAKES FLOODS CYCLONE DROUGHT LANDSLIDES AVALANCHE OTHER (SPECIFY)	Na			





	VIII. AL	Ahmedabad, Guj	arat .	Vishwakarma Yojana: Phase V Fechno Economic Survey	
1	ym -	DDITIONAL INFORMATIO	ON/ DE	Fechno Economic Survey	ЛП
1	Sr.	Descriptions	ZIV REOUIRE	MENT:	
/	No. 1.				
		Repair & Maintenance of) Public Infrastructure	Entre	Information/ Detail	12
			- xisting	1.2	Remarks
		anding	les,	NO	
		Health Center		1 10/ 10/	
	1	Panchayat Building		William La Martin	
		Public Tell		mand and the	
	2.	Public Toilets & any other		Contraction of the second	
		Additional Information/ Re	quirement		
		During the last six months H CLEANING	low many times	Contra la contra de la	1 0 00
		rugging			
		Drive was undertaken in the	e village?		-
	IX. Sma	art Village / Heritage Details	s .		
			2		
	Sr. No.	Descriptions		Information/ Detail	
	1.	IS THEIR ANY THING FOR THE V	/ILLAGE	Intermation/ Detail	Remarks
	Bank Int	ENHANCEMENT POSSIBLE ?	ILLAGE	NO	NO
			Note: Photogr	aphs/ Video/ Drawin	ngs of all
			existing Infras	raphs/ Video/ Drawin atructure facilities & a by students of respect and information.	conditions
	GTU VY S Contact No	dministration queries/ Difficultie ection 0 – 079-23267588 rurban@gtu.edu.in	existing Infras should be taken for their record	tructure facilities & a by students of respec	conditions tive villages
	GTU VY S Contact No Email ID: 1	ection 9 – 079-23267588 rurban@gtu.edu.in	existing Infras should be taken for their record	and information. शिम्पार के शिम्पार के सहपंश वडपुरा आम पंर	conditions tive villages

Scanned with CamScanner



12.3 Survey form of Allocated Village

Gujarat Technological University, Ahmedabad, Gujarat



Vishwakarma Yojana: Phase VIII Techno Economic Survey

Techno Economic Survey

Vishwakarma Yojana: Phase VIII

ALLOCATED VILLAGE SURVEY

An approach towards "Rurbanisation for Village Development"

Name of District:	Mehchance
Name of Taluka:	Kadi
Name of Village:	
Name of Institute:	Vadpuser
Nodal Officer Name &	S.P. R. Paten engineering college. Poor Reject mishoul (HOD)
Contact Detail:	63.55 632102
Respondent Name:	Kanubhari A Patel (Suspanela)
(Sarpanch/ Panchayat Member/ Teacher/	
Gram Sevak/ Aaganwadi	Maheshbhui Patel (Talati)
worker/Village dweller)	0
Date of Survey:	10/10/2020

L. DEMOGRAPHICAL DETAIL:

Sr. No.	Census	Population	Male	Female	Total Number of House Holds
1.	2001				et.
2.	2011	967	500	. Lick	· · · ·

<u>п</u>. GEOGRAPHICAL DETAIL:

Sr. No.	Description	Information/Detail
1.	Area of Village (Approx.) (In Hector)Coordinates for Location:	595-58-19
2.	Forest Area (In hect.)	2-15-39-55
3.	Agricultural Land Area (In hect.)	
4.	Residential Area (In hect.)	
5.	Other Area (In hect.)	257-27-27
6.	Distance to the nearest railway station (in kilometers):	9 Icm away from Amby light

an shere 158. W. Sugar . · · · · Seg



1

Gujarat Technological University,	50
Ahmedabad, Gujarat	

Vishwakatma Yojana: Phase VIII Techno Economic Survey

7.	Name of Nearest Town with Distance:	Kadi (27 km)
8.	Distance to the nearest bus station (in kilometers):	2km away from village
9.	Whether village is connected to all road for the any facility or town or City?	

III. OCCUPATIONAL DETAILS:

Name of Three Major Occupation groups in	1. Faismina
Village	2. Dairy richung
	3. Labour werk

Major crops grown in the village:	1. Potato
	2. Sugarcame
	3. Wheet.

IV. PHYSICAL INFRASTRUCTURE FACILITIES:

Sr. No.	Descriptions	<u>Detail</u>	Adequate	Inadequate	<u>Remarks</u>
A.	Main Source of Drinking v	vater			
1.	PIPED WATER Piped Into Dwelling Piped To Yard/Plot Public Tap/Standpipe	Tube- well	V	1.18	NO
2.	Tube Well Or Bore Well DUG WELL Protected Well Un Protected Well We FEDOM SERVICE	protectal well	V		No
3.	WATER FROM SPRING Protected Spring Unprotected Spring Rainwater Tanker Truck	Protected Spring	~		NO
4.	Cart With Small Tank SURFACE WATER (RIVER/DAM/ LAKE/POND/STREAM/CAN				
	AL/ Irrigation Channel Bottled Water Hand Pump	NO	L		Péquised

TA KING

test.



1

<u>11,am</u>

Gujarat Technological University, Ahmedabad, Gujarat

		ojana: P		ш	
Techno	Econo	mic Surve	ey		

0000	tions if any:	No			
BBra	cions il any:				
3.	Water Tank Facility				
	Overhead Tank	Capacity:			and the second
	Underground Sump	Capacity:			
Sugge	stions if any:				
C.	The Type of Drainage Faci	lity			
	A. UNDERGROUND DRAINAGE	under- ground drainage	~		NO
Sugge	stions if any:	CARGOVICE U		II	
D.	Dood Network (11 Word)	18 111 10			
D.	Road Network :All Weath	er/ Kutchha (G	ravel)/ Blac	k Topped puce	I/WBM
	Village approach road	C.C. Roud	~		NO
	Main road	Bitumen	~		No
	Internal streets	C.C. Road	V		No
	Nearest NH/SH/MĐR/OĐR Dist. in kms. (ISKm)	Bitamen	~		140
Sugg	estions if any:	KORD			
E.	Transport Facility	ALC: NOT			
	Railway Station (Y/N)	NO			
	(If No than Nearest Rly StationKms)	Ambaliyasha 9 km	n . F		NO
	(If No than Nearest Rly	9 km. Ves 2 km quar	1	V	Must ocequised.
	(If No than Nearest Rly StationKms) Bus station (Y/N) Condition: (If No than Nearest Bus StationKms) Local Transportation (Auto/ Jeep/Chhakda/	9 km. Yes	1	~	Must
Sugg	(If No than Nearest Rly StationKms) Bus station (Y/N) Condition: (If No than Nearest Bus StationKms) Local Transportation (Auto/ Jeep/Chhakdat/ Private Vehicles/ Other)	9 km. Ves 2 km quar from vador	1		Must stephised.
Sugg F.	(If No than Nearest Rly StationKms) Bus station (Y/N) Condition: (If No than Nearest Bus StationKms) Local Transportation (Auto/ Jeep/Chhakda/ Private Vehicles/ Other)	9 km. Ves 2 km quar from vador	1		Must stephised.



	Power supply for Domestic Use Power supply for	24 hrs	~		No
	Agricultural Use Power supply for	8 hrs		\checkmark	More remine
-	Commercial Use Road/ Street Lights	24 hrs	V		NO
	Electrification in Government Buildings/ Schools/ Hospitals	Innight 24 has	V	~	No
	Renewable Energy Source Facilities (Y/ N)	NO			Requised.
	LED Facilities	NO		V	Required
Sugge		more fuel	ामलु	art me	wired rusing
G.	Sanitation Facility	Jytem.			
0.	Public Latrine Blocks				
	If available than Nos.	No		~	Required.
	Location Condition	· · · ·			2
	Community Toilet (With bath/ without bath facilities)	No		V ·	Required
	Solid & liquid waste Disposal system available	Notavailab	e	~	we segging warmi composit
	Any facility for Waste collection from road	Manual		~	required
Sugge	stions if any: NO	*		s - 4	
H.	Main Source of Irrigation	Facility:			
	TANK/POND STREAM/RIVER	Tube- well	V		20
	CANAL WELL				2
	TUBE WELL. OTHER (SPECIFY)				
Sugge	stions if any:				
I.	Housing Condition:				
	Kutchha/Pucca	857. Pacca	-		a. [d]
	(Approx. ratio)	15y kutohh	ч		20
			4		
1	STSI-	-		162	

Gujarat Technological University, Ahmedabad, Gujarat



Vishwakarma Yojana: Phase VIII Techno Economic Survey

V. SOCIAL INFRASTRUCTURAL FACILITIES:

No	Descriptions	Information/	Adequate		Remarks
No.		<u>Detail</u>			
J.	Health Facilities:			1.1	
	ICDS (Anganwadi)	Yes	.1		
	Sub-Centre			1	most of
	PHC	NO			the fueil
	BLOCK PHC			V	1
	CHC/RH	hó.			are aw
	District/ Govt. Hospital	ЫЯ			from
	Govt. Dispensary	140		~	Village
	Private Clinic	yes			0.
	Private Hospital/	NO		V	
	Nursing Home	xes.		V	
	AYUSH Health Facility			. /	
	sonography /ultrasound facility	NO			· · .
					1
	If any of the above Facility is no	t available in villa	ge than appr	ox. distance fro	m
	If any of the above Facility is no village: .2.Xkms.	t available in villa	ige than appr	ox. distance fro	m
Sugg	village: .2.5kms.	l t available în villa	age than appr	ox. distance from	m
	village: .2.5kms.	l t available în villa	age than appr	ox. distance fro	m
Sugg K.	village: .2.5kms. estions if any:			ox. distance from	
	village: .2.Xkms. estions if any: Wd Education Facilities: Aaganwadi/ Play group	Yej	5	ox. distance from	Ma
	village: .2.Xkms. estions if any: Education Facilities: Aaganwadi/ Play group Primary School	Yes Yes	2 2		Na Na
	village: .2.Xkms. estions if any: Wd Education Facilities: Aaganwadi/ Play group Primary School Secondary school	Yej Yej No	225	ox. distance from	NO NO
	village: .2.Xkms. estions if any: W Education Facilities: Aaganwadi/ Play group Primary School Secondary school Higher sec. School	Yes Yes	2 2 2 2		NO NO NO
	village: .2.Xkms. estions if any: Wd Education Facilities: Aaganwadi/ Play group Primary School Secondary school	Yej Yej No	225		NO NO



Sugge	village:kms. gestions if any:							
		-	1					
L.	Socio- Culture Facilities	Condition	Location	Available (YES)	Available (NO)			
	Community Hall (With or without TV)	₿		t.	~			
	Public Library (With daily newspaper supply: Y/N)	Ì		*. ·	\checkmark			
	Public Garden Village Pond	Good		V				
	Recreation Center	Good						
		3		P				
	Cinema/ Video Hall Assembly Polling Station				6			
		· •						
	Birth & Death Registration Office	·		VC				
If ar	y of the above Facility is not avail:	able in village t	han approx.	distance fron	1			
villa	ge:kms.		۰.					
Sugg	estions if any:							
M.	Other Facilities	Condition	Location	Available (YES)	Available (NO)			
	Post-office Telecommunication			€.	4			
	Network/ STD booth	1. 2. 1			~			
	General Market				~			
	Shops (Public Distribution System)		in village	V				
	Panchayat Building	1	NENY	~				
	Pharmacy/Medical Shop	<u>.</u>	13/10		4			
	Filamacy/Medical Shop							
	Bank & ATM Facility	***	1					
	Bank & ATM Facility Agriculture Co-operative Society Milk Co-operative Soc.		Centre	~				
	Bank & ATM Facility Agriculture Co-operative Society							
	Bank & ATM Facility Agriculture Co-operative Society Milk Co-operative Soc.		Centre					
	Bank & ATM Facility Agriculture Co-operative Society Milk Co-operative Soc. Small Scale Industries Internet Cafes/ Common			V				
	Bank & ATM Facility Agriculture Co-operative Society Milk Co-operative Soc. Small Scale Industries Internet Cafes/ Common Service Center/Wi Fi			1111				



marine.

Credit Cooperative Society Agricultural Cooperative Society Milk Cooperative Society Fishemen's Cooperative Society Computer Kiosk/ e-chaupal / Mills / Small Scale Industries	600d	V	
Other Facility			
uggestions if any: NO		 	
N. Other Facilities	Condition	Available (YES)	Available (NO)
 Have these programme implemented the village? Are there any beneficiaries in the village from the following programme? Janani Suraksha Yojana Kishori Shakti Yojana Balika Samridhi Yojana Mid-day Meal Programme Intergrated Child Development Scheme (ICDS) Mahila Mandal Protsahan Yojana (MMPY) National Food for work Programme (NFFWP) National Social Assistance Programme Sanitation Programme (SP) Rajiv Gandhi National Drinking Water Mission Swarnjayanti Gram Swarozgar Yojana Minimum Needs Programme (MNP) National Rural Employment Programme Employee Guarantee Scheme (EGS) Prime Minister Rojgar Yojana (PMRY) Jawahar Rozgar Yojana (IRY) Samagra Awas Yojana (SAY) Sanjay Gandhi Niradhar Yojana (SGNY) Jawahar Gram Samridhi Yojana (JGSY) 	Not implement No. 		



Gujarat Technological University, Ahmedabad, Gujarat



Vîshwakarma Yojana: Phase VIII Techno Economic Survey

VI. SUSTAINABLE /GREEN INFRASTRUCTURE FACILITIES:

Sr. No.	Descriptions	Information/ Details	Adequate .	Inadequate	Remarks .
1.	Adoption of Non- Conventional Energy Sources/ Renewable Energy Sources	Noming		~	Need of Sustainable Theastail Cocilities
2.	Bio-Gas Plant Solar Street Lights Rain Water Harvesting System	NO		\checkmark	Need the fucilities to develop of Village
3.	Any Other	NO			

VII. DATA COLLECTION FROM VILLAGE

	Details			
/illage Base Map Available: Hard Copy /Soft Copy	Yes	~		* •
Recent Projects going on for Development of Village	Yes		V	More development needed.
Any NGO working for village development	Yes	V		
Any natural calamity in the village during the last one year: EARTHQUAKES FLOODS CYCLONE DROUGHT LANDSLIDES AVALANCHE DTHER (SPECIFY)	No			
	Available: Hard Copy/Soft Copy Recent Projects going on for Development of Village Any NGO working for village development Any natural calamity in the rillage during the last one year: SARTHQUAKES FLOODS CYCLONE DROUGHT ANDSLIDES AVALANCHE DTHER	Available: Hard-Copy/Soft Copy Recent Projects going on for Development of Village Any NGO working for village development Any natural calamity in the rillage during the last one year: SARTHQUAKES FLOODS CYCLONE DROUGHT ANDSLIDES AVALANCHE DTHER	Available: Hard-Copy/Soft Copy Recent Projects going on for Development of Village Any NGO working for village development Any natural calamity in the rillage during the last one year: SARTHQUAKES FLOODS CYCLONE DROUGHT ANDSLIDES AVALANCHE DTHER	Available: Hard Copy/Soft Copy Recent Projects going on for Yes Development of Village Yes Any NGO working for village Yes development Yes Any natural calamity in the Yes rillage during the last one year: SARTHQUAKES FLOODS YCLONE DROUGHT ANDSLIDES ANDSLIDES ANACHE OTHER Image: State St





		Ahmedabad, Gu	tsity, Ijarat	Vishwaka	
	VIIL AL	DDITIONAL INFORMAT		Vishwakarma Yojana: Phase V Fechno Economic Survey	7111
	Sr.	D	ION/ REOUIRE	MENT	
/	1.10.			MENT:	
	1.	Repair & Maintenance of Public Infrastructure		Information/ Detail	
		Public Infrastructure facili	Existing	1.2	Remarks
		School Building	ties,	NO	
		Health Center		Para la marca	-
	I	Panchayat Building		The second	
	I	Public Tell		man and the	
	2.	Public Toilets & any other		Contraction of the	
	3.	Additional Information/ R	equirement		
		CLEANING CLEANING	how many times		The provide and
		rugging			
	IV	Drive was undertaken in th	e village?		
	IX. Sma	urt Village / Heritage Detai	ls		
	Sr. No.				
		Descriptions		Information/ Detail	Remarks
	1.	IS THEIR ANY THING FOR THE	VILLAGE		
		ENHANCEMENT POSSIBLE ?		No	NO
			Note: Photogr	aphs/ Video/ Drawin	ngs of all
			existing Infras should be taken	aphs/ Video/ Drawin structure facilities & by students of respect and information.	conditions
	GTU VY Se Contact No	Iministration queries/ Difficulti ection 0 – 079-23267588 rurban@gtu.edu.in	existing Infras should be taken for their record	tructure facilities & by students of respectant information.	conditions tive villages
	GTU VY Se Contact No	ection - 079-23267588	existing Infras should be taker for their record es:	tructure facilities & by students of respectant information.	conditions tive villages
	GTU VY Se Contact No	ection - 079-23267588	existing Infras should be taken for their record	and information. शिक्षा के के के के के के के कि के	conditions tive villages
	GTU VY Se Contact No	ection - 079-23267588	existing Infras should be taker for their record es:	and information.	conditions tive villages
	GTU VY Se Contact No	ection 9 – 079-23267588 rurban@gtu.edu.in	existing Infras should be taker for their record es:	and information. शिक्षा के के के के के के के कि के	conditions tive villages
	GTU VY Se Contact No	ection 9 – 079-23267588 rurban@gtu.edu.in	existing Infras should be taker for their record es:	and information. शिक्षा के के के के के के के कि के	conditions tive villages
	GTU VY Se Contact No	ection 9 – 079-23267588 rurban@gtu.edu.in	existing Infras should be taker for their record es:	and information. शिक्षा के के के के के के के कि के	conditions tive villages
	GTU VY Se Contact No	ection 9 – 079-23267588 rurban@gtu.edu.in	existing Infras should be taker for their record es:	and information. शिक्षा के के के के के के के कि के	conditions tive villages
	GTU VY Se Contact No	ection 9 – 079-23267588 rurban@gtu.edu.in	existing Infras should be taker for their record es:	and information. शिक्षा के क्षेत्र के	conditions tive villages
	GTU VY S Contact No Email ID: r	ection 0 – 079-23267588 rurban@gtu.edu.in	existing Infras should be taken for their record es:	and information. शिक्षा के क्षेत्र के	conditions tive villages
	GTU VY S Contact No Email ID: r	ection 9 – 079-23267588 rurban@gtu.edu.in	existing Infras should be taken for their record es:	and information. शिक्षा के क्षेत्र के	conditions tive villages

Scanned with CamScanner



	VILLAG					
Village Facilities	GAP Analy Planning Commission/UDPFI	Village	VADPURA	1		
	Norms	Name:		067		
		Existing	Population: Required asper Norms	i Sn	nart Vilage /Cities / Heritage Future Projection Design	Gap
	Social Infrastructure Fac	ilities				
Education						
Anganwadi	Each or Per 2500 population	1	1	-		0
Primary School	Each Per 2500 population	1	1	-		0
Secondary School	Per 7,500 population	0	0	-		0
Higher Secondary School	Per 15,000 Population	0	0	-		0
College	Per 125,000 Population	0	0	-		0
Tech. Training Institute	Per 100000 Population	0	0	-		0
Agriculture Research Centre	Per 100000 Population	0	0	-		0
Skill Development Center	Per 100000 Population	0	0	-		0
Health Facility						
Govt/Panchyat Dispensary or Sub PHC or Health Centre	Each Village	1	1	-		0
Primary Health & Child Health Center	Per 20,000 population	1	1	-		0
Child Welfare and Maternity Home	Per 10,000 population	0	0	-		0
Multispeciality Hospital	Per 100000 Population	0	0	-		0
Public Latrines	1 for 50 families (if toilet is not there in home, specially for slum pockets & kutcha house)	Per house 1	1	-		0
	Physical Infrastructure Fa	cilities				
Transportation		Adequate /				
<u>r</u>		Inadequate				
Pucca Village Approach Road	Each village	Adequate	Avail	able	Not required	0
Bus/Auto Stand provision	All Villages connected by PT (ST Bus or Auto)	Adequate	Avail		Not required	-
Drinking Water (Minimum 70 lpcd)		Adequate / Inadequate	Avail		Not required	0
Over Head Tank	1/3 of Total Demand	Adequate	Avail		Not required	0
U/G Sump	2/3 of Total Demand	Adequate	Avail		Not required	
Drainage Network - Open		Adequate / Inadequate	Avail		Not required	-
Drainage Network - Cover		Adequate	Avail Avail		Not required Not required	
Waste Management System	Socio- Cultural Infrastru	Adequate / Inadequate	Avail		inor required	0
	Facilities	iciui c				
Community Hall	Per 10000 Population	0	1		-	1
community hall and Public Library	Per 15000 Population	0	1		-	1
Cremation Ground	Per 20,000 population	0	0		-	0
Post Office	Per 10,000 population	1	1		-	0
Gram Panchayat Building	Each individual/group panchayat	1	1		-	0
APMC	Per 100000 Population	1	1		-	0
Fire Station	Per 100000 Population	1	1		-	0
Public Garden	Per village	1	1		-	0
Police post	Per 40,000Population	1	1		-	0
Shopping Mall		•	1			
	Electrical Design					
Electricity Network	0	Adequate / Inadequate	Adec	luate		

12.4 Gap Analysis of the Allocated Village



	Any Smart Vil	lage Facility		
Technology				
		ESR cap	24	
		Sump cap	12	
		Lat	12	

12.5 Summary of All Villages Designs as Part-I and Part-II, in Table Format

Sr. No.	Village Name	Discipline	Part-1	Part-2
1	VADPURA	CIVIL	School renovation	Bus stand
			Community hall	Panchayat building
			Main gate	РНС
		CIVIL	Anganwadi	Milk dairy
			Solid waste management	Library
			Septic tank	Over head water tank
			-	
2	BAMNASA	CIVIL	Design of Bus Stand	Design of Post Office
			Design of Community Hall	Design of SchoolBuilding
			Design of Public Toilet	PHC Building
		ELECTRICAL	Design of Electrical Plan of Bus Stand	Electrical plan Post Office
			Design of Electrical plan of Community Hall	Electrical plan Of school Building
			Design Of Electrical Plan of Public Toilet	Electrical Plan of PHC Building
			Design of Solar street light for village	Design Of Solar irrigation
			Design of Public Library	Public Toilet
			Design of Post Office	Design of Anganwadi
		ELECTRICAL	Design of Electrical plan of Community Hall	Electrical plan Public Garden
			Design of Electrical plan of Public library	Electrical plan Of anganwadi



District: Mehsana

12.7 Summary of Good Photographs in Table Format (village visits, Ideal, Smart Village or any other)











Figure 57 Good Photographs of village



12.8 Village Interaction Report with Sarpanch and Talati and photograph

Village Interaction With Sarpanch / Talati Letter

Vishwakarma Yojana Phase VIII Vadpura Village, Kadi Taluka, Mehsana District Village pin code : 382705

Subject : Village Interaction From With Sarpanch / Talati Of Vadpura Village

I Sarpanch / Talati of Vadpura village undersigned gives approval of doing village interaction activity under Vishwakarma Yojana Phase VIII An approach towards rurbanization by students of S.P.B.PATEL Engineering collage (SAFFRONY INSTITUTE OF TECHNOLOGY) named Jaimin Joshi (180393106001) and Chirag Panchal (180393106006).

Date :

Sign :

(27011.3. 424 સરપંચ વડપુરા ગ્રામ પંચાયત તા.કડી, જી.મહેસાણા

Seal of Grampanchayat

Scanned with CamScanner



12.9 Sarpanch and Talati Letter giving information about the village development

Village Interaction With	Sarpanch / Talati Letter
Vishwakarma Yojana Phase VIII	
Vadpura Village, Kadi Taluka, Mehsana Di	strict
Village pin code : 382705	
Subject : Approval Of Design	Proposal For Vadpura Village
I Sarpanch / Talati of Vadpura of following main design proposal gives un approach towards rurbanization by stud	
(SAFFRONY INSTITUTE OF TECHNOLOGY) Chirag Panchal (180393106006).	
Approved Main Design Proposals As	Per Part 1 :
1. School Design	
 Community Hall Design Main Gate 	
4. Solid Waste Management	
5. Aganavadi	
6. Septic Tank Design	
Date :	
Sign :	terme for use
	אציניטי מגעצו אוא עיצוער הושה איז איזוער
	Seal of Grampanchayat



District: Mehsana

12.10 Comprehensive report preparation as per format

Vishwakarma Yojana is provides special scheme for development of rural area by GTU and Government of Gujarat in which students work together and collect data and information regards Rural area development with the help of gram panchayat, Talati, villagers and stake holders. Our selected village Vadpura have some basic facilities likes drinking water, electricity, drainage system, Pucca road, are sufficient so that village can develop. So, we will give proposal regarding sustainable energy sources and solution related to infrastructure problems.

Efforts have been made in this project work to identify and plan some of the below facilities for sustainable development of village and to meet need of future population. Vishwakarma Yojana is one of the initiatives towards Rurbanization that is village development by the government of Gujarat, which was allotted as a real time situation type project provides to GTU.

It is one of the strategies to reduce urban city pressure and lower the migration rate by developing village with a "rural soul" but with all urban amenities that a city may have. In this project the students meet the relevant citizens of village and survey the existing facilities. Then design of the sustainable infrastructure which is to be modified is carried out for the village. This includes implementation of engineering skills to prepare detailed project reports for village as a part of the final year project work.

By this project certain experiences recreates a real work and need of application of an individual technical knowledge on any existing problems. Based on survey we tried to give design of basic facilities to fulfill their needs. By providing basic facilities like Solid waste management system, School renovation, Community hall, Vermicompost method, Anganwadi, for reduce urban city pressure and decrease migration rate, which is ultimate aim of Vishwakarma Yojana.



CHEPTER: 13

13 From the Chapter- 9 future designs of the aspects (Feasibility, Construction, Operation and maintenance of various design options in Rural Areas along with cost with AutoCAD designs / planning with any software

13.1 Design Proposals


13.1.1 Civil Design 1 (Social Design) Bus Stand

Government buses coming in Vadpura village and many people travel in bus for going other village and nearest town but there is no bus station. People take many problems in summer & monsoon, so village need bus station. So, this purpose we design bus station.


13.1.2 Location of bus stand



13.1.3 Final design









side view

વડપુરા બસ સ્ટેન્ડ







Measurement Sheet of bus stand

SR NO.	ITEM DESCRIPTION	NO	L	В	н	QUANTITY	TOTAL QUANTITY	UNIT
1	EXCAVATION FOR FOUNDATION							
	WALL	2	5	0.9	0.5	4.50		
	WALL	2	2	0.9	0.5	1.80		
	TOTAL QU	ANTIT	Y OF E	XCAV	ATIO	N	6.30	M³
2	P.C.C							
	WALL	2	5	0.9	0.3	2.70		
	WALL	2	2	0.9	0.3	1.08		
							3.78	M³
3	1ST STEP UP TO GL							
	WALL	2	5	0.5	0.2	1.00		
	WALL	2	2	0.5	0.2	0.40		
							1.40	M³
4	(A)PLINTH TO SUPER STRUCTURE							
	WALL	2	5	0.2 3	2.5	5.75		
	WALL	2	2	0.2 3	2.5	2.30		
							8.05	M³
	(B)FROM SLAB TOP TO PERAPET TOP BRICK WORK							
	L1	1	5	0.2 4	0.5	0.60		
							0.60	M³



TOTAL BRICK V	VORK	IN SU	PER S	TRUCT	URE	8.65	M³
DEDUCTION IN SUPER STRUCTURE							
ROUND	2	1.57	0.5	0.5	0.79		
					0.00		
WINDOW	1	1	0.2 4	0.5	0.12		
						0.91	M³
				PER ST	RUCTURE	7.75	
FLOORING							
FLOOR1	1	5	2		10.00		
					0.00	10.00	M ²
TOTAL QI	JANT	ITY OF	FLOO	RING		10.00	
SMOOTH PLASTER INSIDE							
(A)ONLY WLL							
LONG WALL	2	5		2.5	25.00		
SHORT WALL	2	2		2.5	10.00		
					0.00	35.00	M ²
(B) CEILING PLASTER							_
	1	5	2		10.00		
					0.00	10.00	M²
TOTAL QUA	ΝΤΙΤΥ	OF PL	ASTE		ĸ	45.00	M²
	BUU	WORK					
	DEDUCTION IN SUPER STRUCTURE ROUND WINDOW TOTAL QUANTITY BI AF FLOORING FLOORING FLOOR1 SMOOTH PLASTER INSIDE (A)ONLY WLL LONG WALL SHORT WALL SHORT WALL	DEDUCTION IN SUPER STRUCTUREIROUND2ROUND1WINDOW1TOTAL QUANTITY BURK1TOTAL QUANTITY BURK1FLOORING1FLOOR11FLOOR11SMOOTH PLASTER INSIDE1SMOOTH PLASTER INSIDE2GANONLY WLL2CANONLY WLL2CANONLY WLL1CANONLY WLL1CANONLY WLL1CANONLY WLL1CANONLY WLL1CANONLY WLL1CANONLY WALL2CANONLY WALL1CANONLY WALL </th <th>DEDUCTION IN SUPER STRUCTUREIROUND21.57ROUND11WINDOW11WINDOW11TOTAL QUANTITY BURKERI1TOTAL QUANTITY BURKERIIFLOORING11FLOOR111FLOOR111FLOOR111FLOOR111FLOOR111SMOOTH PLASTER INSIDEI1SMOOTH PLASTER INSIDE21CAJONLY WILL25SHORT WALL25SHORT WALL21GB CEILING PLASTER INSIDE15GIO GUALL21JUO GUALL21SHORT WALL25GIO CEILING PLASTER INSIDE15CIA15SHORT WALL25SHORT WALL25SHORT WALL15SHORT WALL15SHO</th> <th>DEDUCTION IN SUPER STRUCTUREI.I.ROUND21.570.5ROUND21.570.5WINDOW110.2 4WINDOW110.2 4TOTAL QUANTITY BURK SURVEYI.1TOTAL QUANTITY BURK SURVEYI.1FLOORINGI.I.FLOOR115FLOOR115FLOOR11I.FLOOR1I.I.SMOOTH PLASTER INSIDEI.I.IL LONG WALL25SHORT WALL22SHORT WALL22IS CEILING PLASTER INSIDEI.IL ONG WALL22IL ONG WALL22SHORT WALL15IL ONG WALL22IL ONG WALLI.I.IS HORT WALLI.I.IL ONG WALLI.<!--</th--><th>Image: strain of the strain</th><th>SUPER STRUCTUREIIIIIROUND21.570.50.50.790I110.20.000WINDOW110.20.50.121WINDOW110.20.50.121WINDOW110.20.50.121WINDOW1110.20.50.121TOTAL QUANTITY B''IIIII1TOTAL QUANTITY B''IIIIIIFLOORING15210.001IFLOORING15210.00IIFLOORING15210.00IIFLOORING152IIIFLOORING152IIIFLOORING152IIIFLOORING1IIIIIFLOORING1IIIIIFLOORING1IIIIIFLOORING1IIIIIFLOORING1IIIIIFLOORING1IIIIIIIIIIIIIIIIIIIII</th><th>Image: Second stateImage: Second stateImage: Second stateImage: Second stateDEDUCTION IN SUPER STRUCTURE1.570.50.50.79ROUND21.570.50.00Image: Second stateROUND110.20.000Image: Second stateWINDOW110.20.012Image: Second stateWINDOW110.20.012Image: Second stateTOTAL QUANTITY BELEX USE SECUEImage: Second state7.75TOTAL QUANTITY BELEX USE SECUEImage: Second state7.75FLOORING15210.00FLOORING15210.00FLOORING15210.00FLOORING15210.00FLOORING1521FLOORING2152FLOORING2152FLOORING1521FLOORING221SMOOTH PLASTER INSIDE1525.00GAIONIY WIL2210.00GHORT WALL2210.00GHORT WALL5210.00GHORT WALL5210.00GHORT WALL5210.00GHORT WALL5210.00GHORT WALL5210.00GHORT WALL5210.00GHORT WALL5210.00GHO</th></th>	DEDUCTION IN SUPER STRUCTUREIROUND21.57ROUND11WINDOW11WINDOW11TOTAL QUANTITY BURKERI1TOTAL QUANTITY BURKERIIFLOORING11FLOOR111FLOOR111FLOOR111FLOOR111FLOOR111SMOOTH PLASTER INSIDEI1SMOOTH PLASTER INSIDE21CAJONLY WILL25SHORT WALL25SHORT WALL21GB CEILING PLASTER INSIDE15GIO GUALL21JUO GUALL21SHORT WALL25GIO CEILING PLASTER INSIDE15CIA15SHORT WALL25SHORT WALL25SHORT WALL15SHORT WALL15SHO	DEDUCTION IN SUPER STRUCTUREI.I.ROUND21.570.5ROUND21.570.5WINDOW110.2 4WINDOW110.2 4TOTAL QUANTITY BURK SURVEYI.1TOTAL QUANTITY BURK SURVEYI.1FLOORINGI.I.FLOOR115FLOOR115FLOOR11I.FLOOR1I.I.SMOOTH PLASTER INSIDEI.I.IL LONG WALL25SHORT WALL22SHORT WALL22IS CEILING PLASTER INSIDEI.IL ONG WALL22IL ONG WALL22SHORT WALL15IL ONG WALL22IL ONG WALLI.I.IS HORT WALLI.I.IL ONG WALLI. </th <th>Image: strain of the strain</th> <th>SUPER STRUCTUREIIIIIROUND21.570.50.50.790I110.20.000WINDOW110.20.50.121WINDOW110.20.50.121WINDOW110.20.50.121WINDOW1110.20.50.121TOTAL QUANTITY B''IIIII1TOTAL QUANTITY B''IIIIIIFLOORING15210.001IFLOORING15210.00IIFLOORING15210.00IIFLOORING152IIIFLOORING152IIIFLOORING152IIIFLOORING1IIIIIFLOORING1IIIIIFLOORING1IIIIIFLOORING1IIIIIFLOORING1IIIIIFLOORING1IIIIIIIIIIIIIIIIIIIII</th> <th>Image: Second stateImage: Second stateImage: Second stateImage: Second stateDEDUCTION IN SUPER STRUCTURE1.570.50.50.79ROUND21.570.50.00Image: Second stateROUND110.20.000Image: Second stateWINDOW110.20.012Image: Second stateWINDOW110.20.012Image: Second stateTOTAL QUANTITY BELEX USE SECUEImage: Second state7.75TOTAL QUANTITY BELEX USE SECUEImage: Second state7.75FLOORING15210.00FLOORING15210.00FLOORING15210.00FLOORING15210.00FLOORING1521FLOORING2152FLOORING2152FLOORING1521FLOORING221SMOOTH PLASTER INSIDE1525.00GAIONIY WIL2210.00GHORT WALL2210.00GHORT WALL5210.00GHORT WALL5210.00GHORT WALL5210.00GHORT WALL5210.00GHORT WALL5210.00GHORT WALL5210.00GHORT WALL5210.00GHO</th>	Image: strain of the strain	SUPER STRUCTUREIIIIIROUND21.570.50.50.790I110.20.000WINDOW110.20.50.121WINDOW110.20.50.121WINDOW110.20.50.121WINDOW1110.20.50.121TOTAL QUANTITY B''IIIII1TOTAL QUANTITY B''IIIIIIFLOORING15210.001IFLOORING15210.00IIFLOORING15210.00IIFLOORING152IIIFLOORING152IIIFLOORING152IIIFLOORING1IIIIIFLOORING1IIIIIFLOORING1IIIIIFLOORING1IIIIIFLOORING1IIIIIFLOORING1IIIIIIIIIIIIIIIIIIIII	Image: Second stateImage: Second stateImage: Second stateImage: Second stateDEDUCTION IN SUPER STRUCTURE1.570.50.50.79ROUND21.570.50.00Image: Second stateROUND110.20.000Image: Second stateWINDOW110.20.012Image: Second stateWINDOW110.20.012Image: Second stateTOTAL QUANTITY BELEX USE SECUEImage: Second state7.75TOTAL QUANTITY BELEX USE SECUEImage: Second state7.75FLOORING15210.00FLOORING15210.00FLOORING15210.00FLOORING15210.00FLOORING1521FLOORING2152FLOORING2152FLOORING1521FLOORING221SMOOTH PLASTER INSIDE1525.00GAIONIY WIL2210.00GHORT WALL2210.00GHORT WALL5210.00GHORT WALL5210.00GHORT WALL5210.00GHORT WALL5210.00GHORT WALL5210.00GHORT WALL5210.00GHORT WALL5210.00GHO




SLAB	1	5	0.1 2	2	1.20		
CLOUMN	5	0.23	0.2 3	2.5	0.66		
						1.86	M³

Abstract Sheet of bus stand


	ABSTRACT OF QUANTITIES											
SR . NO.	ITEM DESCRIPTION	TOTAL QUANTITY	PER	RATE	AMOUT RS.							
1	EXCAVATION IN FOOTI.	6.30	CUMEC	90.00	567.00							
2	PCC	3.78	CUMEC	3500.00	13230.00							
3	EARTH FILLING	0	CUMEC	50.00	0.00							
4	BRICK WORK IN FOU.	6.30	CUMEC	3500.00	22050.00							
5	BRICK WORK IN S.S.	7.75	CUMEC	3500.00	27107.50							
6	RCC WORK	1.86	CUMEC	9000.00	16751.25							
7	TILES BOX (4 PEACE)	20	BOX	350.00	7000.00							
8	PLASTER	45.00	SQ.M	500.00	22500.00							
			то	TAL	109205.75							
	ADD 3%	CONTINGEN	ICIES RS.		9445.28							
	ADD2% WORK	CHARGED E	STABLISH	IMENT	6296.85							
		GRAND TOT	AL		124947.88							





13.1.4 Civil Design 2 Post office Plan, Elevation and Section



PLAN









Measurement Sheet of Post office:

SR NO	ITEM DESCRIPTION	NO	L	B	H	QUAN	TITY
1	Excavation in foundation						
	Long wall=9.4+0.9m	3	10.3	0.9	1.2	33.372	
	Short wall=6.85-0.9m	5	5.95	0.9	1.2	32.13	
				Total quantity	=	65.502	Cu.m
2	Plain cement concrete						
	in foundation(1:2:4)						
	Long wall=9.4m	3	10.3	0.9	0.3	8.343	
	Short wall=6.85m	5	5.95	0.9	0.3	8.0325	
				Total quantity	=	16.3755	Cu.m
3	Brickwork in foundation						
	and plinth in C.M(1:6)						
	Long wall:						
STEP:1	9.4+0.6 =10m	3	10	0.6	0.2	3.6	
STEP:2	9.4+0.5 =9.9m	3	9.9	0.5	0.2	2.97	
STEP:3	9.4+0.4 =9.8m	3	9.8	0.4	0.2	2.352	
STEP:4	9.4+0.3 =9.7m	3	9.7	0.3	0.3	2.619	
						11.541	
	Shortwall						
STEP:1	6.85-0.6 =6.25m	5	6.25	0.6	0.2	3.75	
STEP:2	6.85-0.5 =6.35m	5	6.35	0.5	0.2	3.175	
STEP:3	6.85-0.4 =6.45m	5	6.45	0.4	0.2	2.58	
STEP:4	6.85-0.3 =6.55m	5	6.55	0.3	0.3	2.9475	
				Total quantity	=	35.5345	Cu.m



4 Brickwork in						
super structure						
Long wall=9.4	3	9.4		3	25.38	
Short wall=6.85	5	6.85	0.3	3	30.825	
			Total quantity	=	56.205	Cu.m
Deduction for door/window						
DOOR	1	1.07	0.3	2.1	0.6741	
DOOR1	2	0.91	0.3	2.1	1.1466	
DOOR2	1	0.76		2.1	0.4788	
WINDOW	1	1.83		1.2	0.6588	
WINDOW1	3	1.22	0.3	1.2	1.3176	
					4.2759	Cu.m
Deduction for lintel						
DOOR	1	1.37	0.3	0.15	0.06165	
DOOR1	2	1.21	0.3	0.15	0.1089	
DOOR2	1	1.06		0.15	0.0477	
WINDOW	1	2.13		0.15	0.09585	
WINDOW1	3	1.52		0.15	0.2052	
	5	1.52	0.5	0.15	0.5193	
			Total Deduction	_	4.7952	
			Total Quantity		51.4098	
5 R.C.C slab, chajja, and lintel						
R.C.C slab:	1	0.4	6.05	0.12	= = 2 (0	
Breadth=6.85m	1	9.4	6.85	0.12	7.7268	
Length=9.4m						
R.C.C chajja:						
Window	1	2.13	0.6	0.1	0.1278	
Window1	3	1.52	0.6	0.1	0.2736	
R.C.C.lintel:					0.5193	
					8.6475	Cu.m
6 2 Cm marble flooring						
6 2 Cm marble flooring Room1	1	3.05	2.93		8.9365	m.sa
Room1	1	3.05			8.9365 8.9365	
•	1 1 1	3.05 3.05 8.53	2.93		8.9365 8.9365 26.0165	m.sq
Room1 Room2 Main Passage	1 1 1 1	3.05 8.53	2.93 3.05		8.9365 26.0165	m.sq m.sq
Room1 Room2 Main Passage 7 Earth filling in plinth room1		3.05 8.53 3.05	2.93 3.05 2.93	0.48	8.9365 26.0165 4.28952	m.sq m.sq Cu.m
Room1 Room2 Main Passage	1 1 1 1 1 1 1	3.05 8.53	2.93 3.05 2.93 2.93		8.9365 26.0165	m.sq m.sq Cu.m Cu.m



8 Smooth plaster inside						
the room in c.m.(1:3)						
ROOM1	2	3.05		3	18.3	
	2	2.93		3	17.58	
ROOM2	2	3.05		3	18.3	
	2	2.93		3	17.58	
Toilet	2	1.18		3	7.08	
	2	1.07		3	6.42	
					85.26	Sq.m
Deduction for door						
and window						
DOOR	0.5	1.07		2.1	1.1235	
DOOR1	1	0.91		2.1	1.911	
DOOR2	0.5	0.76		2.1	0.798	
WINDOW	0.5	1.83		1.2	1.098	
WINDOW2	1.5	1.22		1.2	2.196	
					7.1265	Sq.m
			Total quantity =		78.1335	Sq.m
9 Smooth plaster outside						
the room in c.m (1:3)						
ROOM	2	9.4		3	56.4	
	2	6.85		3	41.1	
						Sq.m
Deduction for door						
and window						
DOOR	0.5	1.07		2.1	1.1235	
DOOR1	1	0.91		2.1	1.911	
DOOR2	0.5	0.76		2.1	0.798	
WINDOW	0.5	1.83		1.2	1.098	
WINDOW1	1.5	1.22		1.2	2.196	
					7.1265	Sq.m
			Total quantity =		90.3735	



District: Mehsana

10						
Painting in inside						
ROOM1	2	3.05		3	18.3	
	2	2.93		3	17.58	
ROOM2	2	3.05		3	18.3	
	2	2.93		3	17.58	
MAIN PASSAGE	2	8.53		3	51.18	
	2	3.05		3	18.3	
					141.24	Sq.m
Deduction for door						
and window						
DOOR	0.5	1.07		2.1	1.1235	
DOOR1	1	0.91		2.1	1.911	
DOOR2	0.5	0.76		2.1	0.798	
WINDOW	0.5	1.83		1.2	1.098	
WINDOW1	1.5	1.22		1.2	2.196	
					7.1265	
			Total quantity =		134.114	Sq.m
11						
Painting in outside						
ROOM	2	9.4		3	56.4	
	2	6.85		3	41.1	
					97.5	Sq.m
Deduction for door						
Deduction for door and window						
and window	0.5	1.07		21	1 1235	
and window DOOR	0.5	1.07		2.1	1.1235	
and window DOOR DOOR1	1	0.91		2.1	1.911	
and window DOOR DOOR1 DOOR2	1 0.5	0.91 0.76		2.1 2.1	1.911 0.798	
and window DOOR DOOR1 DOOR2 WINDOW	1 0.5 0.5	0.91 0.76 1.83		2.1 2.1 1.2	1.911 0.798 1.098	
and window DOOR DOOR1 DOOR2	1 0.5	0.91 0.76		2.1 2.1	1.911 0.798)



Abstract Sheet of Post office:

SR NO	PATICULARS OF ITEM	QUANTITY	PER	RATE	AMOUNT Rs.
1	Excavation in foundation	65.502	Cu.m	180	11790.36
2	plain cement concrete in	16.3755	Cu.m	4300	70414.65
	foundation				
3	Brick work in foundation	35.5345	Cu.m	3500	124370.75
4	brick work in super structure	51.4098	Cu.m	3800	195357.24
5	R.C.C work in slab,chajja.and lintel	8.6475	Cu.m	6300	54479.25
6	2 cm marble flooring	43.9195	Sq.m	700	30743.65
7	earth filling	21.066	Cu.m	50	1053.3
8	Smooth plaster inside th room in	78.1335	Sq.m	260	20314.71
	c.m(1:3)				
9	Smmoth plaster outside the room	90.3735	Sq.m	350	31630.725
	in c.m(1:3)				
10	Painting in inside	134.114	Sq.m	230	30846.22
11	Painting in outside	90.3735	Sq.m	320	28919.52
12	Switchboard and Wiring of Electricity	5	nos.	450	2250
13	CCTV Camera	6	nos.	7999	47994
14	Door	1	nos.	3800	3800
				Rs	653964.375
		ADD 5% cont	tingencies	Rs	32698
			Total R	ks.	686662.375
			Total R	Rs. Say =	687000




SR No.	Item Description	No	Length	Breadth	Height	Quantity
1	Cement Concrete for Slab					
	(1: 1.5: 3)					
	L = 7.01 m					
	B=9.45m	1	7.01	9.45	0.12	7.95 cu.m
2	Centering and shuttering for slab					
	Bottom	1	6.55	8.99		58.8845
	Sides	2	9.45		0.15	2.835
		2	7.01		0.15	2.103
					Total Quantity =	63.82 sq.m
3	12 mm dia main steel bars					
	60 mm c/c alternate bent up					
	L = 9.53 m					
	Span = 6.91 m					
	No. of bars = 13 nos					
	Extra length of bent up bars					
	L = 9.55 m	13	9.55		0.9	111.74 kg.
4	8 mm dia. Distribution steel.					
	50 mm c/c					
	L = 7.06 m					
	Width of slab = 9.35 m					
	Total no. of bars = 25 nos	25	7.06		0.22	38.83 kg.
					Total Quantity =	150.565 sq.m

Measurement Sheet of R.C.C Slab for Post Office:

Abstract Sheet of R.C.C Slab for Post Office:

No.	Item Description	Quantity	Per	Rates	Amount R
1	Cement Concrete for Slab	7.95		9600.00	76320.00
1	(1: 1.5: 3)	7.95	cu.m.	9600.00	/6320.00
2	Centering and shuttering for slab	63.82	sq.m.	125.00	7977.50
-		00.02	54.111	125.00	1711.00
3	12 mm dia main steel bars	117.74	kg.	60.00	7064.40
	60 mm c/c alternate bent up				
4	8 mm dia. Distribution steel.	38.83	kg.	60.00	2329.80
	50 mm c/c				
5	Labour for cutting, bending, and l	150.57	kg.	7.00	1053.96
	placing steel				
				Total Rs.	94745.655
			Add 5% c	ontingencies Rs.	4737.00
				Grand Total Rs.	99482.655
			1	Say	100000.00






13.1.5 Civil Design 3 PHC for Vadpura village

Figure 58 Plan and Elevation of PHC





Measurement Sheet of PHC

Item no.	Item description	No.	L	В	Н	Qty.
1	EXCAVATION FOR FOUNDATION	1	38.27	0.9	1.1	37.88m ³
2	PCC (1:4:8)	1	38.27	0.9	0.2	6.88m ³
3	BRICK MASONARY UPTO PLINTH LEVEL					
	STEP OF 0.5M WIDTH	1	41.27	0.5	0.3	6.19
	STEP OF 0.4M WIDTH	1	42.02	0.4	0.3	5.04
	FIRST STEP	1	1.2	0.6	0.150	0.108
	SECOND STEP	1	1.2	0.3	0.150	0.054



District: Mehsana

					Net brick work	11.392m ³
4	BRICK MASONARY ABOVE PLINTH LEVEL UPTO SLAB C.M (1:6)	1	43.33	0.225	3	29.24 m ³
	DEDUCTION FOR DOORS					
	D1	3	1	0.225	2	1.35
	D2	3	1	0.225	2	1.35
	WINDOWS	9	1	0.225	1	2.025
	LINTEL					
	DOORS	6	1.3	0.225	0.15	0.263
	WINDOWS	9	1.3	0.225	0.15	0.39
					Net brick work	23.86m ³
5	PARAPET WALL	1	43.33	0.225	1	9.74m ³
6	RCC WORK					
	SLAB	1	9.45	14.45	0.15	20.48
	LINTEL	1	19.5	0.225	0.15	0.658
					Tota l RC C work	21.13m3
7	FLOORING	1	8.5	13.3		113.05m2
8	INSIDE SMOOTH PLASTER OF WALL AND CELLING (10 MM THICK)					



District: Mehsana

PATIONT ROOM 1	2	2.7		3	16.65m ²
	2	5.00		3	30
PATIONT ROOM 2	2	2.7		3	16.65
	2	5.1		3	30.6
PATIONT ROOM 3	2	4.2		3	25.2
	2	4.8		3	28.2
WAITING ROOM	2	6.2		3	37.2
	2	4.1		3	24.6
DOCTOR OFFICE	2	4.7		3	28.2
	2	4.5		3	27
 WC	2	1.5		3	9
	2	3.2		3	19.2
 CELLING					
PATIONT ROOM 1	1	2.7	5		13.5
PATIONT ROOM 2	1	2.7	5.1		14.2
PATIONT ROOM 3	1	4.2	4.8		20.1
WAITING ROOM	1	6.2	4.1		25.4
DOCTOR OFFICE	1	4.7	4.5		21.1
WC	1	1.5	3.2		4.8
				TOTAI PLAST	
DEDUCTION FOR DOORS AND WINDOWS					
DOORS	3	1		2	6
WINDOWS	5	1		1	5
				NET PLAST	380.6m ²



٦


Abstract Sheet of PHC


г

ABSTRACT OF QUANTITIES									
SR . NO.	ITEM DESCRIPTION	TOTAL QUANTITY	PER	RATE	AMOUT RS.				
1	EXCAVATION IN FOOTI.	37.88	CUMEC	90.00	3409.20				
2	PCC	6.88	CUMEC	3500.00	24080.00				
3	EARTH FILLING	0	CUMEC	50.00	0.00				
4	BRICK WORK IN FOU.	11.40	CUMEC	3500.00	39900.00				
5	BRICK WORK IN S.S.	33.60	CUMEC	3500.00	117600.00				
6	RCC WORK	21.20	CUMEC	9000.00	190800.00				
7	TILES BOX (4 PEACE)	25	BOX	350.00	8750.00				
8	PLASTER	400.00	SQ.M	500.00	200000.00				
			то	ΓAL	584539.20				
	ADD 3%	CONTINGEN	ICIES RS.		9445.28				
	ADD2% WORK	CHARGED E	STABLISH	IMENT	6296.85				
							<u> </u>		
	•	GRAND TOTA	AL .		600281.33				

2020-2021

13.1.6 Civil Design 4 Milk Dairy







ELEVATION





Measurement sheet of Dairy

SR NO	ITEM DESCRIPTION	NO	LENGTH	BREADTH	HEIGHT	QUA	NTITY
1	Excavation in foundation						
	Long wall=13.2+0.9m	3	14.1	0.9	1.2	45.684	
	Short wall=10.2-0.9m	3	9.3	0.9	1.2	30.132	
				Total qu	antity =	75.816 Cu.m	
2	Plain cement concrete						
	in foundation(1:2:4)						
	Long wall=13.2m	3	14.1	0.9	0.3	11.421	
	Short wall=10.2m	3	9.3	0.9	0.3	7.533	
				Total quantity =		18.954 Cu.m	
3	Brickwork in foundation						
	and plinth in C.M(1:6)						
	Long wall:						
STEP:1	13.2+0.6 =13.8m	3	13.8	0.6	0.2	4.968	
STEP:2	13.2+0.5 =13.7m	3	13.7	0.5	0.2	4.11	
STEP:3	13.2+0.4 =13.6m	3	13.6	0.4	0.2	3.264	
STEP:4	13.2+0.3 =13.5m	3	13.5	0.3	0.3	3.645	
						15.987	
	Shortwall						
STEP:1	10.2-0.6 =9.6m	3	9.6	0.6	0.2	3.456	
STEP:2	10.2-0.5 =9.7m	3	9.7	0.5	0.2	2.91	
STEP:3	10.2-0.4 =9.8m	3	9.8	0.4	0.2	2.352	



STEP:4	10.2-0.3 =9.9m	3	9.9	0.3	0.3	2.673	
				Total q	uantity =	43.3	65 Cu.m
4	Brickwork in						
4							
	super structure						
	Long wall=13.2	3	13.2	0.3	3	35.64	
	Short wall=10.2	3	10.2	0.3	3	27.54	
				Total q	uantity =	63.	18 Cu.n
	Deduction for door/window						
	DOOR	1	1.5	0.3	2.1	0.945	
	DOOR1	1	1.05	0.3	2.1	0.6615	
	DOOR2	1	1.05	0.3	2.1	0.6615	
	DOOR3	1	0.75	0.3	2.1	0.	4725
	WINDOR1	1	1.54	0.3	1.2	0.	5544
	WINDOW2	1	1.54	0.3	1.2	0.	5544
	WINDOW3	1	1.54	0.3	1.2	0.	5544
	WINDOW4	1	1.54	0.3	1.2	0.	5544
	V	1	0.6	0.3	0.6	0.108	
						5.0661	Cu.r
	Deduction for lintel						
	DOOR	1	1.8	0.3	0.15	0.081	
	DOOR	1	1.35	0.3	0.15	0.06075	
	DOOR2	1	1.35	0.3	0.15	0.06075	
	DOOR3	1	1.05	0.3	0.15	0.04725	
	WINDOW1	1	1.84	0.3	0.15		0828
	WINDOW2	1	1.84	0.3	0.15		0828
	WINDOW3	1	1.84	0.3	0.15		0828
	WINDOW4	1	1.84	0.3	0.15		0828
	V	1	0.9	0.3	0.15		0405
						0.6	2145
					eduction=	5.68755 Cu.	
				Total Q	uantity =	57.492	25 Cu.n
5	R.C.C slab, chajja, and lintel						
	R.C.C slab:						
	Breadth=9.9m	1	13.2	10.2	0.12	16.1568	
	Length=12m						
	R.C.C chajja:						
	WINDOW1	1	1.52	0.6	0.1	0.0912	
	Window2	1	1.52	0.6	0.1	0.0912	
	WINDOW3	1	1.52	0.6	0.1	0.0912	
	WINDOWS WINDOW 4	1	1.52	0.6	0.1	0.0912	
		1	1.54	0.0	0.1	0.0712	



						22.2	092 Cu.
6	2 Cm marble flooring						
	WAITING AREA	1	9.2	4		3	36.8 m.:
	CABIN ROOM	1	6	5			30 m.s
	STORE ROOM	1	6	5			30 m.
	TOILTE	1	3	3		9 m.sq	
7	Earth filling in WAITING AREA	1	9.2	4	0.48	17.66	64 Cu.n
	CABIN ROOM	1	6	5	0.48		.4 Cu.n
	STORE ROOM	1	6	5	0.48		.4 Cu.n
	TOILTE	1	3	3	0.48	4.3	32 <u>Cu.n</u>
8	Smooth plaster inside						
~	the room in c.m.(1:3)						
	WAITING AREA	2	9.2		3	55.2	
		2	4		3	24	
	CABIN ROOM	2	6		3	36	
		2	5		3	30	
	STORE ROOM	2	6		3	36	
		2	5		3	30	
	TOILET	2	3		3	18	
		2	3		3	18	
						247	.2 Sq.n
		l					
	Deduction for door and window						
	DOOR	0.5	1.5		2.1	1.575	
	DOOR1	0.5 0.5	1.5		2.1	1.575 1.1025	
	DOOR1	0.5	1.05		2.1	1.1025	
	DOOR2	0.5	0.75		2.1	0.7875	
	WINDOW1	0.5	1.54		1.2	0.924	
	WINDOW1 WINDOW2	0.5 0.5	1.54 1.54		1.2 1.2	0.924	
	WINDOW2	0.5	1.54		1.2	0.924).924
						0.924).924).924
	WINDOW2 WINDOW3	0.5 0.5	1.54 1.54		1.2 1.2	0.924	
	WINDOW2 WINDOW3 WINDOW4	0.5 0.5 0.5	1.54 1.54 1.54		1.2 1.2 1.2	0.924).924 0.18
	WINDOW2 WINDOW3 WINDOW4	0.5 0.5 0.5	1.54 1.54 1.54	Total qu	1.2 1.2 1.2	0.924).924 0.18 35 Sq.n
9	WINDOW2 WINDOW3 WINDOW4 V	0.5 0.5 0.5	1.54 1.54 1.54	Total qu	1.2 1.2 1.2 0.6	0.924).924 0.18 35 Sq.n
9	WINDOW2 WINDOW3 WINDOW4 V Smooth plaster outside	0.5 0.5 0.5	1.54 1.54 1.54	Total qu	1.2 1.2 1.2 0.6	0.924).924 0.18 35 Sq.n
9	WINDOW2 WINDOW3 WINDOW4 V	0.5 0.5 0.5	1.54 1.54 1.54	Total qı	1.2 1.2 1.2 0.6	0.924).924 0.18 35 Sq.n
9	WINDOW2 WINDOW3 WINDOW4 V Smooth plaster outside the room in c.m (1:3)	0.5 0.5 0.5 0.5	1.54 1.54 1.54 0.6	Total qu	1.2 1.2 1.2 0.6	0.924 () () () () () () () () () () () () ()).924 0.18 35 Sq.n
9	WINDOW2 WINDOW3 WINDOW4 V Smooth plaster outside the room in c.m (1:3)	0.5 0.5 0.5 0.5 2	1.54 1.54 1.54 0.6	Total qu	1.2 1.2 0.6 mantity =	0.924 () 8.443 238.75 79.2 61.2).924 0.18 35 Sq.n 57 Sq.n
9	WINDOW2 WINDOW3 WINDOW4 V Smooth plaster outside the room in c.m (1:3) ROOM Deduction for door	0.5 0.5 0.5 0.5 2	1.54 1.54 1.54 0.6	Total qu	1.2 1.2 0.6 mantity =	0.924 () 8.443 238.75 79.2 61.2).924 0.18 35 Sq.n 57 Sq.n
9	WINDOW2 WINDOW3 WINDOW4 V Smooth plaster outside the room in c.m (1:3) ROOM	0.5 0.5 0.5 0.5 2	1.54 1.54 1.54 0.6	Total qu	1.2 1.2 0.6 mantity =	0.924 () 8.443 238.75 79.2 61.2).924



	DOOR1	0.5	1.05	2.1	1.1025
	DOOR2	0.5	1.05	2.1	1.1025
	DOOR3	0.5	0.75	2.1	0.7875
	WINDOW1	0.5	1.54	1.2	0.924
	WINDOW2	0.5	1.54	1.2	0.924
	WINDOW3	0.5	1.54	1.2	0.924
	WINDOW4	0.5	1.54	1.2	0.924
	V	0.5	0.6	0.6	0.18
					8.4435 Sq.m
				Total quantity =	131.957 Sq/m
10					
	Painting in inside				
	WAILTING AREA	2	0.2	2	55.0
	WAILTING AREA	2	9.2	3	55.2
		2	4	3	24
	CABIN ROOM	2	6	3	36
		2	5	3	30
	STORE ROOM	2	6	3	36
	STORE ROOM	2			
	TOY 57		5	3	30
	TOILET	2	3	3	18
		2	3	3	1
					8
					247.2 Sq.m
	Deduction for door				217.2 54.11
	and window				
	DOOR	0.5	1.5	2.1	1.575
	DOOR1	0.5	1.05	2.1	1.1025
	DOOR2	0.5	1.05	2.1	1.1025
	DOOR3	0.5	0.75	2.1	0.7875
	WINDOW1	0.5	1.54	1.2	0.924
	WINDOW2	0.5	1.54	1.2	0.924
	WINDOW3	0.5	1.54	1.2	0.924
	WINDOW4	0.5	1.54	1.2	0.924
	V	0.5	0.6	0.6	0.18
	•	0.5	0.0	0.0	
					8.1285 Sq.m
				Total quantity =	239.072 Sq.m
11					
	Painting in outside				
├	ROOM	2	13.2	3	79.2
├	noom	2	10.2	3	61.2
		2	10.2	3	
					140.4 Sq.m
	Deduction for door				
	and window				
	DOOR	0.5	1.5	2.1	1.575
	DOOR1	0.5	1.05	2.1	1.1025
	DOOR2	0.5	1.05	2.1	1.1025
	DOOR3	0.5	0.75	2.1	0.7875
	WINDOW1	0.5	1.54	1.2	0.924
	WINDOW2	0.5	1.54	1.2	0.924
	WINDOW3	0.5	1.54	1.2	0.924
⊢	WINDOW4	0.5	1.54	1.2	0.924
-	V	0.5	0.6	0.6	0.18
-					8.4435 Sq.m
				Total quantity =	131.957 Sq.m
				i otai quantity	101.967 Sq.m




Abstract sheet of Dairy

Г


ABSTRACT OF QUANTITIES									
SR . NO.	ITEM DESCRIPTION	TOTAL QUANTITY	PER	RATE	AMOUT RS.				
1	EXCAVATION IN FOOTI.	75.82	CUMEC	90.00	6823.44				
2	PCC	18.95	CUMEC	3500.00	66339.00				
3	EARTH FILLING	50.78	CUMEC	50.00	2539.00				
4	BRICK WORK IN FOU.	43.37	CUMEC	3500.00	151777.50				
5	BRICK WORK IN S.S.	57.49	CUMEC	3500.00	201222.00				
6	RCC WORK	22.20	CUMEC	9000.00	199818.00				
7	TILES BOX (4 PEACE)	30	BOX	350.00	10500.00				
8	PLASTER	400.00	SQ.M	500.00	200000.00				
			тот	ΓAL	839018.94				
	ADD 3%	CONTINGEN	ICIES RS.		9445.28				
	ADD2% WORK	CHARGED E	STABLISH	IMENT	6296.85				
	-	854761.07							



13.1.7 Civil Design 5 Library – Socio-Cultural Design







Measurement sheet of Library

Item no.	Item description	No.	L	В	Н	Qty.
1	Excavation for foundation	1	38.11	0.9	1.1	37.72m ³
2	PCC	1	38.11	0.9	0.2	6.85m ³
3	BRICK MASONARY UPTO PLINTH LEVEL					
	STEP OF 0.6M WIDTH	1	38.86	0.6	0.3	6.99
	STEP OF 0.5M WIDTH	1	39.11	0.5	0.3	5.86
	FIRST STEP	1	1.2	0.6	0.150	0.108
	SECOND STEP	1	1.2	0.3	0.150	0.054
					Net brick work	13.012m ³
4	BRICK MASONARY ABOVE PLINTH LEVEL UPTO SLAB C.M (1:6)	1	39.79	0.225	3	26.85 m ³



	DEDUCTION FOR DOORS					
		_				
	D1	2	1	0.225	2	0.90
	D2	1	1	0.225	2	0.45
	WINDOWS	6	1	0.225	1	1.35
	LINTEL					
	DOORS	3	1.3	0.225	0.15	0.131
	WINDOWS	6	1.3	0.225	0.15	0.263
					Net brick work	23.75m ³
5	RCC WORK					

	Slab	1	10	10	0.15	15
	LINTEL	1	11.7	0.225	0.15	0.39
					Tota 1 RC	15.39m ³
					C work	
6	FLOORING	1	9.325	9.325		86.95m ²
-						
7	INSIDE SMOOTH PLASTER OF WALL AND CELLING (10 MM THICK)					
	BOOK SELF	2	3.2		3	19.2m ²
		2	4.1		3	24.6
	STUDY ROOM	2	3.2		3	19.2
		2	3.7		3	22.2
	READING AREA	2	5.1		3	30.6
		2	9.7		3	58.2
	CELLING					



District: Mehsana

BOOK SELF	1	3.2	4.1		13.1
STUDY ROOM	1	3.2	3.7		11.8
READING ROOM	1	5.1	9.7		49.47
				TOTAL PLASTER	248.37m ²
DEDUCTION FOR DOORS AND WINDOWS					
DOORS	1.5	1		2	3
WINDOWS	3	1		1	3
				NET PLASTER	242.37m ²


Abstract sheet of Library

	ABSTRACT OF QUANTITIES								
SR . NO.	ITEM DESCRIPTION	TOTAL QUANTITY	PER	RATE	AMOUT RS.				
1	EXCAVATION IN FOOTI.	37.72	CUMEC	90.00	3394.80				
2	PCC	6.85	CUMEC	3500.00	23975.00				
3	EARTH FILLING	50.78	CUMEC	50.00	2539.00				
4	BRICK WORK IN FOU.	13.01	CUMEC	3500.00	45542.00				
5	BRICK WORK IN S.S.	23.17	CUMEC	3500.00	81095.00				
6	RCC WORK	15.39	CUMEC	9000.00	138510.00				
7	TILES BOX (4 PEACE)	30	BOX	350.00	10500.00				
8	PLASTER	242.42	SQ.M	500.00	121210.00				
			TOTAL		426765.80				
	ADD 3%	CONTINGEN	ICIES RS.	9445.28					
	ADD2% WORK	CHARGED ESTABLISHMENT			6296.85				
			442507.93						




13.1.8 Civil Design 6 Over head water tank
















DECRIPTION	NOS.	Length	Breadth	Area	Depth	QTY.
OF WORK		(m)	(m)	(m ²)	(m)	
EARTH WORK	1			64.32	2	128.64m ³
IN						
EXCUVATION						
EARTH WORK	1					100.198m ³
IN FILLING						
R.CC WORK IN	1			64.32	0.4	25.728m ³
FOUNDATION						
(1:1.5:3)						
RCC WORK IN	6			0.282	1.6	2.714 m ³
COLOUMNS						
BELOW G.L						
(1:1.5:3)						
RCC WORK IN	6			0.282	4	6.785 m^3
COLOUMNS						
ABOVE						
G.L UPTO 4M						
HT (1:1.5:3)						
RCC WORK IN	6			0.282	4	6.785 m^3
COLOUMNS						
FROM						
4M TO 8M						
HT(1:1.5:3)						
RCC WORK IN	6			0.282	4	6.785 m^3
COLOUMNS						
FROM						
8M TO 12M HT						
(1:1.5:3)						,
TOTAL RCC						23.069 m ³
WORK						
IN COLOUMNS						
(1:1.5:3)						4
RCC WORK IN	1	18.535	0.3		0.3	1.668 m ³
BRACING AT						
4m HT (1:1.5:3)						4
RCC WORK IN	1	17.278	0.3		0.3	1.555 m^3
BRACING AT						
8m HT(1:1.5:3)						
RCC WORK IN	1	23.56	0.3		0.52	2.675 m^3

Measurement sheet of water tank



RING BEAM AT						
BOTTOM OF						
THE CL WALL						
(1:1.5:3)						
RCC WORK IN	1	23.56	0.16	99.95	0.225	0.848 m ³
RING BEAM AT						
ТОР						
OF THE CL						
WALL (1:1.5:3)						
RCC WORK IN	1				0.1	9.995 m ³
DOMED	1			47.06	0.25	11.751 m ³
ROOF(1:1.5:3)						
RCC WORK IN						
CONICAL SLAB						
(1:1.5:3)						
RCC WORK IN	1			38.76	0.2	7.752 m ³
CONICAL						
DOME (1:1.5:3)						
RCC WORK IN	1		0.215	117.8	5	126.35 m ³
CYLINDRICAL						
WALL (1:1.5:3)						
DEDUCTIONS	2X6	0.3	0.3		0.6	
IN						
RCC WORK IN						
BRACINGS IN						
COLOUMNS						
T0TAL RCC						22.901 m ³
WORK						
IN COLOUMNS						
AFTER						
DEDUCTIONS						
TOTAL RCC						138.174 m ³
WORK						
PLASTERING IN	1			47.06		47.006 m ²
C M (1:2) FOR						
INNER						
SURFACE OF						
CONIVAL						+ +
SLAB (12MM)						+ +
PLASTERING IN				60.2		60.2 m^2
C M (1:6) FOR				00.2		00.2 m
OUTER						+ +
SURFACE OF						+ +
SURFACE OF			 			



CONICAL					
SLAB (12MM)					
PLASTERING IN	1		38.76		38.76 m ²
C M (1:2) FOR	-				
INNER					
SURFACE OF					
CONICAL					
DOME (12MM)					
PLASTERING IN			43.135		43.135 m ²
C M (1:6) FOR			4 5.155		45.155 m
OUTER					
SURFACE OF					
CONICALDOME					
(12MM)					
PLASTERING			117.8		117.8 m ²
			117.0		11/.8 III
$\frac{IN}{CM(1,2)} = CP$					
C M (1:2) FOR					
INNER					
SURFACE OF					
CYLINDRICAL					
WALL (12MM)					
PLASTERING IN			125.03		125.03 m ²
C M (1:6) FOR					
OUTER					
SURFACE OF					
CYLINDRICAL					
WALL 12mm					
PLASTERING IN			96.5		96.556 m ²
C M (1:2) FOR					
INNER					
SURFACE OF					
DOMED 12mm					
PLASTERING IN			99.95		99.95 m^2
C M (1:6) FOR					
OUTER					
SURFACE OF					
DOMED ROOF					
PLASTERING IN	6		45.23		271.433 m ²
C M (1:6) FOR					
COLUMNS12mm					
PLASTERING IN	1	16.022		0.6	91.732 m ²
C M (1:6) FOR					
CIRCULAR					
GIRDER (12MM)					
				1	



PLASTERING IN		23.56	0.16			18.213 m ²
C M (1:2) FOR						
RING						
BEAM AT TOP						
(12MM)						
PLASTERING IN		23.56	0.3		0.225	38.95 m ²
C M (1:2) FOR						
RING						
BEAM AT						
BOTTOM						
(12MM)						
PLASTERING IN		18.535	0.3		0.52	22.422 m^2
C M (1:6) FOR						
BRACING AT						
4M HT 12mm						
PLASTERING IN		17.278	0.3		0.3	20.936 m^2
C M (1:6) FOR						
BRACING AT						
8M HT12mm						
TOTAL					0.3	357.289 m ²
PLASTERING IN						
CM (1:2) 12MM						
THICK						
TOTAL						652.838 m^2
PLASTERING IN						
CM(1:6) 12MM						
THICK WATER						647.174 m ²
PROOF						
CEMENT						
PAINTING						
FOR TANK						
PORTION						
WHITE	6			45.23		271.433 m ²
WASHING						
FOR COLUMNS						
TOTAL WHITE						918.607 m ²
WASHING						



DESCRIPTION	QUANTITY	RATE	PER	AMOUNT
R.C.C work in foundation (1:1.5:3)	25.728	5538/-	CUM	1,42,482/-
Total R.C.C work in column (1:1.5:3)	23.069	7383/-	CUM	1,70,322/-
R.C.C work in ring beam at top of the CL wall(1:1.5:3)	0.848	7450/-	CUM	6,318/-
R.C.C work in	9.995	61141/-	CUM	6,11,105/-
R.C.C. work in conical dome (1:1.5:3)	7.752	25035/-	CUM	1,94,072/-
R.C.C. work in cylindrical wall	126.635	7249/-	CUM	9,17,978/-
V.R.C.C (1:1 ¹ / ₂ :3)20 mm size HBG, machine crushed chips including cost, seignorage and conveyance of all materials and labour charges such as Machine mixing, vibrating, curing etc., -ring beam at bottom of cylindrical wall – SF	3.675	7854/-	CUM	28,866/-
V.R.C.C (1:1 ¹ / ₂ :3)20 mm size HBG, machine crushed chips including cost, seignorage and conveyance of all materials and labour charges such as Machine mixing, vibrating, curing etc., -circular girder – SF	3.845	6914/-	CUM	26,585/-
V.R.C.C (1:1 ½ :3)20	11.751	25035/-	CUM	2,94,187

Abstract sheet of water tank



mm size HBG, machine crushed chips including cost, seignorage and conveyance of all materials and labour charges such as Machine mixing, vibrating, curing etc., -inclind cone shaped slab – SF				
V.R.C.C (1:1 ¹ / ₂ :3)20 mm size HBG, machine crushed chips including cost, seignorage and conveyance of all materials and labour charges such as Machine mixing, vibrating, curing etc., - Bracing at 4m height- Sift	1.668	7498/-	CUM	12,507/-
V.R.C.C (1:1 ¹ / ₂ :3)20 mm size HBG, machine crushed chips including cost, seignorage and conveyance of all materials and labour charges such as Machine mixing, vibrating, curing etc., - Bracing ay 8mheigh - Sift	1.555	7617/-	CUM	11,845/-
Supplying, placing and fitting of HYSD bars reinforcement, complete as per drawings and technical specifications for bars below 36mm dia including over laps	41.45	55419/-	МТ	22,97,240/-



13.2 Reason for Students Recommending this Design

In Vadpura Village, all types of basic facilities like physical and social infrastructures, as mentioned below, are already available. But some of the socio-cultural facilities are missing. So in our report we have suggested some of the designs of the building as follows :

PART: I

1. School Design4. Main gate2. Community hall5. Anganwadi3. Solid waste management6. Septic tank

PART: II

7. Bus stand: In the village there is bus stand but it is in maintenance there is no buses are coming for that we have planning to design one of the most attractive bus stands for villagers to made easy travel experience in nearby cities.

8. Panchayat building: In the village there is panchayat building but it is in maintenance. For easiness of villager we design the panchayat building.

9. PHC: In village health center is required for Public by undertaking the requirement of the villagers we have design the Public health center.

10. Milk dairy: In the village there is Dairy but it is in maintenance. For better use of building and other facility of villager we provide the dairy.

11. Library: In Vadpura village has no library, so we planning, design and estimation and costing of Library.

12. Over head Water tank: In the village there is water tank but it is in maintenance. For better use of building and other facility of villager we provide in the village.

13.3 About designs Suggestions / Benefit of the villagers

- Sustainable Infrastructure Facilities should need such as: Green building, Solar system, Biogas plant, Rainwater Harvesting, etc.
- Physical Infrastructure Facilities should need such as: primary school, drainage system, bus stand, sanitation facilities, Child Welfare center etc.
- Social Infrastructure Facilities should need such as: Farmer help center, Anganwadi,Police station, hospitals, community Housing, General market, etc.
- Socio-Cultural Infrastructure Facilities should need such as: Skill development classes, Govt. grocery shop, Community hall, Library, Auditorium, Recreational activities, pickup stand etc.
- Smart Infrastructure Facilities should need such as: Cow milk farm, RO- water plant.
- If these structures available in the village, Villager can easily get the advantages of the system and they not need to depend on other town, good drainage system and sanitation facility in village ensure the good health and well-being of people.



CHEPTER: 14 14. Technical Options with Case Studies

14.1 Civil Engineering

14.1.1 Advanced Earthquake Resistant

Earthquake-resistant structures are structures designed to protect buildings from earthquakes. While no structure can be entirely immune to damage from earthquakes, the goal of earthquakeresistant construction is to erect structures that fare better during seismic activity than their conventional counterparts. According to building codes, earthquakeresistant structures are intended to withstand the largest earthquake of a certain probability that is likely to occur at their location. Currently, there are several design philosophies in earthquake

engineering, making use of experimental results, computer simulations and

Figure 60 Advanced earthquake resistant

observations from past earthquakes to offer the required performance for the seismic threat at the site of interest.

These range from appropriately sizing the structure to be strong and ductile enough to survive the shaking with an acceptable damage. The conventional approach to earthquake resistant design of buildings depends upon providing the building with strength, stiffness and inelastic deformation capacity which are great enough to withstand a given level of earthquakegenerated force. This is generally accomplished through the selection of an appropriate structural configuration and the careful detailing of structural members, such as beams and columns, and the connections between them. But more advanced techniques for earthquake resistance is not to strengthen the building, but to reduce the earthquake-generated forces acting upon it.

Among the most important advanced techniques of earthquake resistant design and construction are:

- 1. Base Isolation
- 2. Energy Dissipation Devices

Base Isolation Method of Earthquake Resistant Design

A base isolated structure is supported by a series of bearing pads which are placed between the building and the building's foundation. A variety of different



Figure 61 Base isolation



types of base isolation bearing pads have now been developed. The bearing is very stiff and strong in the vertical direction, but flexible in the horizontal direction.

To get a basic idea of how base isolation works, examine Figure. This shows an earthquake acting on both a base isolated building and a conventional, fixed-base, and building. As a result of an earthquake, the ground beneath each building begins to move. In Figure, it is shown moving to the left. Each building responds with movement which tends toward the right. The building undergoes displacement towards the right. The building's displacement in the direction opposite the ground motion is actually due to inertia. The inertial forces acting on a building are the most important of all those generated during an earthquake. It is important to know that the inertial forces which the building undergoes are proportional to the building's acceleration during ground motion. It is also important to realize that buildings don't actually shift in only one direction. Because of the complex nature of earthquake ground motion, the building actually tends to vibrate back and forth in varying directions. By contrast, even though it too displacing, the base-isolated building retains its original, rectangular shape. It is the lead-rubber bearings supporting the building that are deformed.

The base-isolated building itself escapes the deformation and damage, which implies that the inertial forces acting on the base-isolated building have been reduced. Experiments and observations of base-isolated buildings in earthquakes have been shown to reduce building accelerations to as little as 1/4 of the acceleration of comparable fixed-base buildings, which each building undergoes as a percentage of gravity. As we noted above, inertial forces increase, and decrease, proportionally as acceleration increases or decreases. Acceleration is decreased because the base isolation system lengthens a building's period of vibration, the time it takes for the building to rock back and forth and then back again. And in general, structures with longer periods of vibration tend to reduce acceleration, while those with shorter periods tend to increase or amplify acceleration. Finally, since they are highly elastic, the rubber isolation bearings don't suffer any damage. But the lead plug in the middle of our example bearing experiences the same deformation as the rubber. However, it generates heat.

Energy Dissipation Devices

The second of the major new techniques for improving the earthquake resistance of buildings also relies upon damping and energy dissipation, but it greatly extends the damping and energy dissipation provided by lead-rubber bearings. As we've said, a certain amount of vibration energy is transferred to the building by earthquake ground motion. Buildings themselves do possess an inherent ability to dissipate, or damp, this energy. However, the capacity of buildings to dissipate energy before they

begin to suffer deformation and damage is quite limited. The building will dissipate



Figure 62 Energy dissipation devices



energy either by undergoing large scale movement or sustaining increased internal strains in elements such as the building's columns and beams. Both of these eventually result in varying degrees of damage. So, by equipping a building with additional devices which have high damping capacity, we can greatly decrease the seismic energy entering the building, and thus decrease building damage. Accordingly, a wide range of energy dissipation devices have been developed and are now being installed in real buildings. Energy dissipation devices are also often called damping devices. The large number of damping devices that have been developed can be grouped into three broad categories: Friction Dampers: these utilize frictional forces to dissipate energy Metallic Dampers: utilize the deformation of metal elements within the damper Viscoelastic Dampers: utilize the controlled shearing of solids Viscous Dampers: utilized the forced movement (orificing) of fluids within the damp.

Construction Methods

1. Base-isolation is designed in buildings. It is a building designed to reduce amount of energy that reaches the building during earthquake.

2. Flexible joints and automatic shut off valves can be installed. Protecting Against Earthquake Damage Prepare a Seismic Risk Map for the globe which identifies rock types, liquefaction potential, land slide potential. Extensive geological surveying has to be done to identify all active faults, including hidden faults. Earthquake Resistant Design of Structures Enact building codes to design and build earthquake-resistant structures in high seismic risk areas. Wood steel and reinforced concrete are preferred as they tend to move with the shaking ground (unreinforced concrete and heavy masonry tend to move independently and in opposition to the shaking, battering one another until the structure collapses).

14.1.2 Seismic Retrofitting of Buildings

Seismic retrofitting is the modification of existing structures to make them more resistant to seismic activity, ground motion, or soil failure due to earthquakes. These codes must be regularly updated; the 1994 Northridge earthquake brought to light the brittleness of welded steel frames.

Performance objectives

In the past, seismic retrofit was primarily applied to achieve public safety, with engineering solutions limited by economic and political considerations. However, with the development of <u>Performance-Based Earthquake Engineering</u> (PBEE), several levels of performance objectives are gradually recognized:

- Public safety only. The goal is to protect human life, ensuring that the structure will not collapse upon its occupants or passersby, and that the structure can be safely exited. Under severe seismic conditions the structure may be a total economic write-off, requiring tear-down and replacement.
- Structure survivability. The goal is that the structure, while remaining safe for exit, may require extensive repair (but not replacement) before it is generally useful or considered safe for occupation. This is typically the lowest level of retrofit applied to bridges.
- Structure functionality. Primary structure undamaged and the structure are undiminished in utility for its primary application. A high level of retrofit, this ensures that any required

repairs are only "cosmetic" – for example, minor cracks in plaster, drywall and stucco. This is the minimum acceptable level of retrofit for hospitals.

• Structure unaffected. This level of retrofit is preferred for historic structures of high cultural significance.

Techniques

Common seismic retrofitting techniques fall into several categories:

A) External post-tensioning

The use of external post tensioning for new structural systems have been developed in the past decade. Under the PRESS (Precast Seismic Structural Systems), a large-scale U.S./Japan joint research program, unbounded post-tensioning high strength steel tendons have been used to achieve a moment-resisting system that has self-centering capacity. An extension of the same idea for seismic retrofitting has been experimentally tested for seismic retrofit of California bridges under a Caltrans research project and for seismic retrofit of non-ductile reinforced concrete frames. Pre-stressing can increase the capacity of structural elements such as beam, column and beam-column joints. External pre-stressing has been used for structural upgrade for gravity/live loading since the 1970s.

B) Supplementary dampers

Supplementary dampers absorb the energy of motion and convert it to heat, thus damping resonant effects in structures that are rigidly attached to the ground. In addition to adding energy dissipation capacity to the structure, supplementary damping can reduce the displacement and acceleration demand within the structures. In some cases, the threat of damage does not come from the initial shock itself, but rather from the periodic resonant motion of the structure that repeated ground motion induces. In the practical sense, supplementary dampers act similarly to Shock absorbers used in automotive suspensions.

C) Tuned mass dampers

Tuned mass dampers (TMD) employ movable weights on some sort of springs. These are typically employed to reduce wind sway in very tall, light buildings. Similar designs may be employed to impart earthquake resistance in eight to ten story buildings that are prone to destructive earthquake induced resonances. D) Slosh tank

A slosh tank is a large container of low viscosity fluid (usually water) that may be placed at locations in a structure where lateral swaying motions are significant, such as the roof, and tuned to counter



Figure 63 Tuned mass dampers

the local resonant dynamic motion. During a seismic (or wind) event the fluid in the tank will slosh back and forth with the fluid motion usually directed and controlled by internal baffles – partitions that prevent the tank itself becoming resonant with the structure, The net dynamic response of the overall structure is reduced due to both the counteracting movement of mass, as well as energy dissipation or vibration damping which occurs when the fluid's kinetic energy is



converted to heat by the baffles. Generally, the temperature rise in the system will be minimal and is passively cooled by the surrounding air. One Rincon Hill in San Francisco is a skyscraper with a rooftop slosh tank which was designed primarily to reduce the magnitude of lateral swaying motion from wind. A slosh tank is a passive tuned mass damper. In order to be effective, the mass of the liquid is usually on the order of 1% to 5% of the mass it is counteracting, and often this requires a significant volume of liquid. In some cases, these systems are designed to double as emergency water cisterns for fire suppression.

E) Infill shear trusses

Shown here is an exterior shear reinforcement of a conventional reinforced concrete dormitory building. In this case, there was sufficient vertical strength in the building columns and sufficient shear strength in the lower stories that only limited shear reinforcement was required to make it earthquake resistant for this location near the Hayward fault.



Figure 64 Infill shear trusses

14.1.3 Advance Practices in Construction field in Modern Material, Techniques and Equipment's Advancements in Concrete

A) High Performance Concrete

Lafarge has developed a whole new family of concretes called Ductile. These concretes have high compressive and flexural strength, and their special characteristics enable the achievement of outstanding architectural feats. Ductile concrete incorporates strengthening fibers and opens the horizon to ultra-high



Figure 65 High performance concrete



performance due to its special composition which provides it with outstanding strength, six to eight times greater than traditional concrete (under compression). "Fiber-reinforced" means that it contains metal fibers which make it a ductile material. Highly resistant to bending, its great flexural strength means it can withstand significant transformations without breaking. Ductile also comes with organic fibers for applications with less load and for advanced architectural applications.

B) Light Transmitting Concrete

The days of dull, grey concrete could be about to end. A Hungarian architect has combined the world's most popular building material with optical fiber from Schott to create a new type of concrete that transmits light. A wall made of "LitraCon" allegedly has the strength of traditional concrete but thanks to an embedded array of glass fibers can display a view of the outside world, such as the silhouette of a tree, for example. "Thousands of optical glass fibers form a matrix and run parallel to each other between the two main surfaces of every block," explained its inventor, Aron Losonczi. "Shadows on the lighter



Figure 66Light transmitting concrete

side will appear with sharp outlines on the darker one. Even the colors' remain the same. This special effect

creates the general impression that the thickness and weight of a concrete wall will disappear. "The hope is that the new material will transform the interior appearance of concrete buildings by making them feel light and airy rather than dark and heavy.

C) Pervious Concrete

Pervious pavement is a cement-based concrete product that has a porous structure which allows rainwater to pass directly through the pavement and into the soil naturally. This porosity is achieved without compromising the strength, durability, or integrity of the concrete structure itself. The pavement is comprised of a special blend of Portland cement coarse aggregate rock, and water. Once dried, the pavement has a porous texture that allows water to drain through it at the rate of 8 to 12 gallons per minute per square foot. Tests conclude that a square foot of Bahia sod drains at the rate of 2 1/2 to 3 gallons per minute. According to the manufacturer, this rapid flow-through ratio inspired the phrase "the pavement that drinks water."



Figure 67 Pervious concrete



D) Aerated Concrete

It was discovered in 1914 in Sweden that adding aluminum powder to cement, lime, water, and finely ground sand caused the mixture to expand dramatically. The Swedes allowed this "foamed" concrete to harden in a mold, and then they cured it in a pressurized steam chamber an autoclave. Autoclaved aerated concrete is produced by about 200 plants in 35 countries and is used extensively in residential, commercial, and industrial buildings. At a density of roughly one-fifth that of conventional concrete and a compressive strength of about one-tenth, AAC is



Figure 69 Aerated concrete

used in load-bearing walls only in low-rise buildings. In high-rises, AAC is used in partition and curtain walls.

E) Floating Concrete

By replacing sand and gravel with tiny polymeric spheres, University of Washington materials scientists have created a concrete stronger than traditional concrete but so light it floats in water. The team won the regional American Society of Civil Engineers Concrete Canoe Competition last year.



Figure 68 Floating concrete

Foamed Aluminum

"Light-as-air, stronger-than-steel materials are

just beginning to shape our world. Foamed aluminum first emerged from the lab in the frame of a 1998 Karman concept car. Ten times stronger than traditional aluminum at just one tenth the weight, the material allows a more fuel-efficient vehicle. Its isotropic cellular structure helps the frame absorb shock and serves as an insulating firewall between the engine and the rest of the car. The foaming process can also be applied to steel, lead, tin, and zinc." The product is a high strength, extremely light weight material that possesses high durability, excellent finish and lasting value. The foam comes in an assortment of densities and sizes up to five feet wide and up to fifty feet long. It has numerous applications including architectural, automotive, marine, military, aviation, transportation, electronics, appliances, and signage.

Woven Stainless Steel

K5 New York is now offering woven stainless steel in 18 different weaves, produced in Switzerland by G. Bopp. This product has been used in projects as diverse as railing systems and furniture components. Custom weaves and patterns are also possible.

Creative Weaves Metal Mesh

Metal meshes have been known as decorative and functional design elements in architecture for only a few years. During the continuous product development along with ordinary use such as a fence element it became clear that metal meshes also have



considerable technical advantages which are extremely relevant in the field of architecture. Today, the architect has a wide range of mesh samples at hand, with weaving widths up to eight meters, which allow for great design flexibility. Woven metallic meshes used as partition elements convey a new dimension to any space. They can be used as projection screens, and, taking into account their acoustic characteristics, are suitable for the use in public buildings, opera houses and concert halls.





Figure 70 Creative weaves metal mess

Laminated Thermo Plastic Panels

Blizzard Composite GmbH manufactures hightech plastic composites for the architectural field as well as the trucking industry. Their core expanding machinery heats up and vertically expands solid thermoplastic sheets, which are then processed into sandwich panels by lamination equipment. Due to the unique geometry of the Pep Core, the panels are of low weight and provide an excellent combination of high stiffness and compressive strength.



Other Super Performing Multi Purposed Material

- Geoweb: Cellular confinement system for vertical vegetation for green walls.
- Aero Foamed Aluminum: Tightly corrugated aluminum sheets as in bamboo mats.
- Flexible Framing Track: For flexible outlining and fencing. A fence framed in metallic frame.
- **3D Molded Plywood:** Fast manufacturing furniture.
- Corrugated Glass: For inside esthetic and thermal insulation.
- **Braille Tiles:** Exclusively for people with weak eye sight or completely blind when it comes to universal design.

Some Repurposed Materials and techniques

• **Rubber Sidewalks:** Sidewalks or walkways made using used tires and hard boarding sheets. **Strawboard:** Made from agro waste mainly.



Figure 71 Laminated thermo plastic panel

- **Biogases Boards:** Boards made of material left from sugarcane after extracting juice.
- Natural Fiber Insulation: Insulation panels made out of used cloths.
- Frit: Fine powdered glass from waste with ceramics remolded for reuse.
- Acoustic-cell: Boards made for acoustics from rubber shredding.
- **Plasphalt:** Plastic blended with asphalt on roads for waste management.
- Fly-Ash Concrete: Using Fly-ash residue as strengthening material with cement

Materials	Uses	Advantages
High Performance Concrete	Beam	On long span structures like bridges and halls
Light Transmitting Concrete	Interior Walls	Energy Saving
Pervious Concrete	Paving, Parking, Walkways	Will be permeable for water supporting water table recharge
Floating Concrete	Marine architecture	Will save construction cost
Weave Metal Mesh	Half walls, Fences, Acoustic walls	Cost and time effective
Aero gel	Skylight, Thermal panels	Heat resistive, transparent
Super Black	Paints, Varnishes and Finishes	Less Reflective, absorptive
Banner Work	Shading device, Landscape element	Time, Cost, Energy efficient
Geoweb	Vertical Gardening, Green walls	Energy conserving, Water conserving
Framing Track	Flexible boundaries and Fences	Quick and versatile
3D Molded Plywood	Furniture, Formworks	Time Saving, Repetitive design
Braille Tiles	On Floor or Walls	Signage for Blinds
Rubber Side Walks	Foot path, Walkways	Waste managing, Time saving, Eco-Friendly
Natural Fiber Insulation	Thermal Panels, Blocks	Re-Used Technique i,Re- purposed
Fly Ash Concrete	Beams, Columns, Slab	Repurposed, Provides strength to base material

14.1.4 Engineering Aspects of Soil mechanics - Environmental Impact Assessment What is Environmental Impact Assessment?

- ▶ It is the process or study which identifies the effects of a proposed industrial/infrastructural project on the environment.
- It prevents a proposed activity/project from being approved without proper impact assessment and attempts to compare various alternatives proposed for a project, preferring the alternative that best represents both economic and environmental interests.
- EIA is statutorily backed by the Environment Protection Act, 1986 which contains the framework for EIA methodology and process.

History of EIA in India

- India is a signatory to Stockholm Declaration (1972) on environment, and subsequently enacted laws to control pollution in water (Water act of 1974) and air (Air act of 1981).
- Following the Bhopal gas tragedy in 1984, India legislated an umbrella act -The environment (protection) act of 1986
- In 1994, India set up a legal framework: The first EIA notification, under the Environment (Protection) act 1986 for regulating projects that access, utilize, and affect the environment.
- The second EIA notification was legislated in 2006 which mandated obtaining environmental clearance for multiple categories of Projects/Industries.

Process of EIA:

The assessment process is carried out by an Expert Appraisal Committee (EAC) which comprises of experts in environmental sciences and Project Management Experts.

Procedure:

- **Scoping:** The project's potential impact on the environment, impact on nearby population is listed along with mitigation possibilities.
- **Preparation of Initial EIA Draft:** After Scoping the initial report is prepared listing out the baseline data gathered along with various alternatives available.
- **Public Consultation:** The initial EIA draft is then legally required to be presented to the concerned public for gathering their inputs. Concerned public meaning anyone that falls under the impact zone of the project.
- **Preparation and Appraisal of final EIA Draft:** After gathering and assessing the public input, the final EIA draft is prepared and goes through appraisal.
- Grant or rejection of Environmental Clearance: The Final EIA draft is then forwarded to the regulatory authority which in this case is the Ministry of Environment, Forests and Climate Change (MOEFCC). Ordinarily the ministry accepts the report sent by the Expert appraisal committee.

14.1.5 Water Supply-Sewerage system-Waste Water- Sustainable development techniques Water supply system

The system is responsible for supplying water to the house 24/7. In order to achieve it, people install different equipment for pumping, storing, cleaning, limiting and supplying water to the house.

The first step is to choose **the source of drinking water** - it can be a borehole, a well, or a general city water supply. A well is easier and cheaper to implement, but a borehole can provide us with pure water (in other words, artesian). In addition, a borehole provides mostly unlimited supply of water, which cannot be said about a well. If to count in a very general numbers, we can say that a borehole in just one hour of time can provide you with such amount of water, which for a well will take a day to provide. Well, we are good with the sources of water, now it is a high time to take a look at the equipment for supplying water to the house - the pumps.



Pumps can be of two types: surface mounted or submersible. Even from the names themselves we can figure out their principles of work – surface mounted pumps supply water from the upper layers, submersible ones – from more significant depths.

Another absolutely necessary element of the water supply system is a water supply network, which includes wiring and final destination points.

Sewerage

Sewage system is responsible for the diversion of wastewater into special treatment facilities (septic tanks) and its purification there. When installing a sewage system, it is highly important to take into account the location of the equipment, as well as the distance between the water pipe and the sewage system itself. Since the sewage system affects the state of the environment, its misplacement can be prosecuted. Therefore, in order to protect you from any risks, it is better to leave this work to professionals who will take into account all the important moments and even minor details.

What is wastewater?

Wastewater is any water that has been contaminated by human use. It is "used water from any combination of domestic, industrial, commercial or agricultural activities, surface runoff or storm water, and any sewer inflow or sewer infiltration".

We consider wastewater treatment as a water use because it is so interconnected with the other uses of water. Much of the water used by homes, industries, and businesses must be treated before it is released back to the environment.

If the term "wastewater treatment" is confusing to you, you might think of it as "sewage treatment." Nature has an amazing ability to cope with small amounts of water wastes and pollution, but it would be overwhelmed if we didn't treat the billions of gallons of wastewater and sewage produced every day before releasing it back to the environment. Treatment plants reduce pollutants in wastewater to a level nature can handle.

Why Treat Wastewater?

It's a matter of caring for our environment and for our own health. There are a lot of good reasons why keeping our water clean are an important priority:

Fisheries: Clean water is critical to plants and animals that live in water. This is important to the fishing industry, sport fishing enthusiasts, and future generations.

Wildlife habitats: Our rivers and ocean waters teem with life that depends on shoreline, beaches and marshes. They are critical habitats for hundreds of species of fish and other aquatic life. Migratory water birds use the areas for resting and feeding.

Recreation and quality of life: Water is a great playground_for us all. The scenic and recreational values of our waters are reasoning many people choose to live where they do. Visitors are drawn to water activities such as swimming, fishing, boating and picnicking.



Health concerns: If it is not properly cleaned, water can carry disease. Since we live, work and play so close to water, harmful bacteria have to be removed to make water safe.

Effects of wastewater pollutants

If wastewater is not properly treated, then the environment and human health can be negatively impacted. These impacts can include harm to fish and wildlife populations, oxygen depletion, beach closures and other restrictions on recreational water use, restrictions on fish and shellfish harvesting and contamination of drinking water. Environment Canada provides some examples of pollutants that can be found in wastewater and the potentially harmful effects these substances can have on ecosystems and human health:

- Decaying organic matter and debris can use up the dissolved oxygen in a lake so fish and another aquatic biota cannot survive;
- Excessive nutrients, such as phosphorus and nitrogen (including ammonia), can cause eutrophication, or over-fertilization of receiving waters, which can be toxic to aquatic organisms, promote excessive plant growth, reduce available oxygen, harm spawning grounds, alter habitat and lead to a decline in certain species;
- Chlorine compounds and inorganic chloramines can be toxic to aquatic invertebrates, algae and fish;
- Bacteria, viruses and disease-causing pathogens can pollute beaches and contaminate shellfish populations, leading to restrictions on human recreation, drinking water consumption and shellfish consumption;
- Metals, such as mercury, lead, cadmium, chromium and arsenic can have acute and chronic toxic effects on species.
- Other substances such as some pharmaceutical and personal care products, primarily entering the environment in wastewater effluents, may also pose threats to human health, aquatic life and wildlife.

Waste water treatment

The major aim of wastewater treatment is to remove as much of the suspended solids as possible before the remaining water, called effluent, is discharged back to the environment. As solid material decays, it uses up oxygen, which is needed by the plants and animals living in the water.

"Primary treatment" removes about 60 percent of suspended solids from wastewater. This treatment also involves aerating (stirring up) the wastewater, to put oxygen back in. Secondary treatment removes more than 90 percent of suspended solids.



Figure 72 WTP



Sustainable Development Techniques

It is the practice of using guidelines for environmentally responsible and energy savings to create new development projects and to maintain and retrofit older projects.

It can include using green materials in new construction, designing projects that can harvest their own energy to reduce the load on a power grid, or that incorporate green space in order to counterbalance the green space removed to build the onsite facilities. Sustainable development involves satisfying the needs of the present population without endangering the capability of the future population to satisfy its own needs. It's about improving the wellbeing of everyone wherever they are and achieving this milestone collectively. Sustainable development also digs deeper.

Techniques:

1. Eradication of poverty across the world

These organizations primarily focus on the least developed and low-income countries where poverty is rife.

They aim to eradicate poverty across the board by expanding social protection programs like school feeding, cash transfers, targeted food assistance, social insurance and labor market programs such as skill training, old-age pensions, wage subsidies, unemployment insurance, disability pensions and so on.

2. Promotion of good health and well being

This sustainable development goal seeks to ensure good health and well-being for all at each stage of life. The goal takes into account all the main health priorities such as maternal and child health, reproductive health, environmental, communicable and non-communicable diseases, universal health coverage, and access to quality, safe, effective, and affordable vaccines and medicines. It also advocates for enhanced health financing, increased research and development, strengthening the capacity of every country engaged in health risk prevention and management.

3. Provision of Quality Education for All

These bodies have realized that the level of child school dropout is at an all-time high. This gap must be closed to ensure sustainable future development even as international community's work to ensure quality and equity in the education sector. In a nutshell, this goal seeks to ensure equitable and inclusive quality education and promotion of long-life learning opportunities.

4. Provision of Clean Water and Sanitation

Water and sanitation are on top of the chart regarding sustainable development. They are critical to the survival of humans and the planet. This goal aims to address aspects relating to sanitation, hygiene, drinking water and the quality and sustainability of water resources across the globe.



5. Building up Strong Infrastructure, Supporting Inclusive and Sustainable Industrialization and Incubating Innovation

This goal takes into account three aspects of sustainable development: industrialization, infrastructure, and innovation. Infrastructure is vital because it offers the basic framework necessary to smooth the running of enterprise and society at large. Industrialization drives up economic development, yield job opportunities, hence, reducing levels of poverty. Innovation enhances the technological abilities of industrial sectors and triggers the development of innovative skills.

6. Enabling Access to Affordable and Clean Energy

Energy is the most critical resource to achieving most of the sustainable development goals. Energy plays a vital role in mitigating poverty through advancements in industrialization, education, water supply and health and fighting climate change. This sustainable development goal focuses on developing and expanding renewable energy resources such as sun, wind, hydropower, liquid and solid befouls, biogas and geothermal. These renewable sources of energy don't emit greenhouse gasses to the atmosphere and therefore are ideal for the environment and human health.

7. Achieving Gender Equality

In the past few decades, gender equality and women empowerment have been agendas for most governments for long-term sustainable development. Access to education for girls has since improved, the percentage of child marriage has plummeted, and huge leaps have been taken in the domain of sexual and reproductive health and rights such as the dramatic reduction in maternal health. Although there is still a long way to go to reach this milestone, organizations are using every ounce of their energy and throwing in resources to ensure the dream is realized.

There are other sustainable development goals set by these bodies including decent jobs and economic growth, sustainable cities and communities, conservation of sea, ocean and marine resources, combating climate change, sustainable consumption and production patterns and much more.





Figure 73 Achieving gender equality



CHEPTER: 15 15. Smart and/or Sustainable features of Chapter 8 & 13

designs, Impact on society.

SR NO:	Design name	Period	Amount Expenditure (Rs.)	Benefit
1	School renovate	Immediately	1837370.99	It improves safety of children's in learning.
2	Community hall	Within 1 year	230790.81	Promotes Exercise. Exercise is one of the most obvious benefits of a community center. Provides a Meeting Space.
3	Main gate	Immediately	288916.02	It provides Higher Property Values, Increased Security and good aesthetic view of village
4	Anganwadi renovation	Within 1 year	459161.5	It improves the attendance and interest of children's in learning.
5	Solid waste management	Immediately	272862	It cleans the landscape. It Promotes health and sanitation.
6	Septic tank	Immediately	324024.25	Easier on the environment. Regular sewer lines can sometimes leak raw sewage into the ground, contaminating our ground water.



7	Bus stand	Within 1 year	124947.88	It provides comfortable, safe, and well-lighted place to wait.
8	Panchayat building	Long Term (3- 5 years)	100000	Maintenance and construction of water resources, roads, drainage, School buildings and CPR (common property resources).
9	РНС	Immediately	600281.33	Primary health care services can improve people's health and wellbeing by supporting them to manage their complex and chronic conditions
10	Milk dairy	Within 1 year	854761.07	Increased production of milk. Better utilization of labour.
11	Library	Immediately	442507.93	They foster literacy of all kinds. They create healthy communities.
12	Over head water tank	Within 1 year	54,50,000	Overhead water tank delivers water pressure to all the processes, moderately at a constant level.



CHEPTER: 16 16. Survey by Interviewing With Talati And / Or Sarpanch

Gujarat Technological University, Ahmedabad, Gujarat



Vishwakarma Yojana: Phase VIII Survey with Interviewing

SURVEY BY INTERVIEWING WITH TALATI AND/OR SARPANCH

Vishwakarma Yojana: Phase VIII

ALLOCATED VILLAGE SURVEY

An approach towards "Rurbanisation for Village Development"

CHAPTER-16

Questions	Yes/No	Remarks
What are the sources of income in village?	Yes	Farming Priver
What are the chances of employment in village?	Vei	
What are the special technical facilities in village?	NO	-
Is any debt on village dwellers?	NO	*
Are village people getting agricultural help?		-
		-
	Yel	
	Yes	ar
Facility of vaccination to child is available in village?		-
Are village people aware about child vaccination and done to each and every child as per norms?	Yes	
Women help line number information is provided to village people?	Yes	84
Is water scarcity in village? How many days per year?	NO	dan i
Is village under any debt?	No	
Is any serious issue due to debt from bank or any person happened in village?	NO	
Is any suicide like incident observed in village due to government policy, debt or threatening?	NO	~
Is any death of patient occurred due to unavailability of medical facility in village?	NO	~
How many disabled (physically challenged) is observed in village? Provide list with Male/female/girl/boy with age and type of disability and reason of disability.	NO	dia
Is village improvement is observed in comparative scenario from past to present?	Ya	-
Any natural calamity is there?	NO	-
Life Living standard of girls and women is appreciated and uplifted in village? I officer and students can add more questions. This is a sa	Yes	s
	What are the sources of income in village? What are the chances of employment in village? What are the special technical facilities in village? Is any debt on village dwellers? Are village people getting agricultural help? Is women health awareness Program organized in village? Are women having opportunity to work and income? Child girl education is appreciated in village? Facility of vaccination to child is available in village? Are village people aware about child vaccination and done to each and every child as per norms? Women help line number information is provided to village people? Is water scarcity in village? How many days per year? Is village under any debt? Is any serious issue due to debt from bank or any person happened in village? Is any suicide like incident observed in village due to government policy, debt or threatening? Is any death of patient occurred due to unavailability of medical facility in village? How many disabled (physically challenged) is observed in village? Provide list with Male/female/girl/boy with age and type of disability and reason of disability. Is village improvement is observed in comparative scenario from past to present? Is any unavoidable difficulty village people are facing? Any natural calamity is there? Life Living standard of girls and women is appreciated	What are the sources of income in village?YesWhat are the chances of employment in village?YesWhat are the special technical facilities in village?NoIs any debt on village dwellers?NoAre village people getting agricultural help?NoIs women health awareness Program organized in village?YesAre women having opportunity to work and income?YesChild girl education is appreciated in village?YesFacility of vaccination to child is available in village?YesFacility of vaccination to child as per norms?YesWomen help line number information is provided to village people?YesIs water scarcity in village? How many days per year?NoIs any serious issue due to debt from bank or any person happened in village?NoIs any suicide like incident observed in village due to government policy, debt or threatening?NoIs any death of patient occurred due to unavailability of medical facility in village?NoHow many disabled (physically challenged) is observed in village? Provide list with Male/female/girl/boy with age and type of disability and reason of disability.NoIs any unavoidable difficulty village people are facing?NoAny autural calamity is there?NoLife Living standard of orits and women is appreciatedNo

Administration queries/ Difficulties: GTU VY Section Contact No - 079-23267588 Email ID: rurban@gtu.edu.in

21621. 5. 2120

โลเหมเพิก อาสสาย



UZA

CHEPTER: 17 17. Irrigation / Agriculture Activities and Agro Industry,

Alternate Techniques and Solution

Irrigation helps to grow agricultural crops, maintain landscapes, and revegetate disturbed soils in dry areas and during periods of less than average rainfall. Irrigation also has other uses in crop production, including frost protection, suppressing weed growth in grain fields and preventing soil consolidation.





District: Mehsana

17.1 Irrigation in Vadpura village

Irrigation is the practice of purposely providing land with water by artificial means for crop production. Head of the distributor refers to the last point in the distributor at which the flow of water to the village is controlled by irrigation authorities





17.2 Ground water based on irrigation in Vadpura village

Water table, also called groundwater table, upper level of an underground surface in which the soil or rocks are permanently saturated with water. The water table separates the groundwater zone that lies below it from the capillary fringe, or zone of aeration, that lies above it.







17.3 Agro industries in Vadpura village

Agro-based industry would mean any activity involved in cultivation, under controlled conditions of agricultural and horticultural crops, including floriculture and cultivation of vegetables and post-harvest operation on all fruits and vegetables.

Alternate Techniques:


1. Buried Clay Pot Irrigation

- One of the most studied, and very effective systems uses a buried clay pot full of water to irrigate plants
- The capillary flow of water through the clay walls of the pot is regulated by demand - so little water is wasted
- Highly recommended! For restoration, gardens, landscaping, farming
- Clay pots worked well even in the lowest, hottest desert
- Excellent for seedlings or for starting seeds or cuttings
- Pot rim painted white to reduce evaporation



2. Deep Pipe Irrigation

- This method of irrigation was suggested by a traditional system from India where water was placed in the hollow stem of a dead plant to water deeper in the soil
- Subsequent research found one study and one report from India
- This has been our best system for restoration work -- cheap, durable and very effective





3. Wick Irrigation

- Wick systems were also described in reports from India
- Wicks were traditionally combined with clay pots to water orchard trees
- After trying several types of wick systems, I think this may be the next great thing!

Irrigation Problems and Solution

1. Irrigation systems turning on during rainy weather

It's always best when nature is happy to water the garden for you, but what happens when it starts raining at the exact time the irrigation system is set to start watering the garden? It's not necessary or ideal to give the garden a double dose of water, especially when the aim of the game is to save water and money.

2. Water pressure issues

High, low and fluctuating water pressure can become an issue when your irrigation system is in use because it can prevent your garden from getting watered properly. Water pressure issues can result in misting, which is not effective hydration for your garden.

The solution is to install and adjust a valve pressure regulator at the valve and pressure regulation at the point of water distribution, both of which are features of the Rain Bird irrigation system.

3. Over-watering and under-watering

No two gardens are the same, so a one-size-fits-all irrigation system is not effective because it is likely to result in over-watering and under-watering. It is important to assess the areas in your garden that get a lot of sun versus a lot of shade. The parts of your garden that are exposed to more sun will need more water to compensate for the inevitable increased water loss, whereas the shady sections will require less watering. In addition, different areas of your garden will require more or less water depending on the plants in each area. Some plants demand more water, while others can survive on much less. But how can watering the garden be regulated in a way that considers all these factors?

4. Awkward garden designs

As we have said, each garden is unique and there is bound to be some interesting garden features that your irrigation system has to contend with. Your garden probably has one or more of the following characteristics: small or tight areas, odd shapes, long strips, crazy corners, various buildings, winding paths and weird obstacles.

5. Water run-off and pooling

The ultimate goal is to get the water to where it needs to go and to avoid as much water wastage as possible. The problem is that certain parts of the garden may have more compact soil, which means the water is not always absorbed and it begins to run-off onto areas that don't need the water. Similarly, water can begin pooling in areas below slopes or where run-off water settles, and these puddles can be damaging.



CHEPTER: 18 18. Social Activities – Any Activates Planned By Students













CHEPTER: 19 19. <<<ALLOCATED VILLAGE>> SAGY Questionnaire

Survey form with the Sarpanch Signature

• mage:	Vad	hodi		-	Gram	Pancha	ayat:	V	adp	42	el		w	ard N	lo
Village:		I			Di	strict:		Mel	ACCIT	hel					
State:	65	4)920	+		L S	Const	ituer	icy:	Me	hsc	ind.				
1. Family	Identity	and Size													
Name of H of Househ	lead P	atel	Mei	mil	c+]	Par	ibh	uda	3				Ma	le/ nale	Male
SECC Surve ID:	ey	-				amily ze	ą	5 18	ver 1		5 to 18	3	Und		
2. Catego	TV & Enti	tlement D	atalle (Tick									10		
Social Category ¹	Gene	Life	1. A 2. S	II Adul ome A	lts dults		AAE	3Y 1.	Yes	Kis	an edit	Γ	_		
Poverty Status	1. BPL	Insurance Health	1. A	II Adul	lts dults	~	RSB	2. Y 1.		MG	INREGS		1-10-	-	_
Year ² :	2.VAPL	Insurance	3. N	one			130	2.			Card	N	0		
PDS (IF NFSA PDS (IF NFSA	A is not im	plemented)	Annap	ourna	Antyc	odaya	BPL	1	APL	Is a	ny wom	nan ir	n the		
2. Adults	(above 1	B years)			-				Other		mber of	fans	SHG?	1057	no
Name				Age	0	Disab Status Y/N	ility	Marital Status ³	Educ Statu	ation	6.0	r B	ank :	Socia Secur	l rity
Patel	Hardi	k Mani	i Ver l	40	M/F/ O	Disab Status Y/N	ility	Marital Status ³	Educ Statu	ation	Adhaa Card	r B	ank //C	Socia Secur	il rity ion ^s
Patel Patel	Hardi Chine	k Mani	a (40	M/F/ O M	Disab Status Y/N N	ility	Marital Status ³ 2 2	Educ Statu	ation is ⁴	Adhaa Card (Y/ N)	A A (Y	ank //C	Socia Secur Pensi	il rity ion ⁵
Patel	Hardi Chine	k Mani	a (40	M/F/ O	Disab Status Y/N	ility	Marital Status ³	Educ Statu	ation is ⁴	Adhaa Card (Y/ N) Y	A A (Y	Bank VC Y/N)	Socia Secur Pensi	rity ion ^s
Patel Patel Batel 3. Children	Hardi Clairde Silba	k Mani Manil manil		40 35 32	M/F/ O S SE	Disab Status Y/N N	ility s	Marital Status ³ 2 2 2	Educ Statu 12 10 BC	ation s ⁴	Adhaa Card (Y/ N) Y	A A (Y	Bank VC Y/N)	Socia Secur Pensi	il rity ion ⁵
Patel Patel Patel Batel B. Children Name	Hardi Chine cilba	k Mani Mani Mani years and u	a (er (Ad 35 32 8 year Age	M/F/ O M F Sex M/F/	Disab Status Y/N N	ability	Marital Status ³ 2 2	Educ Statu 17 10 BC	ation s ⁴	Adhaa Card (Y/ N) Y Y X School /Colleg	to C	Bank VC Y/N) Y	Socia Secur Pensi	I rity ion ⁵ J M mpute erate
Name Putel Patel 3. Children Name	Hardi Chine cilba	k Mani Manil manil	a (er (Ad 35 32 8 year Age	M/F/ O M F Sex M/F/	Disab Statu: Y/N N N N N	ability	Marital Status ³ 2 2 2 2 2 2	Educ Statu 12 BC	ation s ⁴	Adhaa Card (Y/ N) Y Y X Going t School	to C	Sank VC Y/N) V V	Socia Secur Pensi N L I Litu Y/f	I rity ion ⁵ J M mpute erate
Name Patel Patel 3. Children Name Patel	Hardi Chine silba	k Mani Manil manil years and u	a (er (Ad 35 32 8 year Age	M/F/ O M F Sex M/F/	Disab Statu: Y/N N N N N	ability	Marital Status ³ 2 2 2 2 2 V Marita Code*	Educ Statu 12 BC	ation s ⁴	Adhaa Card (Y/ N) V V X School /Colleg (Y/N)	to C	Bank VC Y/N) I Y Z Currer Class	Socia Secur Pensi N L I Litu Y/f	mpute N
Name Putel Patel 3. Children Name	Hardi Chine silba	k Mani Manil manil years and u	a (er (Ad 35 32 8 year Age	M/F/ O M F Sex M/F/	Disab Statu: Y/N N N N N	ability s	Marital Status ³ 2 2 2 2 2 V Marita Code*	Educ Statu 12 BC	ation s ⁴	Adhaa Card (Y/ N) Y X School /Colleg (Y/N) Y	to C	Curren Curren 2	Socia Secur Pensi L L L L t t Y/I	mpute erate

¹ Scheduled Caste 1, Scheduled Tribe 2, Other Backward Castes 3, Other 4
 ² Enter the BPL Survey round being used in the Gram Panchayat for identification of BPL Families (e.g. 1997/2002/2011)
 ³ <u>Marital Status: Not Married - 1, Married - 2, Widowed - 3, Divorced/Separated - 4</u>
 ⁴ Level of Education: Not Literate - 02, Completed Class 5 - 03, Class 8th - 04, Class 10th-05, Class 12th-06, ITl Diploma-07, Graduate-08, Post Graduate/Professional - 09 (write the highest level applicable)
 ⁵ No Pension - 0, Old Age Pension - 1, Widow Pension - 2, Disability Pension - 3, Other Pension - 4 (mention)



SAANSAD ADARSH GRAM YOJANA (SAGY) Baseline Household Survey Questionnaire 5. Hand washing 13. Principal Occupations in the Household

	Al	ways	Som	etimes	Never
After use of Toilet	Soap	Other	Soap	Other	
Before Eating	Soap	Other	Soap	Other	

6. Use of Mosquito Net

2

Children: Yes / No- Adults: Yes / No-

7. Do members take Regular Physical Exercise

	Yoga	Games	Other Exercises
Adults	Yes / No.	Yes / No	Yes / No
		Yes /-No-	Yes /-No

8. Consumption of Tobacco

	Smoking	Chewing
Adults	NO	NO
Children	NO	NO

9. House & Homestead Data

Own House: Yes /	No-	No. of Rooms: 🐂			
Type: Kutcha / Ser		ca / Pucca_			
		hity / Open-Defecation			
Drainage linked to	House	: Covered / Open /-None			
Waste Collection System	Door	Step / Common Point / No tion System			
Homestead Land: Yes / No		Kitchen Garden : Yes-/ No			
Compost Pit: Individual/ Group	/ None	Biogas Plant: Individual/ Group/ None			

10. Source of Water (Distance from source in KMs)

Source of Water		Distance
Piped Water at Home	Yes /-No-	0.2 Kr
Community Water Tap	Yes /-No-	0.2 km
Hand Pump (Public / Priva	te) Yes / No	
Open Well(Public / Private	e) ¥es/No	
Other (mention):		

11. Source of Lighting and Power

Electricity Connection to Household: Yes /-No-	
Lighting: Electricity/Kerosene/Solar Power	

Mention if Any Other:

Cooking: LPG/Biogas/Kerosene/Wood/Electricity-

Mention if Any Other:

If cooking in Chullah: Normal/ Smokeless-

12. Landholding (Acres)

1.	Total	20	2. Cultivable Area	18
3.	Irrigated Area	l	4. Uncultivable Area	١

Livelihood Tick if applicable Farming on own Land L Sharecropping /Farming Leased Land L Animal Husbandry 1 Pisciculture Fishing Skilled Wage Worker Unskilled Wage Worker Salaried Employment in Government Salaried Employment - Private Sector L Weaving Other Artisan(mention) Other Trade & Business (mention)

14. Migration Status

Does any member of the household migrate for Work: Yes / No. If Yes Entire Year / Seasonal Does anyone below 18 years migrate for work: Y/N

15. Agriculture Inputs

Do you use Chemical Fertilisers	Yes/No-
Do you use Chemical Insecticides	Yes/No
Do you use Chemical Weedicide	Yes/No
Do you have Soil Health Card	Yes/No
Irrigation: None/ Canal/ Tank/ Bor	ewell/Other-
Drip or Sprinkler Irrigation: Drip /S	prinkler / None

16. Agricultural Produce in a normal year (Top 3)

Name	Unit	Quantity
Cotton	-	-
Vegetuble	-	-
Whent	-	-

17. Livestock Numbers

Cows: 2	Bullocks: -	Calves:
Female Buffalo: 3	Male Buffalo:	Buffalo Calves:
Goats/ Sheep:	Poultry/ Ducks:	Pigs: -
Any other: Typ	be	No. C
Shelter for Live	stock: Pucca-/ Kut	cha /-None
	Production of Milk	

18. What games do Children Play = Criclet and kho-kho

19. Do children play musical instrument (mention) = NO

Schedule Filled By: Chirug parted Principal Respondent: Date of Survey: 30/4/2021



3

в	asic Information	anchayat Details el questionnaires wh	
	a. Gram Panchayat: Valpura		
	b. Block:		
	c. District: Mehsuna		
	d State:		
	d. State: Gryjant		
	e. Lok Sabha Constituency: Mehsur	rel	
	f. Number of Wards in the Gram Panchayat:	1	
	g. Number of Villages in the Gram Panchayat:	1	
		<u></u>	A striken w
	n. Names of Villages: Vadpusel.	THE REAL PROPERTY OF	States and the second second
Nu Ho	emographic Information umber of Total puscholds 197 Population 967 Ma CHHs ST HHs OB		Female 459
Nu Ho	umber of Total puseholds 197 Population 967 Ma	C HHs	Other HHs
NU Ho SC	Imber of puscholds Total Population 967 Mail Phile ST HHs OB Cess to Infrastructure / Facilities / Services Infrastructure Facilities / Services	C HHs Located within the GP Yes	Other HHs If located elsewhere (N), distance from
	Imber of ouseholds Total Population 967 Mail Puseholds 97 Population 967 Mail PhHs ST HHs OB cess to Infrastructure / Facilities / Services Infrastructure Facilities / Services ANM/ Health Sub Centre	C HHs	Other HHs
Ac	Imber of puscholds Total Population 967 Mail Cess to Infrastructure / Facilities / Services Infrastructure Facilities / Services ANM/ Health Sub Centre Nearest Primary Health Centre (PHC)	C HHs Located within the GP Yes (Y)/No (N)	Other HHs If located elsewhere (N), distance from the GP office
Ac	Imber of	C HHs Located within the GP Yes (Y)/No (N) N N	Other HHs If located elsewhere (N), distance from the GP office
	Imber of	C HHs Located within the GP Yes (Y)/No (N) N	Other HHs If located elsewhere (N), distance from the GP office N T:lem
	Imber of puscholds Total Population 967 Mail Cess to Infrastructure / Facilities / Services OB Infrastructure Facilities / Services Mail ANM/ Health Sub Centre Nearest Primary Health Centre (PHC) Nearest Post Office Nearest Post Office Nearest Bank Branch (Any) Mail	C HHs Located within the GP Yes (Y)/No (N) N N	Other HHs If located elsewhere (N), distance from the GP office N T:lem N 2km
	Imber of	C HHs Located within the GP Yes (Y)/No (N) N N N N N N N N	Other HHs If located elsewhere (N), distance from the GP office N 7:1em N
	Imber of	C HHs Located within the GP Yes (Y)/No (N) N N N N N N N N	Other HHs If located elsewhere (N), distance from the GP office N 7:1em N 2.km 2.km
	Imber of vuseholds 197 Total Population 967 Mai Puseholds 197 Population 967 Mai Puseholds ST HHs OB cess to Infrastructure / Facilities / Services OB Infrastructure Facilities / Services ANM/ Health Sub Centre Nearest Primary Health Centre (PHC) Nearest Post Office Nearest Bank Branch (Any) Nearest ATM Nearest Primary School	C HHs Located within the GP Yes (Y)/No (N) N N N N N N N N N	Other HHs If located elsewhere (N), distance from the GP office N 7: lem N 2.km 5. lem
	Imber of votel Total Population_967 Mail Population_967 Mail Mail Population_967 Mail OB Cess to Infrastructure / Facilities / Services Infrastructure Facilities / Services Infrastructure Facilities / Services ANM/ Health Sub Centre Nearest Primary Health Centre (PHC) Nearest Community Health Centre (CHC) Nearest Bank Branch (Any) Nearest Bank with CBS Facility Nearest ATM Nearest Primary School Nearest Middle School	C HHs Located within the GP Yes (Y)/No (N) N N N N N N N N N N N N	Other HHs If located elsewhere (N), distance from the GP office N 7: lem N 2.km 5. lem
Nu Ho	Imber of vuseholds 197 Total Population 967 Mai Puseholds 197 Population 967 Mai Puseholds ST HHs OB cess to Infrastructure / Facilities / Services OB Infrastructure Facilities / Services ANM/ Health Sub Centre Nearest Primary Health Centre (PHC) Nearest Post Office Nearest Bank Branch (Any) Nearest ATM Nearest Primary School	C HHs Located within the GP Yes (Y)/No (N) N N N N N N N N N	Other HHs If located elsewhere (N), distance from the GP office N 7:1em N 2.km 2.km 5.1em 2.km



1

A Saansad Adarsh Gram Yojana (SAGY) Panchayat Details Survey Questionnaire (Note: Please aggregate information from village level questionnaires wherever relevant)

	Infrastructu		s / Service	:5	t	ocated with he GP Yes Y)/No (N)	0		d elsewhere ance from office
0	Agriculture C			iety		Y		-	-
p	- rearest Agio					Ý		-	-
p	MSP based G	iovernment I	rocureme	nt Centre		Ň		-	-
q	Milk Coopera					Y		_	-
r	Veterinary Ca	are Centre				N		-	10
S	Ayurveda Ce	ntre				NS		21	
t	E – Seva Ken	dra				N	-	-	-
u	Bus Stop					V		-	/
v	Railway Stati	on	1.1.1.1			N		7	fem
w						N	-		km
x	Common Ser	vice Centre				N		+	ler
. E	Mini Stadium :_ Education, ICDS Number of Angan				round wi	ith equipmen	nt and s	sitting	arrangement
D. E. N. N. N.	ducation, ICDS Number of Angan Number of village James of such vill	Wadi Centro es without Ar ages:	es: <u>1</u> ngan Wadi	Centres	_	ith equipmen	nt and :	sitting	arrangement
b. E. P. D. P. N II II II II II II II	Aducation, ICDS Number of Angan Number of village James of such vill Schools (Number Primary Private: Middle Private: Secondary Private Higher Secondary	Wadi Centro s without Ar ages: Primary Middle :: Seco Private:	es: 1_ ngan Wadi Govt.: 7 Govt.: 7 ondary Go High	Centres			nt and s	sitting	arrangement
b. E. P. D. P. N II II II II II II II	ducation, ICDS Number of Angan Number of village James of such vill Schools (Number Primary Private: Middle Private: Secondary Private	Wadi Centro s without Ar ages: Primary Middle :: Seco Private:	es: 1_ ngan Wadi Govt.: 1 Govt.: _ ondary Go High Women's	Centres	ry Govt:		Locat GP (ment	ion in ion	If outside G Location & distance fro
	Aducation, ICDS Number of Angan Number of village Vames of such vill Schools (Number Primary Private: Middle Private: Secondary Private Higher Secondary L Public Distribu	Wadi Centro s without Ar ages: Primary Middle :: Seco Private: Ition System Private	es: 1_ ngan Wadi Govt.: 1 Govt.: _ ondary Go High Women's	Centres	ry Govt:	Other	Locat GP (ment Locat	ion in ion ion	If outside G Location &
D. E . I . I . I . I . I . I . I . I	Aducation, ICDS Number of Angan Number of village Vames of such vill Schools (Number Primary Private: Middle Private: Secondary Private Higher Secondary I. Public Distribu Item Cereal (Rice/ Wheat/ Millets)	Wadi Centro s without Ar ages: Primary Middle :: Seco Private: Ition System Private	es: 1_ ngan Wadi Govt.: 1 Govt.: _ ondary Go High Women's	Centres	ry Govt:	Other	Locat GP (ment	ion in ion ion	If outside G Location & distance fro
D. E . F . N N . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1	Aducation, ICDS Number of Angan Number of village Vames of such vill Schools (Number Primary Private: Middle Private: Secondary Private Higher Secondary L Public Distribu	Wadi Centro s without Ar ages: Primary Middle :: Seco Private: Ition System Private	es: 1_ ngan Wadi Govt.: 1 Govt.: _ ondary Go High Women's	Centres	ry Govt:	Other	Locat GP (ment Locat	ion in ion ion)	If outside G Location & distance fro



2

5 Saansad Adarsh Gram Yojana (SAGY) Panchayat Details Survey Questionnaire (Note: Please aggregate information from village level questionnaires wherever relevant)

-	Parameter	Villages Status ¹	Names of Villages Covered	Names of Villages not Covered
a.	Piped Water Supply Coverage to Villages	Covered <u>I</u> Not Covered	Vadpury	-
b.	Hand Pump Coverage in Villages:	Covered Not Covered		-
c.	Coverage under Covered Drains:	Covered	Vadpusu	
d.	Coverage under Open Drains:	Covered Not Covered	-	-
e.	Villages with Household Electricity Connection (Numbers)	Connected Not Connected	Vadpim	

VII. Coverage of	f Villages under	different	Facilities	& Services
------------------	------------------	-----------	------------	------------

VIII. Land and Irrigation

	Private Land	Area in Acres	Common 1	Land Area in Acres		Irrigation Structure	No.
a.	Cultivable Land	45-5	d. Pasture / G Land	razing _	g.	Check Dam	0
b.	Irrigated Land	25-0	e. Forests/ Plantations	-	h.	Wells/Bore Wells	7
c.	Un-irrigated Land	34-5	f. Other Com Land	mon _	i	Tanks /Ponds	0

¹ Mention the number of Villages Covered and Not Covered



IX	Parameters relating to Households & Institutions	
	Number of alivible House but to	Number
a)	Number of eligible Households for pension (old age, widow, disability)	30
b)	Number of Households receiving pension (old age, widow, disability)	20
c)	Number of eligible Households who are not receiving pension	10
d)	Number of Households eligible for Ration Card	180
e)	Number of eligible HHs having ration cards	100
f)	Number of households covered under RSBY (Rashtriya Swasthya Bima Yojana)	-
g)	Number of HHs covered under AABY (Aam Aadmi Bima Yojana)	-
h)	Number of active Job Card holders under MGNREGA	-
i)	Number of Job Card holders who completed 100 days of work during 2013-14	-
j)	Number of shops selling alcohol	-
k)	Number of BPL families	40
)	Number of landless households	10
n)	Number of IAY beneficiaries	-
1)	Number of FRA ² beneficiaries	-
)	Number of Community Sanitary Complexes	-
)	Number of Households headed by single women	~
1)	Number of Households headed by physically handicapped persons	Ţ
)	Total number of Persons with Disability in the village	-
)	Number of SHGs	-
)	Number of active SHGs	
)	Number of SHG Federations	-
)	Number of Youth Clubs	2

Name and Signature of Surveyor and Respondent'

10277. સરપંચ 2021 30/4 વડપુરા ગ્રામ પંચાયત Official Respondent (Preferably તા.કડી, જી.મહેસાલા seniormost Government official PRI Respondent (Preferably Date of Survey in the Gram Panchayat) Gram Panchayat Chairperson) Surveyor ² The Scheduled Tribes and Other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 4

Scanned with CamScanner



	SAANSAD ADARSH GRAM YOJANA (S	AGY) Village Det	ails Survey Questionna					
	This questionnaire should be filled for each							
Ba	sic Information							
	a. Village: Vadpyrd.							
	h mage. Varpysel.							
b. Ward Number:								
	c. Gram Panchayat: Verdourd							
	d. Block:							
	e. District: Mehsand							
	f. State: Guiciacet							
	g. Lok Sabha Constituency: Mehso		the second states					
	h. Number of Habitations / Hamlets in the Gra	am Panchayat:9	7					
Nu	mographic Information mber of Total usebolds 197 Boxylation 967	Mat. 508	5 - 1 (150)					
Nu		Male 508	Female <u>459</u>					
Nu Ho	mber of Total	Male <u>507</u> OBC HHs						
Nu Ho SC	mber of useholds 197 Total Population 967	OBC HHs	Other HHs					
Nu Ho SC Ac	mber of useholds 197 Total Population 967 HHs ST HHs - ccess to Infrastructure/Amenities etc. Access to Infrastructure / Facilities / Services	OBC HHs	Other HHs					
Nu Ho SC Ac i.	mber of useholds 197 Total Population 967 HHs ST HHs	OBC HHs Located in the Village Yes (Y)/No(N)	Other HHs					
Nu Ho SC Ac i. a. b.	mber of useholds 197 Total Population 967 HHs ST HHs	OBC HHs Located in the Village Yes (Y)/No(N) V N	Other HHs If located elsewhere (N), distance in kms from the village					
Nu Ho SC Ac i. a. b. c.	mber of useholds 197 Total Population 967 HHs ST HHs	OBC HHs	Other HHs If located elsewhere (N), distance in kms from the village 2 1 < m 2 1 < m					
Nu Ho SC Ac i. b. c. d.	mber of useholds 197 Total Population 967 HHs ST HHs	OBC HHs	Other HHs If located elsewhere (N), distance in kms from the village					
Nu Ho SC Ac i. b. c. d. e.	mber of useholds 197 Total Population 967 HHs ST HHs	OBC HHs	Other HHs If located elsewhere (N), distance in kms from the village 2 1 < m 2 1 < m					

¹ While filling this the surveyor must collect the information from the Ward Member/s and relevant government officials

1

i.

ATM

j. Bus Stop

k. Railway Station



N

V

N

2

7 km

SAANSAD ADARSH GRAM YOJANA (SAGY) Village Details Survey Questionnaire

1	Access to Infrastructure / Facilities / Services	Located in the Village	If located elsewhere (N), distance in kms
	Services	Yes (Y)/No(N)	from the village
1	Library	N	ゴレー
m	Common Service Centre	N	2 Km
n	Veterinary Care Centre	N	-
a. H	bad Connectivity labitations connected by All-weather Roads 1- nention the name of the habitations where not ava	Al I ailable:	(1-All 2-None 3-Som
a.Pip	rinking Water Facilities ed Water Supply Coverage to Habitations: mention the name of the habitations not covered	(1-All 2=No	me 3-Same)
b.Ha If 3	nd Pump Coverage in Habitations: 8 mention the name of the habitations not covered		ne 3-Some)
a. C	overage of Habitations under Waste Managem overage under Covered Drains: 2 (1-Al 3 mention the name of the habitations not covered	1 2-None 3-So	ome)
If	overage under Open Drains: 2 (1-411 2-) 3 mention the name of the habitations not covered	d:	
c. Co If	overage under Doorstep Waste Collection: (1-41) 3 mention the name of the habitations not covered	2-None 3-So i d:	me) 2
a. Co	verage of Habitations under Electrification werage under Household Connections: (1-All 2 3 mention the name of the habitations not covered	None 3-Some) d:	2
b.Co If	verage under Street Lighting: All(1-All 2-Normal 3 mention the name of the habitations not covered	e 3 -Some) I d:	
a.Nu	orts Facilities in the Village mber of Play Grounds in the Village (minimum si ni Stadium : Yes(Y) /No (N)	ze 200 square mete	rs): <u>1</u>
i. Ed	lucation, ICDS		
a. Nu	mber of Anganwadi Centres:		
a. Nu c. Sc	mber of Anganwadi Centres:		
a. Nu c. Sc Pr	umber of Anganwadi Centres: thools (Number) imary Private: Primary Govt.: 1		
a. Nu c. Sc Pr M	mber of Anganwadi Centres:		



....

uestionnaire	ge Details Survey Questionnaire
u	ge Details Survey Qu

Ci	ategory	Area in Acres		Land Category	Area in	T	Irrigation Structure	Nr.
a.	Cultivable		d.	Pasture / Grazing	Acres		-ganon on acture	No.
	Land	45-5	- ·	Land	-	g.	Check Dam	
b.	Irrigated Land	0 5 40	e.	Forests/ Plnatations				0
_		25-0		r orests/ r matations	-	h.	Wells/Bore Wells	
	Un-irrigated	0+ -	f.	Other Common	1	T		7
_	Land	54-5		Land	-	1	Tanks /Ponds	-

1	Number of active Job Card holders under MGNREGA	
2	Number of active Job Card holders who have completed 100 days of work	-
3	Number of shops selling alcohol	-
4	Number of BPL families	~
5	Number of landless households	40
6	Number of IAY beneficiaries	10
7	Number of FRA beneficiaries	-
8	Number of common sanitation complexes	-
9	Number of SHGs	
10	Number of active SHGs	-
11	Existence of SHG Federation in the Village (Yes / No)	
12	Number of Youth Clubs	2
13	Number of Bharat Nirman Volunteers	

Name and Signature of Surveyor and Respondent'

Jaimi n Jushi 721411-3-422 સરપંચ વડપુરા ગ્રામ પંચાયત તા.કડી, જી.મહેસાણા 30/4/202 PRI Respondent (Preferably a Official Respondent ward member from a ward (Preferably seniormost that is fully or partially) Government official in the covered under the Village) Gram Panchayat) Date of Survey Surveyor 3

Scanned with CamScanner



CHEPTER: 20 20. TDO-DDO-Collector email sending Soft copy attachment

in the report



Vishwakarma Yojana <rurban@gtu.edu.in>

Development scenario of Vadpura village Mehsana district

11/5/2021 4:22PM

To: tdo-kadi@gujarat.gov.in & ddo-mehsana@gujarat.gov.in Cc: Vishwakarma Yojana <rurban@gtu.edu.in>

Respected Sir/Madam

We are the students of S.P.B.PATEL ENGINEERING COLLAGE, LINCH affiliated to Gujarat Technological University-GTU. GTU has been assigned to Vishwakarma Yojana- VY in which students survey various villages and Design Various Amenities to deliver it to them making them ideal for living better life as per requirements & village problem statements.

As a part of Vishwakarma Yojana's guidelines, we have been asked to inform all the respected officers about the our project in which we will shortly notify about Vadpura Village profile of issues for development and our design work for them which is as below.

Village : Vadpu	ra	Population: 967(As of Census 2011)				
Key Issue	Remark	Design Given				
Water Scarcity	Water storage capacity of ESR-UG is enough but supply at the household is not enough to commence daily needs, here water is supplied every other day for nearly half an hour. Canal is there for irrigation water. Water can't be bored due to salinity of ground water.	 Lake Modification Rain Water Harvesting system Root Zone Tech. to convert waste water into irrigation water Road Network with side drains to save storm water 				
Internal Road Network	During rainy season it gets muddy as well as safety of integrated village is at risk due to no availability of street network.	• Road network with cc road				
Solid Waste Managem ent	Open waste disposal can be seen everywhere in the village.	• Waste utilization through composting (due to farming is one the main occupation)				
Toilet	Almost 90% have household toilet , under SBA toilet was needed.	· Public Toilet				
Health Care	Habitats has to travel minimum 4 km for any health care aids(Mor village PHC), mobile van comes every week.	· PHC				



Recreatio	Currently only Village does not have any	· Garden
nal Area	recreational place except for one temple near	· Garden attached to kund
	gamtal.	
Commun	Grampanchayat faces difficulties in conducting	· Community hall
ity Place	gramsabha, village does not have any place for	
	gatherings or for celebration.	
Identification	Village comes within the premises of other village	• Entrance Gate
	but it was seen that village direction holdings were	
	not proper which can cause difficulty in finding	
	the village	

SR NO:	Design name	Period	Amount Expenditure (Rs.)	Benefit
1	School renovate	Immediately	1837370.99	It improves safety of children's in learning.
2	Community hall	Within 1 year	230790.81	Promotes Exercise. Exercise is one of the most obvious benefits of a community center. Provides a Meeting Space.
3	Main gate	Immediately	288916.02	It provides Higher Property Values, Increased Security and good aesthetic view of village
4	Anganwadi renovation	Within 1 year	459161.5	It improves the attendance and interest of children's in learning.
5	Solid waste management	Immediately	272862	It cleans the landscape. It Promotes health and sanitation.
6	Septic tank	Immediately	324024.25	Easier on the environment. Regular sewer lines can sometimes leak raw sewage into the ground, contaminating our ground water.
7	Bus stand	Within 1 year	124947.88	It provides comfortable, safe, and well-lighted place to wait.



8	Panchayat building	Long Term (3-5 years)	100000	Maintenance and construction of water resources, roads, drainage, School buildings and CPR (common property resources).
9	РНС	Immediately	600281.33	Primary health care services can improve people's health and wellbeing by supporting them to manage their complex and chronic conditions
10	Milk dairy	Within 1 year	854761.07	Increased production of milk. Better utilization of labour.
11	Library	Immediately	442507.93	They foster literacy of all kinds. They create healthy communities.
12	Over head water tank	Within 1 year	54,50,000	Overhead water tank delivers water pressure to all the processes, moderately at a constant level.

• Please find here with attached,

1. Detailed Project Report Of Vadpura Village

Best REGARDS, Chirag Panchal and Jaimin joshi 7043508947/90992561 58 S.P.B.PATEL ENGINEERING COLLAGE GTU MAIL: 180393106006@SAFFRONY.AC.IN MAIL: 180393106001@SAFFRONY.AC.IN



CHEPTER: 21 21. Comprehensive report for the entire village

Vishwakarma Yojana is provides special scheme for development of rural area by GTU and Government of Gujarat in which students work together and collect data and information regards Rural area development with the help of gram panchayat, Talati, villagers and stake holders. Our selected village Vadpura have some basic facilities likes drinking water, electricity, drainage system, Pucca road, are sufficient so that village can develop. So, we will give proposal regarding sustainable energy sources and solution related to infrastructure problems.

Efforts have been made in this project work to identify and plan some of the below facilities for sustainable development of village and to meet need of future population. Vishwakarma Yojana is one of the initiatives towards Rurbanization that is village development by the government of Gujarat, which was allotted as a real time situation type project provides to GTU.

It is one of the strategies to reduce urban city pressure and lower the migration rate by developing village with a "rural soul" but with all urban amenities that a city may have. In this project the students meet the relevant citizens of village and survey the existing facilities. Then design of the sustainable infrastructure which is to be modified is carried out for the village. This includes implementation of engineering skills to prepare detailed project reports for village as a part of the final year project work.

By this project certain experiences recreates a real work and need of application of an individual technical knowledge on any existing problems. Based on survey we tried to give design of basic facilities to fulfill their needs. By providing basic facilities like Solid waste management system, School renovation, Community hall, Vermicompost method, Anganwadi, for reduce urban city pressure and decrease migration rate, which is ultimate aim of Vishwakarma Yojana.


Vishwakarma Yojana would provide "Design to Delivery" solution for development of villages in 'Rurban' areas. The developmental work in villages that could undertaken as per the need of the village in particular includes Physical infrastructure facilities (Water, Drainage, Road, Electricity, Solid waste Management, Storm Water Network, Telecommunication & Other), Social infrastructure facilities (Education, Health, Community Hall, Library, Recreation Facilities & other) and renewable energy (Rain water harvesting, Biogas plant, Solar Street lights & Other) for Sustainable development.


Under this scheme, the villages of "Rurban" area will be adopted by the engineering colleges under the Gujarat Technological University. The Engineering colleges would study the identified villages and make the recommendations on the application of technology to achieve integrated and comprehensive development, through project preparation and management.




Vishwakarma Yojana is one of the approaches to reduce urban city Pressure and lower the migration rate by developing village with a 'rural soul' but with all urban amenities that a city may have. The developmental work in villages that could undertake as per the need of the village in particular includes Physical, Social and Renewable infrastructure Facilities. It is also proposed to frame "Vishwakarma Yojana" to provide the benefit of real work experience to engineering students of Gujarat Technological University and simultaneously apply their technical knowledge in the development of infrastructure in rural development.

A) Anganwadi Design






B)School Design







C) Main Gate



NODAL OFFICER STATEMENT:

By providing this required facility to village, development and growth of village can be possible. So ultimately migration rate and urban city pressure can be reduced and livelihood of village dweller will increase

All the design which is given as above are very helpful for future development of village and village people for their enhancement and prosperity. I admire these students to do work related to civil engineering people and hope these works is help to improve and understand their skills and make it even batter. I am sure they got deep knowledge about development of village and various infrastructure facility design of village. Lastly, we all enjoyed the informational as well as practical journey of civil engineering work.

Nodal Officer Mr. Rajat C Mishra S.P.B.PATEL.ENGINEERING COLLAGE Saffrony institute of technology







SAFFRONY INSTITUTE OF TECHNOLOGY

Near Shanku's Water Park, Ahmedabad – Mehsana Highway, Linch, Gujarat 384435 Phone : (02762) 285721 E-mail: info@saffrony.ac.in Website: www.saffrony.ac.in